

FAN



F A R O
BARCELONA

**For a sustainable
future of forests.**



Edition: A2024FAN

Art: Faro Art

Print: Jiménez Godoy

Photographers:

Guillem F-H

Ricard Badía

Thanks to

MIKMAX


Alfombras BSB

Tarruella Trenchs Studio

Beti Guasch

Estudi Nou Arquitectes

Sara Adroer



We're Faro Barcelona

Our purpose	4
A brand with soul	6
Sustainability	8
Awards	14
Designers	16
Showrooms	18
Quality & innovation	20
Services	22



Fan Collection

Why a Fan	26
Best Choice	28
Size it to your space	30
Smart Fan	32
Custom	34
Fan integration	36
Extra Large over ø165 CM	40
Large ø132-164 CM	66
Medium ø107-131 CM	162
Small ø106 CM or less	234
Optional Downrod	282
Optional Light Kit Taki	298
Accesories	299



OUR PURPOSE

“Faro Barcelona exists to contribute to the wellbeing and happiness of people through design and the relationship we establish with the objects that surround us in our daily lives. We believe in honest and accessible design. Design for everyone.”

Xavier Martin
CEO



A BRAND WITH SOUL


“We believe in the power of enthusiasm to move forward and surf the waves the best way we know while enjoying the process and radiating light around us.”





SUSTAINABILITY

Our sustainability journey focuses on two main objectives: reducing our negative impact on the planet and maximising our positive social impact.





People

The value of a great team

At Faro Barcelona, sustainability starts from the inside, taking care of the well-being and personal growth of our team.

Equality and diversity

At Faro Barcelona all people are great and equal, whatever their gender, age, religion or sexual orientation. Women, as well as men, play an important role: 76% of our team and 49% of our leaders are women.

Community support

For over a decade, we have been collaborating in social projects of foundations providing our help to ensure a better quality of life for the people helped by these organisations. Since 2008, we have had our own social project with Hook, each luminaire sold feeds a child in Africa for one year.

Supporting new talent

We collaborate with universities and design schools to help new talents emerge into their professional development. Projects such as Reborn, a second life for waste (La Llotja), make It design with 3D printing (CIM UPC), are some of the collaborations we have carried out.

Social innovation

We take part in disruptive social innovation research and develop products and services that solve social problems such as the ageing of the population. We have a positive impact on people's quality of life, contributing to their well-being and comfort through quality, accessible and sustainable lighting and design.



Planet

Sustainable packaging

Our packaging is made of recycled cardboard boxes printed in one ink and without staples to ease the disassembly and the right recycling.

We have eliminated single-use plastics and replaced them with recyclable paper bags and we use recycled cardboard shavings to protect the product during transport in 60% of our shipments. All our packaging meets Drop Test ISTA-2C quality standards to ensure products arrive in perfect condition.

More sustainable logistics and transport

We have optimised the packaging size of each product to reduce the amount of packaging material and the carbon footprint of transport. We have opened a new logistics centre in China to supply our Asia-Oceania market in a more sustainable way and reduce carbon emissions from transport.

Sustainable workspaces

We use green electricity in our offices. We produce 70% of the energy we consume with our own photovoltaic installation, ensuring that the energy is from renewable sources. In addition, our headquarters are designed to maximise the use of solar energy and natural light.

Supporting new talent Team committed to sustainability

At Faro Barcelona we have an internal sustainability committee that promotes different sustainability actions and monitors them.



Product

Sustainability from conceptualisation

In our eco-design decalogue we set out the main guidelines we follow to make our designs more sustainable. We work with external consultants to reduce the environmental impact of our production processes, guaranteeing the quality and safety of our products. We are training our design team in circular design techniques for the more sustainable development of all our products.

A longer useful life

We work to design timeless, repairable and long-lasting products in order to reduce their environmental impact. We research new methods to ensure that our designs last longer, are easy to repair and can be recycled.

Standardisation and modularity

We work on the standardisation of components for a more efficient use of resources and more sustainable production. We develop modular collections that allow us greater versatility and more efficient logistics and transport.

More sustainable processes and materials

One of the major challenges towards a more sustainable production is the choice of materials as it represents more than 70% of the product's carbon footprint. The use of recycled materials or materials with a lower environmental impact, the implementation of new techniques and the reduction of the number of materials used, help us achieve more sustainable manufacturing.

Control of the supply chain

We share our sustainability vision and commitments with all our suppliers. We, therefore have a supplier code of conduct to ensure a more sustainable supply chain.




CARBON FOOTPRINT CERTIFICATION


We have achieved certification of our carbon footprint calculation in accordance with the ISO 14064-1 international standard, a major milestone on our path to sustainability.

Thanks to this certification, we know the real volume of greenhouse gas emissions generated by our activity and it allows us to identify areas for improvement and implement compensation strategies through different programs.

We celebrate that we have successfully passed the sustainability audit carried out by EcoVadis, obtaining the prestigious Medal in recognition of our sustainability efforts and achievements.

Both certifications reaffirms our ongoing commitment to sustainability and corporate responsibility in all its facets and operations.







AWARD-WINNING DESIGNS

Brot by Roger Vancells



Maya by Faro Lab



Buddy by Andreu Carulla



Inviting by Bohman & Folenius



Cadaqués by Faro Lab



Hook by Oiko Design Office



Fuji by Isaac Piñeiro



Brot by Yembarastudio



Mine by Nahtrang



Whizz by Christoph F. Wagner



Buoh by Estudi Ribaudí



Lotus by Estudi Ribaudí




Mute by Nahtrang




Han by GoulaFiguera






Nutcreatives



Cristopher F. Wagner



Goula/Figuerà



Xjer Studio



Alegre Design



Héctor Serrano



Àlex & Manel Lluscà



Andreu Carulla



Marina Milà



Conillas



Jordi Llopis



Bohman&Folenius



Nahtrang



Ernest Perera Studio



Lucid



Isaac Piñeiro



Estudi Ribaudí



Jordi Busquets



Jordi Blasi



Pepe Llaudet



Roger Vancells



Adolfo Abejón




Aldanondoyfdez



Yembarastudio

DESIGNERS
ARTISTS
CREATORS



They make our world a better place thanks to their ingenuity, talent and creativity.

Espacio Princesa
Princesa 52 Barcelona



The creativity, ingenuity and design of Faro Barcelona can be found in the heart of the city. Welcome to Espacio Princesa!

Request visit



Docontract MAD
Velázquez 35-4ºD Madrid



This innovative space has emerged with the purpose of simplifying the work of architects, interior designers and developers looking for solutions for their new construction or renovation projects.

Showroom París
7 Rue d'Uzès París



A space in which to carry out commercial activities such as visits, product demonstrations and meetings, and to develop a calendar of scheduled events to experience first-hand the design concept in lighting and ceiling fans.

SHOWROOMS

We planned it to be the meeting point for designers, interior designers, architects and creatives to share their concerns and create a whole experience.

At Faro Barcelona, we control the quality of our products and services from conception and design to functionality and reliability tests.

Our quality management system is based on ISO9001.

Compliance with electrical safety regulations under EN60598 and energy efficiency ERP.

Parametrical Lab

Specification Compliance
Electrical Safety Tests
Integrating Sphere
Climatic Chamber
IK Tests

Environmental Testing Lab

Water IP Tests
Powder IP Tests
Salt Spray Chamber

Technical Assistance Service (TAS)

Customer Returns Analysis
Customer Returns Repairs
TAS Spare Parts

Quality inspections Lab

Batch inspections
Functional Tests
Product Assembly Control
Product Finish Control

Ceiling Fan Lab

Life Test
Customizations
Airflow measurements
Noise measurements

Goniophotometer Room



Q-LAB


QUALITY & INNOVATION



Climatic Chamber




Goniophotometer Room




Integrating Sphere

SERVICES









Cooper
181



Deco Fan
195



Eco Indus
229



Eterfan
187



Fraser
227



Icaria
231



Izaro
163



Just Fan
191



Klim
213



Marine
219



Mini Eterfan
183



Mini Lantau
233



Mini Tube
199



Nassau
207



Panay
221



Palma
177



Punt
165



Punt Tub
169



Sfera
217



Tube
203




Typhoon
173



Winche
209



Yakarta
223



Chicago
253



Cruiser 106
241



Easy
245



Heywood
269



Hey
265



Hvar
247



Just Fan
273



Keiki
281



Klim
249



Mini Icaria
231



Mini Mallorca
235



Mini Punt
257



Mini Punt Tub
261



Palao
277



Rudder
237



Sfera
255



Vedra
279



The ceiling fan has become an essential element in the interior design of a space, providing style, functionality, efficiency and sustainability.

WHY A FAN?




Healthy & environmental friendly

It improves the air quality and contributes to our well-being and health. It does not emit toxic gases dangerous to the environment.




Cost-effective

It ventilates and cool spaces with energy consumption 50% lower than other systems.



Summer & Winter use

The rotation of the blades creates a refreshing breeze in summer and eliminates air stratification in winter.



Over 40 years of experience, we are your best choice.

BEST CHOICE



Engine guaranteed for
15 years.

High performance.



Wide range.
Over 80 designs.



DC motor.
Better performance.



Size is really important when selecting your ceiling fan. If a fan is too large, it can overwhelm the space. On the flip side, if the fan is too small, the airflow may be inadequate for that area.

SIZE IT TO YOUR SPACE

XL

28 m²/ 300 SQ.FT
or more



over Ø165 CM
Ø56 INCH

L

17,6-28 m²
190-300 SQ.FT



Ø132-164CM
Ø50-54 INCH

M

13-17,6 m²
140-190 SQ.FT



Ø107-131 CM
Ø44-48 INCH

S

13 m²/ 140 SQ.FT
or less



Ø106 CM. /Ø42 INCH.
or less



SMART FAN

Connection guide



Add a device.
In this case a
ceiling fan.



Enter your WIFI
password.
Make sure you are
connected
to a 2.4 GHz
network.



Pair your fan.
Choose the option
of new
fan to make the
connection.



Configure the fan.
Select the mode
you want
to use your fan in.



Regulate the light
on your fan. You
can modify the
light emitted by
your fan through
the app.



Regulates fan
speed.
You can modify the
speed of your fan
through the app.

Download app



Available on the iPhone
 App Store

ANDROID APP ON
 Google play





TECHNOLOGY

SYSTEM



We personalise and adapt fan functions to your project needs.

CUSTOM FANS



How you want to control your fan



Our fans around the world



We adapt fan speeds to your needs




We modify the memory of your fan

Tell us your needs and we will make it happen
send your enquiry to fanprojects@faro.es

FAN INTEGRATION


in automation projects.



All WP fan are compatible.



34162
Fan gateway 0 10/1 10V



34160 - Universal
dimmable receiver for
programming adaptations

Compatible with



LUTRON®

CASambi

and other control systems with 0 10/1 10V



ONE CONTROL FOR ALL

Compatible with wall controller 33974



*Special configurations

① Light function memory on/off, press and hold speed 1 key:

- 1 status (CURRENT): always once the power is input on, the light will turn on (and on maximum power if dimmable) settled from factory.
- 2 status: always once the power is input on, remember last use of on/off light and dim.

③ Sound confirmation on/off (beep), press and hold speed 3 key:

- 1 status (CURRENT): Only sound for pairing and set special configurations (1)(3)(4)(6), settled from factory.
- 2 status: Sound beep every key pressed.

④ Lock/Unlock Remote keys, press and hold speed 4 key:

- 1 status (CURRENT): all keys unlocked settled from factory.
- 2 status: Lock remote keys except on/off fan and on/off light keys.

⑥ Fan function memory on/off (on/off fan, speeds, reverse, breeze mode) press and hold speed 6 key:

- 1 Status(CURRENT): always once the power is input on, FAN will be off, settled from factory.
- 2 status: always once the power is input on, remember last use on/off fan, speeds, reverse, breeze mode.






Khios XL

ø305
CM
> 28 M²
> 300 SQ.FT
DC
MOTOR
SUMMER
WINTER



34250A
Body Matt Black
Blades Matt Black



Suitable for high ceilings


High airflow

Programmable 1-2-4-6-8h

Light output. 2200lm 32W

Material	Body Steel	Power	32W
	Blades Aluminium	Lumen Output	2200lm
W	16-47-70-93-116-140	Light Source	SMD LED 3000K
RPM	38-56-64-70-74-77	CRI	>80
Airflow	540 m ³ min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	PC

Power	32W
Lumen Output	2200lm
Light Source	SMD LED 3000K
CRI	>80
Driver incl.	Yes
Material Diff	PC



A	A1
670/26.38"	630/24.8"
B	C
200/7.87"	300/11.81"
D	E
170/6.7"	240/9.45"
F	G
ø3050/120.1"	1400/55.12"
Downrod L	Downrod ø
508/20"	




Manhattan XL



33496

Body Satin Nickel
Blades Satin Stainless




Suitable for high ceilings

Color temperature
adjustable

High airflow

Material	Body Steel
	Blades Aluminium
W	15-20-25-30-35-56
RPM	50-55-60-65-70-78
Airflow	269.12 m ³ min
V/Hz	220V-240V/50-60Hz
Opt. downrod	Page 282

Power	17W
Lumen Output	1400lm
Light Source	SMD LED
Dimmable K	2700 - 3300 - 4600K
CRI	>=90
Driver incl.	Yes
Material Diff	PC



A	A1
360/14.17"	325/12.8"
B	C
200/7.87"	130/5.12"
D	E
55/2.2"	130/5.12"
F	G
ø2440/96.1"	1160/45.67"
Downrod L	Downrod ø
150/5.91"	21/0.83"



Kauai XL

Ø240 CM	> 28 M ² > 300 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER	INCLINING ROOF
-------------------	------------------------------------	--------------------	--	------------------	-------------------




34200A
34200WPA
Body Dark Brown
Blades Pine

*Smart Fan



34201A NEW
34201WPA NEW
Body Matt White
Blades Pine


*Smart Fan




Natural wood



2 downrods included
125 / 250mm




Programmable 1-4-8h



Smart option

Material	Body Steel
Blades	Wood
W	13.4-17-20,7-35.7-54.5
RPM	79-86-93-110-126
Airflow	254.85 m ³ min
V/Hz	100V-240V/50-60Hz
Accesories ☺	34150-12 34150-12
Incl. downrod	125-250 mm
Opt. downrod	Page 282



A	A1
480/18.9"	430/16.93"
B	C
170/6.69"	210/8.27"
D	E
65/2.6"	150/5.91"
F	G
ø2400/94.5"	1000/39.37"
Downrod L	Downrod o
125-250/4.92"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-12 of the gear. The price of the gear is with PRO35 discount.



Attos XL



33494
33494WP *Smart Fan
Body Matt White
Blades Matt White



33495
33495WP *Smart Fan
Body Dark Brown
Blades Dark Brown



Suitable for high ceilings




Color temperature
adjustable



Smart option

Material	Body Steel	Power	18W
	Blades ABS	Lumen Output	1200lm
W	5-7-12-18-28-44	Light Source	SMD LED
RPM	30-44-58-72-86-103		2700K/1000lm
Airflow	155.81 m3 min		- 3300/1100lm -
V/Hz	220V-240V/50-60Hz		4600K/1200lm

CRI	>80
Driver incl.	Yes
Material Diff	PC



A	A1
340/13.39"	210/8.27"
B	C
120/4.72"	130/5.12"
D	E
60/2.4"	130/5.12"
F	G
ø2130/83.9"	1020/40.16"
Downrod L	Downrod ø
230/9.06"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-28 of the gear. The price of the gear is with PRO35 discount.



Andros XL

ø213 CM	> 28 M ² > 300 SQ.FT	DC MOTOR	SUMMER WINTER	INCLINING ROOF
-------------------	------------------------------------	--------------------	------------------	-------------------



33461A
Body White
Blades White



33462A
Body Brown
Blades Brown




33465A
Body Satin Nickel
Blades Satin Nickel



33414A
Body Matt Black
Blades Matt Black



Suitable for high ceilings



Optional downrods not incl.
600 / 900 / 1200

600mm Downrod

- | | |
|--------------|--------------|
| 34000 | Satin Nickel |
| 34006 | Dark Brown |
| 34009 | Matt White |
| 34012 | Matt Black |

900mm Downrod

- | | |
|--------------|--------------|
| 34001 | Satin Nickel |
| 34007 | Dark Brown |
| 34010 | Matt White |
| 34013 | Matt Black |

1200mm Downrod

- | | |
|--------------|--------------|
| 34002 | Satin Nickel |
| 34008 | Dark Brown |
| 34011 | Matt White |
| 34014 | Matt Black |

Material **Body** Steel


Blades Aluminium

W 4-6-10-15-22-35

RPM 30-41-53-64-74-88

Airflow 406.4 m³ min

V/Hz 220V-240V/50-60Hz



A A1

460/18.11" 425/16.73"

B C

220/8.66" 240/9.45"

D E

50/2" 150/5.91"

F G

ø2130/83.9" 950/37.4"

Downrod L Downrod ø

230/9.06" 26/1.02"



Cies XL

Ø210 CM	> 28 M ² > 300 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER	INCLINING ROOF
-------------------	------------------------------------	--------------------	--	------------------	-------------------



33512A
 33512WPA *Smart Fan
Body Shiny White
Blades Shiny White




High airflow

Programmable 1-4-8h
Memory function pag 38

Smart option

Material	Body Steel
Blades	ABS
W	6-9-15-28-44
RPM	54-67-79-98-112
Airflow	344.4 m ³ min
V/Hz	220V-240V/50-60Hz



A	A1
430/16.93"	380/14.96"
B	C
250/9.84"	230/9.06"
D	E
50/2"	148/5.83"
F	G
ø210/83"	930/36.61"
Downrod L	Downrod ø
230/9.06"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-27 of the gear. The price of the gear is with PRO35 discount.



Cies XL



33512WPA-1


***Smart Fan**

33512A-1


Body Shiny White
Blades Shiny White



Adjustable intensity



High airflow




Programmable 1-4-8h
Memory function pag 38



Smart option

Material	Body Steel	Power 15W
	Blades ABS	Lumen Output 900lm
W	6-9-15-28-44	Light Source SMD LED 3000K
RPM	54-67-79-98-112	CRI >80
Airflow	344.4 m3 min	Driver incl. Yes
V/Hz	220V-240V/50-60Hz	Material Diff ABS



A	A1
430/16.93"	380/14.96"
B	C
250/9.84"	230/9.06"
D	E
50/2"	148/5.83"
F	G
ø2108/83"	930/36.61"
Downrod L	Downrod ø
230/9.06"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-27 of the gear. The price of the gear is with PRO35 discount.




Aoba XL

ø180
CM
> 28 M²
> 300 SQ.FT



33349
Body Matt Black
Blades Reddish Walnut




3 downrods included
203 / 305 / 510mm

Wood

Material	Body Steel
Blades	Wood
W	30-70-88
RPM	74-125-152
Airflow	120 m ³ min
V/Hz	220V-240V/50-60Hz
Accessories ☺	33928 Wall Control 3 speeds 33929 Remote Control/dimer-on-off 33937 Remote Control/Programmer
Incl. downrod	203-305-510 mm
Opt. downrod	Page 282

A	A1
520/20.47"	410/16.14"
B	C
200/7.87"	230/9.06"
D	E
145/5.7"	160/6.3"
F	G
ø1800/70.9"	780/30.71"
Downrod L	Downrod ø
203-305- 510/7.99"	21/0.83"





Just Fan XL


Conillas



33430
33430WP *Smart Fan
Body Matt Black
Blades Dark Walnut




33432
33432WP *Smart Fan
Body Matt Black
Blades Black



3 downrods included
101 / 203 / 457mm

Smart option

Material	Body Steel
Blades	ABS
W	4-6-9-12-17-31
RPM	48-64-82-98-114-145
Airflow	175.28 m3 min
V/Hz	220V-240V/50-60Hz
Incl. downrod	100-200-460 mm
Opt. downrod	Page 282



A	A1
640/25.2"	630/24.8"
B	C
180/7.09"	130/5.12"
D	E
55/2.2"	130/5.12"
F	G
ø1780/70.1"	890/35.04"
Downrod L	Downrod ø
100-200-460/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-01 of the gear. The price of the gear is with PRO35 discount.



Lantau XL

Ø168 CM	> 28 M ² > 300 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER	INCLINING ROOF
-------------------	------------------------------------	--------------------	--	------------------	-------------------




33464DC
33464DCWP
Body Satin Nickel
Blades Dark Walnut

*Smart Fan




33504DC
33504DCWP
Body Matt Nickel
Blades Pine

*Smart Fan




High airflow



Wood



Programmable 1-4-8h



Smart option

Material	Body Steel
Blades	Wood
W	6-9-11-17-24-35
RPM	75-89-98-115-129-146
Airflow	261.6 m3 min
V/Hz	220V-240V/50Hz
Accesories ☺	33974 DC Wall Control
Opt. downrod	Page 282

A	A1
410/16.14"	335/13.19"
B	C
180/7.09"	
D	E
70/2.8"	150/5.91"
F	G
ø1680/66.1"	840/33.07"
Downrod L	Downrod ø
153/6.02"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-36 of the gear. The price of the gear is with PRO35 discount.



Lantau XL

Ø168 CM	> 28 M ² > 300 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz		
----------------	------------------------------------	-----------------	--	--	--



33463DC NEW

33463DCWP NEW

Body Matt Nickel

Blades Dark Walnut

*Smart Fan




33505DC

33505DCWP

Body Matt Nickel

Blades Pine

*Smart Fan



High airflow



Wood




Programmable 1-4-8h



Smart option

Material	Body Steel	Power 15W
	Blades Wood	Lumen Output 900lm
W	6-9-11-17-24-35	Light Source SMD LED 3000K
RPM	75-89-98-115-129-146	CRI >80
Airflow	261.6 m3 min	Driver incl. Yes
V/Hz	220V-240V/50Hz	Material Diff Glass
Accesories ☺	33974 DC Wall Control	
Opt. downrod	Page 282	



A	A1
410/16.14"	335/13.19"
B	C
250/9.84"	
D	E
70/2.8"	150/5.91"
F	G
ø1680/66.1"	840/33.07"
Downrod L	Downrod o
153/6.02"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-36 of the gear. The price of the gear is with PRO35 discount.



Tilos XL



33466A
Body Dark Brown
Blades Dark Brown



Optional Downrods

34003 600/23.62"

34004 900/35.43"


34005 1220/48.03"

Suitable for high ceilings

Optional downrods not incl.
600 / 900 / 1200

Material	Body Steel
	Blades ABS
W	4-6-9-14-21-35
RPM	31-43-55-67-78-95
Airflow	264.05 m ³ min
V/Hz	220V-240V/50-60Hz
Incl. downrod	600-900-1220 mm

Light Source	2 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Material Diff	Glass



A	A1
500/19.69"	440/17.32"
B	C
290/11.42"	220/8.66"
D	E
60/2.4"	140/5.51"
F	G
ø1685/66.3"	750/29.53"
Downrod L	Downrod ø
230/9.06"	26/1.02"



Century XL



33553A
33553WPA *Smart Fan
Body Matt White
Blades Matt White



Smart option

Material	Body Steel	Power	15W
	Blades Plywood	Lumen Output	1200lm
W	5-8-12-17-25-35	Light Source	SMD LED 3000K
RPM	60-80-95-110-125-140	CRI	>80
Airflow	233.41 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	PMMA

A	A1
330/12.99"	250/9.84"
B	C
170/6.69"	150/5.91"
D	E
50/2"	130/5.12"
F	G
ø1650/65"	750/29.53"
Downrod L	Downrod ø
152/5.98"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-10 of the gear. The price of the gear is with PRO35 discount.



Cruiser XL

Faro Lab NEW




34292
34292WP *Smart Fan
Body Matt White
Blades Matt White



34293
34293WP *Smart Fan
Body Matt Black
Blades Matt Black



34287
34287WP *Smart Fan
Body Matt Black
Blades Aluminum




Programmable 1-4-8h
Memory function pag 38



Smart option

Material	Body Steel
Blades	Aluminium
W	4.2-6.4-10.4-16.7-23.3-34.4
RPM	63-83-100-120-133-149
Airflow	216.8 m3 min
V/Hz	220V-240V/50-60Hz
Accesories ☺	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 282



A	A1
232/9.13"	194/7.64"
B	C
83/3.27"	151/5.94"
D	E
60/2.4"	130/5.12"
F	G
ø1600/63"	770/30.31"
Downrod L	Downrod o
100/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-03 of the gear. The price of the gear is with PRO35 discount.



Cruiser XL

Faro Lab NEW



34292-1TW
34292WP-1TW
Body Matt White
Blades Matt White

***Smart Fan**
***Smart Fan**




34293-1TW
34293WP-1TW
Body Matt Black
Blades Matt Black

***Smart Fan**
***Smart Fan**



34287-1TW
34287WP-1TW
Body Matt Black
Blades Aluminum

***Smart Fan**
***Smart Fan**




Color temperature
adjustable

Programmable 1-4-8h
Memory function pag 38

Smart option

Material	Body Steel	Power	18W
	Blades Aluminium	Lumen Output	1300lm
W	4.2-6.4-10.4-16.7-23.3-34.4	Light Source	SMD LED
RPM	63-83-100-120-133-149	Dimmable K	2700 - 4350 - 6000K
Airflow	216.8 m3 min	CRI	>80
V/Hz	220V-240V/50-60Hz	Driver incl.	Yes
Accesories ☺	33974 DC Wall Control	Material Diff	Glass
Incl. downrod	100 mm		
Opt. downrod	Page 282		



A	A1
276/10.87"	180/7.09"
B	C
80/3.15"	150/5.91"
D	E
60/2.4"	130/5.12"
F	G
ø160/63"	776/30.55"
Downrod L	Downrod o
100/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-03 of the gear. The price of the gear is with PRO35 discount.

Thanks to Beti Guasch y Estudi Nou Arquitectes photo by Sara Adroer



Alo L



Ø 152
CM

> 17,6-28 M²
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

INCLINING
ROOF



33718 AC version

33718DC NEW

33718DCWP NEW

Body Matt Black

Blades Pine

*Smart Fan



33728 AC version

33728DC NEW

33728DCWP NEW


Body Matt White

Blades Pine


*Smart Fan



Wood



Programmable 1-4-8h
Memory function pag 38



Smart option

Material Body Steel

Blades Wood

W 6.9-10.5-13.7-19.7-26.9-35.1


RPM 97-120-136-158-179-196

Airflow 220 m³ min

V/Hz 220V-240V/50-60Hz

Accesories 33974 DC Wall Control

Opt. downrod Page 282



A	A1
302/11.89"	267/10.51"
B	C
	180/7.09"
D	E
60/2.4"	150/5.91"
F	G
ø1520/59.8"	685/26.97"
Downrod L	Downrod o
153/6.02"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-26 of the gear. The price of the gear is with PRO35 discount.



Alo L



Ø 152
CM

> 17,6-28 M²
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

INCLINING
ROOF



33727DC
33727DCWP
Body Matt White
Blades Maple

*Smart Fan



33719DC
33719DCWP
Body Matt Black
Blades Maple

*Smart Fan




Color temperature
adjustable



Wood




Programmable 1-4-8h
Memory function pag 38



Smart option

Material	Body	Stainless steel 316L	Power	20W
	Blades	Wood	Lumen Output	2200lm
W	6.9-10.5-13.7-19.7-26.9-35.1	Light Source	COB LED	
RPM	97-120-136-158-179-196	Dimmable K	2700 - 4000 - 6500K	
Airflow	220 m3 min	CRI	>80	
V/Hz	220V-240V/50-60Hz	Driver incl.	Yes	
Accesories ☀	33974 DC Wall Control	Material Diff	PP	
Opt. downrod	Page 282			



A	A1
302/11.89"	
B	C
180/7.09"	
D	E
60/2.4"	150/5.91"
F	G
ø1520/59.8"	685/26.97"
Downrod L	Downrod ø
153/6.02"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-11 of the gear. The price of the gear is with PRO35 discount.



Vulcano L



33549
33549WP *Smart Fan
Body Matt White
Blades Matt White




Glass diffuser

Light performance
2000lm

Smart option

Material	Body Steel	Power 21W
	Blades ABS	Lumen Output 2000lm
W	5-8-10.5-14.7-16.9-21.4	Light Source SMD LED 3000K
RPM	80-108-126-149-161-180	CRI >80
Airflow	177.88 m3 min	Driver incl. Yes
V/Hz	220V-240V/50-60Hz	Material Diff Glass



A	A1
330/12.99"	250/9.84"
B	C
123/4.84"	284/11.18"
D	E
55/2.2"	139/5.47"
F	G
ø1524/60"	645/25.39"
Downrod L	Downrod ø
152/5.98"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-20 of the gear. The price of the gear is with PRO35 discount.



Tonic L




33552
33552WP *Smart Fan
Body Dark Brown
Blades Dark Brown



33551
33551WP *Smart Fan
Body White
Blades White




Accessory cap



Smart option

Material	Body Steel	Power	15W
	Blades ABS	Lumen Output	1200lm
W	5-7-9-11-14-18	Light Source	SMD LED 3000K
RPM	100-120-140-160-180-200	CRI	>80
Airflow	180.57 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	PC



A	A1
310/12.2"	250/9.84"
B	C
190/7.48"	180/7.09"
D	E
50/2"	130/5.12"
F	G
ø1520/59.8"	670/26.38"
Downrod L	Downrod ø
115/4.53"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-17 of the gear. The price of the gear is with PRO35 discount.



Morea L

Ø152 CM	> 17,6-28 M ² 190-300 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER	INCLINING ROOF
-------------------	---	--------------------	--	------------------	-------------------




33511
33511WP *Smart Fan
Body Dark Brown
Blades Dark Walnut



33519
33519WP *Smart Fan
Body Dark Brown
Blades Maple




Programmable 1-4-8h



Smart option

Material	Body Steel
Blades	ABS
W	3-7-12-17-38
RPM	58-105-131-148-195
Airflow	211.7 m3 min
V/Hz	220V-240V/50-60Hz
Opt. downrod	Page 282



A	A1
280/11.02"	215/8.46"
B	C
130/5.12"	170/6.69"
D	E
50/2"	148/5.83"
F	G
ø1520/59.8"	750/29.53"
Downrod L	Downrod ø
152/5.98"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-05 of the gear. The price of the gear is with PRO35 discount.





34276
34276WP *Smart Fan
Body Matt Black
Blades Dark Walnut



34279
34279WP *Smart Fan
Body Matt White
Blades Oak



34282
34282WP *Smart Fan
Body Matt Black
Blades Oak



Wood



Optional Light kit
page 298




Programmable 1-4-8h
Memory function pag 38



Smart option

Material	Body Steel
Blades	Wood
W	5-7.3-11.1-17-24.1-35.3
RPM	67-88-106-122-140-159
Airflow	202 m3 min
V/Hz	220V-240V/50-60Hz
Accesories ☺	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 282



A	A1
240/9.45"	212/8.35"
B	C
48/1.89"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
ø150/59.1"	745/29.33"
Downrod L	Downrod o
100/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-41 of the gear. The price of the gear is with PRO35 discount.





34276-11L
34276WP-11L
Body Matt Black
Blades Dark Walnut

*Smart Fan



34279-11L
34279WP-11L
Body Matt White
Blades Oak

*Smart Fan



34282-11L
34282WP-11L
Body Matt Black
Blades Oak

*Smart Fan



Glass diffuser




Programmable 1-4-8h
Memory function pag 38



Smart option

Material	Body Steel	Light Source 1 E27 max.
	Blades Wood	Bulb incl. No
W	5-7.3-11.1-17-24.1-35.3	Recom. Bulb 17463
RPM	67-88-106-122-140-159	Material Diff Glass
Airflow	202 m3 min	
V/Hz	220V-240V/50-60Hz	
Accesories ☺	33974 DC Wall Control	
Incl. downrod	100 mm	
Opt. downrod	Page 282	



A	A1
330/12.99"	212/8.35"
B	C
231/9.09"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
ø1500/59.1"	745/29.33"
Downrod L	Downrod ø
100/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-41 of the gear. The price of the gear is with PRO35 discount.



Malvinas L

ø140
CM

> 17,6-28 M²
190-300 SQ.FT


SUMMER
WINTER

WALL
CONTROL

INCLINING
ROOF




33111
Body Brown
Blades Mahogany + Reddish Mahogany



Reversible blades

Material	Body Steel
Blades	MDF
W	24-37-48-57-80
RPM	111-145-170-187-229
Airflow	176.22 m ³ min
V/Hz	220V-240V/50Hz
Opt. downrod	Page 282






Indus L



33001
Body White
Blades White

Material	Body Steel
Blades	Steel
W	16-21-26-32-48
RPM	113-142-173-203-260
Airflow	155.52 m ³ min
V/Hz	220V-240V/50Hz





Cocos L




33548
33548WP *Smart Fan
Body Matt White
Blades Matt White



Smart option

Material	Body Steel	Power 20W
	Blades ABS	Lumen Output 1600lm
W	7-10-13-17-24-29	Light Source SMD LED 3000K
RPM	66-88-104-115-138-146	CRI >80
Airflow	234 m³ min	Driver incl. Yes
V/Hz	230V/50-60Hz	Material Diff PC




A	A1
260/10.24"	200/7.87"
B	C
90/3.54"	200/7.87"
D	E
55/2.2"	140/5.51"
F	G
ø1370/53.9"	585/23.03"
Downrod L	Downrod ø
114/4.49"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-11 of the gear. The price of the gear is with PRO35 discount.



Meno L




33782

Body Matt White
Blades Matt White



Programmable 1-2-4-8h

Material	Body Steel
Blades	ABS
W	22-43-85
RPM	108-162-235
Airflow	192 m³ min
V/Hz	220V-240V/50-60Hz
Accessories ☺	33928 Wall Control 3 speeds 33929 Remote Control/dimer-on-off 33937 Remote Control/Programmer



A	A1
320/12.6"	275/10.83"
B	C
160/6.3"	260/10.24"
D	E
60/2.4"	150/5.91"
F	G
ø1350/53.1"	540/21.26"
Downrod L	Downrod ø
150/5.91"	21/0.83"



Hydra L



33725
Body Matt Black
Blades Dark Walnut




33726
Body Matt White
Blades Matt White



Programmable 1-4-8h

Material	Body Steel	Power 22W
	Blades Plywood	Lumen Output 1200lm
W	5-7-10-13-18-25	Light Source SMD LED 3000K
RPM	99-116-134-154-172-193	CRI >80
Airflow	175.99 m³ min	Driver incl. Yes
V/Hz	220V-240V/50Hz	Material Diff ABS
Accesories ☺	33974 DC Wall Control	
Incl. downrod	153-255 mm	



A	A1
340/13.39"	300/11.81"
B	C
130/5.12"	250/9.84"
D	E
70/2.8"	130/5.12"
F	G
ø1330/52.4"	540/21.26"
Downrod L	Downrod ø
153/6.02"	21/0.83"



Cruiser L

Faro Lab

NEW




34290
34290WP *Smart Fan
Body Matt White
Blades Matt White




34291
34291WP *Smart Fan
Body Matt Black
Blades Matt Black



34286
34286WP *Smart Fan
Body Matt Black
Blades Aluminum




Programmable 1-4-8h
Memory function pag 38



Smart option

Material	Body Steel
Blades	Aluminium
W	4.5-6.7-10.8-17.2-24.4-35.2
RPM	86-110-140-164-185-210
Airflow	174.4 m3 min
V/Hz	220V-240V/50-60Hz
Accesories ☺	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 282



A	A1
232/9.13"	194/7.64"
B	C
83/3.27"	151/5.94"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	630/24.8"
Downrod L	Downrod o
100/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-02 of the gear. The price of the gear is with PRO35 discount.



Cruiser L

Faro Lab

NEW



34290-1TW
34290WP-1TW
Body Matt White
Blades Matt White

*Smart Fan




34291-1TW
34291WP-1TW
Body Matt Black
Blades Matt Black

*Smart Fan



34286-1TW
34286WP-1TW
Body Matt Black
Blades Aluminum

*Smart Fan




Color temperature
adjustable

Programmable 1-4-8h
Memory function pag 38

Smart option

Material	Body Steel	Power	18W
	Blades Aluminium	Lumen Output	1300lm
W	4.5-6.7-10.8-17.2-24.4-35.2	Light Source	SMD LED
RPM	86-110-140-164-185-210	Dimmable K	2700 - 4350 - 6000K
Airflow	174.4 m3 min	CRI	>80
V/Hz	220V-240V/50-60Hz	Driver incl.	Yes
Accesories ☺	33974 DC Wall Control	Material Diff	Glass
Incl. downrod	100 mm		
Opt. downrod	Page 282		



A	A1
276/10.87"	180/7.09"
B	C
80/3.15"	150/5.91"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	630/24.8"
Downrod L	Downrod o
100/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-02 of the gear. The price of the gear is with PRO35 discount.





34297
34297WP *Smart Fan
Body Matt White
Blades Ash Tree + Matt White



34298
34298WP *Smart Fan
Body Matt Black
Blades Walnut + Matt Black




Reversible blades

Programmable 1-4-8h
Memory function pag 38

Smart option

Material	Body Steel
Blades	Plywood
W	4.3-6.7-10.9-17.2-24.1-35.1
RPM	85-109-134-159-180-203
Airflow	174.4 m3 min
V/Hz	220V-240V/50-60Hz
Accesories ☺	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 282



A	A1
232/9.13"	180/7.09"
B	C
80/3.15"	150/5.11"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	630/24.8"
Downrod L	Downrod o
100/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-05 of the gear. The price of the gear is with PRO35 discount.



Rudder L
Faro Lab

NEW

Ø132 CM	> 17,6-28 M ² 190-300 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	DIM	SUMMER WINTER	INCLINING ROOF
-------------------	---	--------------------	--	------------	------------------	-------------------



34297-1TW
34297WP-1TW
Body Matt White
Blades Ash Tree + Matt White



34298-1TW
34298WP-1TW
Body Matt Black
Blades Walnut + Matt Black




Reversible blades

Color temperature
adjustable

Programmable 1-4-8h
Memory function pag 38

Smart option

Material	Body Steel	Power	18W		A	A1
	Blades Plywood	Lumen Output	1300lm		276/10.87"	180/7.09"
W	4.3-6.7-10.9-17.2-24.1-35.1	Light Source	SMD LED		B	C
RPM	85-109-134-159-180-203	Dimmable K	2700 - 4350 - 6000K		80/3.15"	150/5.12"
Airflow	174.4 m3 min	CRI	>80		D	E
V/Hz	220V-240V/50-60Hz	Driver incl.	Yes		60/2.4"	130/5.12"
Accesories ☺	33974 DC Wall Control	Material Diff	Glass		F	G
Incl. downrod	100 mm				ø1320/52"	630/24.8"
Opt. downrod	Page 282				Downrod L	Downrod o



A	A1
276/10.87"	180/7.09"
B	C
80/3.15"	150/5.12"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	630/24.8"
Downrod L	Downrod o
100/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-05 of the gear. The price of the gear is with PRO35 discount.



Heywood L
Faro Lab

Ø132 CM	> 17,6-28 M ² 190-300 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER	INCLINING ROOF
-------------------	---	--------------------	--	------------------	----------------



33809
33809WP *Smart Fan
Body Matt Black
Blades Dark Oak




33810
33810WP *Smart Fan
Body Matt White
Blades Maple



Wooden finish

Smart option

Material	Body Steel
Blades	Wood
W	4.1-5.3-7.6-13-22.7-32.4
RPM	58-75-94-124-152-173
Airflow	174.5 m ³ min
V/Hz	220V-240V/50-60Hz
Opt. downrod	Page 282



A	A1
243/9.57"	223/8.78"
B	C
82/3.23"	100/3.94"
D	E
59/2.3"	132/5.2"
F	G
ø1320/52"	592/23.31"
Downrod L	Downrod ø
101/3.98"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and request the reference of the gear. The price of the gear is with PRO35 discount.



Heywood L NEW

Faro Lab



33809-1TW

33809WP-1TW

Body Matt Black
Blades Dark Oak

*Smart Fan



33810-1TW

33810WP-1TW
Body Matt White
Blades Maple

*Smart Fan




Wooden finish

Color temperature
adjustable

Programmable 1-4-8h
Memory function pag 38

Smart option

Material	Body Steel	Power 10W
	Blades Wood	Lumen Output 800lm
W	4.1-5.3-7.6-13-22.7-32.4	Light Source SMD LED
RPM	58-75-94-124-152-173	Dimmable K 3000 - 4200 - 6500K
Airflow	174.5 m3 min	CRI >80
V/Hz	220V-240V/50-60Hz	Driver incl. Yes
Accesories ☺	33974 DC Wall Control	Material Diff Glass
Opt. downrod	Page 282	



A	A1
270/10.63"	200/7.87"
B	C
80/3.15"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	430/16.93"
Downrod L	Downrod o
101/3.98"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-09 of the gear. The price of the gear is with PRO35 discount.



Amelia L
Héctor Serrano

ø132 CM	> 17,6-28 M ² 190-300 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER	INCLINING ROOF
-------------------	---	--------------------	--	------------------	-------------------




33760
33760WP
Body Matt White
Blades Matt White
***Smart Fan**




33761
33761WP
Body Matt Black
Blades Matt Black
***Smart Fan**



33762
33762WP
Body Grey
Blades Grey
***Smart Fan**



Programmable 1-4-8h
Memory function pag 38



Smart option

Material	Body Steel
Blades	ABS
W	5-7-10-15-19-28
RPM	69-99-123-143-162-189
Airflow	153 m3 min
V/Hz	220V-240V/50-60Hz
Accesories ☺	33974 DC Wall Control
Incl. downrod	100-200 mm
Opt. downrod	Page 282

A	A1
320/12.6"	270/10.63"
B	C
100/3.94"	123/4.84"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	635/25"
Downrod L	Downrod ø
100-200/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-31 of the gear. The price of the gear is with PRO35 discount.



Amelia L Cone

Héctor Serrano



33760-22
33760WP-22
Body Matt White
Blades Matt White



33761-23
33761WP-23
Body Matt Black
Blades Matt Black



33762-24
33762WP-24
Body Grey
Blades Grey




Color temperature
adjustable

Programmable 1-4-8h
Memory function pag 38

Smart option

Material	Body Steel	Power	20W
	Blades ABS	Lumen Output	965lm
W	5-7-10-15-19-28	Light Source	SMD LED 2700K/796lm
RPM	69-99-123-143-162-189		-3500K/965lm
Airflow	153 m3 min		-5000K/915lm
V/Hz	220V-240V/50-60Hz	CRI	>80
Accesories ☺	33974 DC Wall Control	Driver incl.	Yes
Incl. downrod	100-200 mm	Material Diff	PC
Opt. downrod	Page 282		



*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-37 of the gear. The price of the gear is with PRO35 discount.



Amelia L Ball
Héctor Serrano



33760-25
33760WP-25
Body Matt White
Blades Matt White

*Smart Fan



33761-26
33761WP-26
Body Matt Black
Blades Matt Black

*Smart Fan



33762-27
33762WP-27
Body Grey
Blades Grey

*Smart Fan




Glass diffuser

Programmable 1-4-8h
Memory function pag 38

Smart option

Material	Body Steel	Power 20W	
	Blades ABS	Lumen Output 1056lm	
W	5-7-10-15-19-28	Light Source SMD LED 2700K	
RPM	69-99-123-143-162-189	CRI >80	
Airflow	153 m3 min	Driver incl. Yes	
V/Hz	220V-240V/50-60Hz	Material Diff Glass	
Accesories ☺	33974 DC Wall Control		
Incl. downrod	100-200 mm		
Opt. downrod	Page 282		



*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-31 of the gear. The price of the gear is with PRO35 discount.



Ø 132
CM

> 17,6-28 M²
190-300 SQ.FT

DC
MOTOR

DIM


SUMMER
WINTER

INCLINING
ROOF



34265

Body Matt White
Blades Matt White



Color temperature
adjustable



Programmable 1-4-8h
Memory function pag 38

Material Body Steel

Power 24W

Blades Plywood

Lumen Output 2400lm

W 3.6-5.3-8.1-12.4-19.2-28.5

Light Source SMD LED

RPM 80-107-131-156-185-215

Dimmable K 2700 - 4350 - 6000K

Airflow 194.4 m³ min

CRI >80

V/Hz 220V-240V/50-60Hz


Driver incl. Yes

Accesories 33974 DC Wall Control

Material Diff PMMA

Incl. downrod 152 mm

Opt. downrod Page 282



A	A1
274/10.79"	200/7.87"
B	C
80/3.15"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
ø900/35.4"	430/16.93"
Downrod L	Downrod o
152/5.98"	26/1.02"



Barth L



34260
Body Matt White
Blades Matt White




34261
Body Matt Black
Blades Matt Black



Color temperature
adjustable

Material	Body Steel	Power	24W
	Blades Plywood	Lumen Output	2400lm
W	4-6-9,5-14-25	Light Source	SMD LED
RPM	95-130-165-195-235	Dimmable K	2700 - 4350 - 6000K
Airflow	240 m ³ min	CRI	>80
V/Hz	220V-240V/50-60Hz	Driver incl.	Yes
Incl. downrod	152 mm	Material Diff	PP
Opt. downrod	Page 282		



A	A1
291/11.46"	220/8.66"
B	C
136/5.35"	
D	E
60/2.4"	150/5.91"
F	G
ø1320/52"	542/21.34"
Downrod L	Downrod ø
152/5.98"	26/1.02"



Milos L


Ø132 CM	> 17,6-28 M ² 190-300 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER	INCLINING ROOF
-------------------	---	--------------------	--	------------------	-------------------



34100
34100WP *Smart Fan
Body Matt Black
Blades Matt Black




Small and aesthetic motor



Smart option

Material	Body Steel
Blades	Plywood
W	4-6-10-16-28-34
RPM	50-73-96-118-143-188
Airflow	116.1 m ³ min
V/Hz	220V-240V/50-60Hz



A	A1
270/10.63"	260/10.24"
B	C
120/4.72"	70/2.76"
D	E
60/2.4"	140/5.51"
F	G
ø1320/52"	600/23.62"
Downrod L	Downrod ø
153/6.02"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-06 of the gear. The price of the gear is with PRO35 discount.



Gotland L


Ø132 CM	> 17,6-28 M ² 190-300 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER	INCLINING ROOF
-------------------	---	--------------------	--	------------------	-------------------



33446
33446WP *Smart Fan
Body Matt White
Blades Matt White




33447
33447WP *Smart Fan
Body Black
Blades Walnut



Smart option

Material	Body Steel
Blades	ABS
W	4-6-10-17-23-30
RPM	95-121-148-177-198-214
Airflow	218.9 m ³ min
V/Hz	220V-240V/50-60Hz
Accesories ☺	33974 DC Wall Control
Opt. downrod	Page 282



A	A1
250/9.84"	250/9.84"
B	C
130/5.12"	170/6.69"
D	E
55/2.2"	130/5.12"
F	G
ø1320/52"	580/22.83"
Downrod L	Downrod o
128/5.04"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-03 of the gear. The price of the gear is with PRO35 discount.




Siros L

ø132 CM	> 17,6-28 M ² 190-300 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	 SUMMER	 WINTER	 INCLINING ROOF
-------------------	---	--------------------	--	--	--	--




33804
33804WP *Smart Fan
Body Matt White
Blades Matt White



Programmable 1-3-6h

Smart option

Material	Body Steel
Blades	ABS
W	6-9-15-22-29-37
RPM	85-105-132-150-170-180
Airflow	188 m ³ min
V/Hz	220V-240V/50-60Hz



A	A1
250/9.84"	280/11.02"
B	C
80/3.15"	204/8.03"
D	E
60/2.4"	150/5.91"
F	G
ø1320/52"	580/22.83"
Downrod L	Downrod ø
125/4.92"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-16 of the gear. The price of the gear is with PRO35 discount.



Samos L

ø132 CM	> 17,6-28 M ² 190-300 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER
-------------------	---	--------------------	---	------------------




33729
33729WP *Smart Fan
Body Matt White
Blades Matt White

123




Programmable 1-4-8h



Smart option

Material	Body Steel
Blades	ABS
W	4-6-10-17-23-31
RPM	104-130-160-196-214-236
Airflow	116.14 m ³ min
V/Hz	220V-240V/50-60Hz
Accessories ☺	33974 DC Wall Control
Incl. downrod	152-254 mm



A	A1
355/13.98"	300/11.81"
B	C
170/6.69"	165/6.5"
D	E
70/2.8"	130/5.12"
F	G
ø1320/52"	570/22.44"
Downrod L	Downrod o
152-254/5.98"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-14 of the gear. The price of the gear is with PRO35 discount.



Saona L



33803
33803WP *Smart Fan
Body Matt White
Blades Matt White




Color temperature
adjustable

Programmable 1-3-6h

Smart option

Material	Body Steel	Power 24W
	Blades ABS	Lumen Output 2475lm
W	6-8-13-18-25-38	Light Source SMD LED
RPM	80-100-120-140-160-180	Dimmable K 3000 - 4000 - 6000K
Airflow	188 m3 min	CRI >80
V/Hz	220V-240V/50-60Hz	Driver incl. Yes
		Material Diff PC



A	A1
330/12.99"	250/9.84"
B	C
150/5.91"	330/12.99"
D	E
58/2.3"	150/5.91"
F	G
ø1320/52"	490/19.29"
Downrod L	Downrod ø
125/4.92"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-15 of the gear. The price of the gear is with PRO35 discount.



Poros L


Ø132 CM	> 17,6-28 M ² 190-300 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	DIM	SUMMER WINTER	INCLINING ROOF
-------------------	---	--------------------	--	------------	------------------	-------------------



33524
33524WP *Smart Fan
Body Matt White
Blades Pine



Adjustable intensity



High airflow



Glass diffuser



Programmable 1-4-8h
Memory function pag 38



Smart option

Material	Body Steel	Power	15W
	Blades Wood	Lumen Output	900lm
W	7-9-12-15-20-26	Light Source	SMD LED 2700K
RPM	120-132-145-160-174-185	Dimmable W	5-15w
Airflow	240 m3 min	CRI	>80
V/Hz	220V-240V/50-60Hz	Driver incl.	Yes
Accesories ☺	33974 DC Wall Control	Material Diff	Glass
Opt. downrod	Page 282		

A	A1
370/14.57"	280/11.02"
B	C
160/6.3"	180/7.09"
D	E
70/2.8"	160/6.3"
F	G
ø1320/52"	560/22.05"
Downrod L	Downrod o
153/6.02"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-26 of the gear. The price of the gear is with PRO35 discount.



Lantau L



33370DC
33370DCWP
Body Satin Nickel
Blades Dark Walnut

*Smart Fan



33373DC
33373DCWP
Body Satin Nickel
Blades Pine

*Smart Fan



33516DC
33516DCWP
Body Matt Black
Blades Dark Walnut

*Smart Fan




33561DC
33561DCWP
Body Matt White
Blades Pine

*Smart Fan



33562DC
33562DCWP
Body Brown
Blades Pine

*Smart Fan



Wood




Programmable 1-4-8h



Smart option

Material	Body Steel
	Blades Wood
W	5-8-12-17-27-35
RPM	82-102-125-145-170-188
Airflow	147.56 m3 min
V/Hz	220V-240V/50Hz
Accesories ☺	33974 DC Wall Control
Opt. downrod	Page 282



A	A1
330/12.99"	320/12.6"
B	C
165/6.5"	160/6.3"
D	E
70/2.8"	160/6.3"
F	G
ø1320/52"	660/25.98"
Downrod L	Downrod o
153/6.02"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-35 of the gear. The price of the gear is with PRO35 discount.



Lantau L



33518DC
33518DCWP *Smart Fan
Body Satin Nickel
Blades Dark Walnut



33560DC
33560DCWP *Smart Fan
Body Satin Nickel
Blades Pine




Glass diffuser

Wood

Programmable 1-4-8h

Smart option

Material	Body Steel	Power 15W	
	Blades Wood	Lumen Output 900lm	
W	5-8-12-17-27-35	Light Source SMD LED 3000K	
RPM	82-102-125-145-170-188	CRI >80	
Airflow	147.56 m3 min	Driver incl. Yes	
V/Hz	220V-240V/50Hz	Material Diff Glass	
Accesories ☺	33974 DC Wall Control		
Opt. downrod	Page 282		



A	A1
390/15.35"	290/11.42"
B	C
140/5.51"	
D	E
70/2.8"	150/5.91"
F	G
ø1320/52"	660/25.98"
Downrod L	Downrod o
153/6.02"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-35 of the gear. The price of the gear is with PRO35 discount.



Nuu L
Estudi Ribaudí

Ø132 CM	> 17,6-28 M ² 190-300 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER	INCLINING ROOF
-------------------	---	--------------------	--	------------------	-------------------



33721
33721WP *Smart Fan
Body Matt White
Blades Matt White




Minimal design

Programmable 1-4-8h

Smart option

Material	Body Steel
Blades	ABS
W	5-8-11-14-21-35
RPM	106-126-147-165-186-212
Airflow	104.58 m ³ min
V/Hz	220V-240V/50-60Hz



A	A1
330/12.99"	290/11.42"
B	C
160/6.3"	110/4.33"
D	E
55/2.2"	130/5.12"
F	G
ø1320/52"	600/23.62"
Downrod L	Downrod ø
152/5.98"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-13 of the gear. The price of the gear is with PRO35 discount.



Nuu L
Estudi Ribaudí

ø132 CM	> 17,6-28 M ² 190-300 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER	INCLINING ROOF
-------------------	---	--------------------	--	------------------	-------------------



33722
33722WP *Smart Fan
Body Matt White
Blades Matt White




Minimal design

Programmable 1-4-8h

Smart option

Material	Body Steel	Power	15W
	Blades ABS	Lumen Output	600lm
W	5-8-11-14-21-35	Light Source	SMD LED 3000K
RPM	106-126-147-165-186-212	CRI	>80
Airflow	104.58 m ³ min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	PC



A	A1
330/12.99"	290/11.42"
B	C
110/4.33"	110/4.33"
D	E
55/2.2"	130/5.12"
F	G
ø1320/52"	600/23.62"
Downrod L	Downrod ø
152/5.98"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-13 of the gear. The price of the gear is with PRO35 discount.



Ice L

Estudi Ribaudí

ø132
CM
190-300 SQ.FT

SUMMER
WINTER

INCLINING
ROOF



33460
Body White
Blades White + Maple



Reversible blades




Audio speaker



Aesthetic light kit

Material	Body Steel
	Blades MDF
W	13-25-55
RPM	75-135-180
Airflow	157.52 m3 min
V/Hz	220V-240V/50Hz

Power	15W
Lumen Output	800lm
Light Source	SMD LED 3000K
CRI	>80
Driver incl.	Yes
Material Diff	Glass



A	A1
385/15.16"	270/10.63"
B	C
210/8.27"	230/9.06"
D	E
65/2.6"	150/5.91"
F	G
ø1320/52"	555/21.85"
Downrod L	Downrod o
153/6.02"	21/0.83"



Polea L
Conillas



33724
33724WP *Smart Fan
Body Brown
Blades Walnut + Black




Reversible blades

Programmable 1-4-8h

Smart option

Material	Body Steel
Blades	Plywood
W	5-7-10-14-20-33
RPM	86-102-119-131-151-167
Airflow	111.3 m3 min
V/Hz	220V-240V/50-60Hz
Opt. downrod	Page 282



A	A1
372/14.65"	254/10"
B	C
118/4.65"	228/8.98"
D	E
56/2.2"	130/5.12"
F	G
ø1322/52"	547/21.54"
Downrod L	Downrod ø
152/5.98"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-21 of the gear. The price of the gear is with PRO35 discount.



Luzon L

NEW

ø132
CM

> 17,6-28 M²
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

INCLINING
ROOF




33750DC

33750DCWP


Body Matt White

Blades Matt White

*Smart Fan



Programmable 1-4-8h
Memory function pag 38



Smart option

Material Body Steel

Blades ABS

W 7-9-11-13-17-23

RPM 90-105-115-125-135-152


Airflow 215.73 m³ min

V/Hz 220V-240V/50-60Hz

Accesories 33974 DC Wall Control

Incl. downrod 100-152 mm

Opt. downrod Page 282



A	A1
285/11.22"	235/9.25"
B	C
180/7.09"	
D	E
60/2.4"	140/5.51"
F	G
ø1320/52"	590/23.23"
Downrod L	Downrod ø
100-152/3.94"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-38 of the gear. The price of the gear is with PRO35 discount.



Sioux L

Ø132 CM	> 17,6-28 M ² 190-300 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	IP44 OUTDOOR	SUMMER WINTER	INCLINING ROOF
-------------------	---	--------------------	---	-----------------	------------------	-------------------



33770
33770WP
Body White
Blades White

*Smart Fan



2 downrods included
127 / 254mm



IP44 outdoor




Programmable 1-4-8h



Smart option

Material	Body Steel
Blades	ABS
W	5-10-16-23-38
RPM	106-143-174-198-233
Airflow	164.32 m ³ min
V/Hz	220V-240V/50-60Hz
Incl. downrod	127-245 mm



A	A1
320/12.6"	260/10.24"
B	C
200/7.87"	220/8.66"
D	E
70/2.8"	170/6.69"
F	G
ø1320/52"	590/23.23"
Downrod L	Downrod ø
127-245/5"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-22 of the gear. The price of the gear is with PRO35 discount.




Polaris L



33346
33346WP
Body White
Blades White


*Smart Fan



Programmable 1-4-8h
Memory function pag 38

Smart option

Material	Body Steel	Power	18W
	Blades ABS	Lumen Output	1500lm
W	4-6-9-15-19-30	Light Source	SMD LED 3000K
RPM	53-80-100-120-130-150	CRI	>80
Airflow	163 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	PC
Accesories ☺	33974 DC Wall Control		



A	A1
350/13.78"	275/10.83"
B	C
180/7.09"	170/6.69"
D	E
50/2"	130/5.12"
F	G
ø1320/52"	555/21.85"
Downrod L	Downrod ø
153/6.02"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-07 of the gear. The price of the gear is with PRO35 discount.



Palk L


ø132 CM	> 17,6-28 M ² 190-300 SQ.FT	DC MOTOR	SUMMER WINTER	INCLINING ROOF
-------------------	---	--------------------	------------------	-------------------



33470
Body Satin Nickel
Blades Maple

Material	Body Steel	Light Source	2 E14 max. 8W
	Blades Plywood	Bulb incl.	No
W	3-5-8-13-21-32	Recom. Bulb	17461
RPM	50-77-104-131-158-185	Material Diff	Glass
Airflow	198.22 m ³ min		
V/Hz	220V-240V/50-60Hz		
Opt. downrod	Page 282		

A	A1
390/15.35"	325/12.8"
B	C
140/5.51"	150/5.91"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	570/22.44"
Downrod L Downrod ø	
152/5.98"	21/0.83"





Pemba L

ø132
CM
 > 17,6-28 M²
190-300 SQ.FT
DC
MOTOR
 SUMMER WINTER




33471N
Body Shiny White
Blades Shiny White



Suitable for low ceilings Direct to the ceiling

Material	Body Steel+ABS
Blades	ABS
W	3-5-9-14-21-32
RPM	50-76-102-127-157-180
Airflow	191.14 m ³ min
V/Hz	220V-240V/50-60Hz



A	A1
215/8.46"	
B	C
250/9.84"	180/7.09"
D	E
	170/6.69"
F	G
ø1320/52"	570/22.44"
Downrod L	Downrod ø



Pemba L

ø132
 CM
 > 17,6-28 M²
 190-300 SQ.FT

DC
 MOTOR

SUMMER WINTER



33471N-3

Body Shiny White
Blades Shiny White




Suitable for low ceilings

Direct to the ceiling

Material	Body Steel+ABS	Power 15W
	Blades ABS	Lumen Output 800lm
W	3-5-9-14-21-32	Light Source SMD LED 3000K
RPM	50-76-102-127-157-180	CRI >95
Airflow	191.14 m ³ min	Driver incl. Yes
V/Hz	220V-240V/50-60Hz	Material Diff PC

A	A1
215.25/8.47"	190/7.48"
B	C
190/7.48"	180/7.09"
D	E
	170/6.69"
F	G
ø1320/52"	570/22.44"
Downrod L	
Downrod ø	






Nias L

ø132 CM	> 17,6-28 M ² 190-300 SQ.FT	DC MOTOR	SUMMER WINTER
-------------------	---	--------------------	------------------




33472N
Body Satin Nickel
Blades Dark Walnut

Material	Body Steel
Blades	Plywood
W	2-7-9-14-21-32
RPM	50-82-114-146-178-210
Airflow	195.39 m ³ min
V/Hz	220V-240V/50-60Hz



A	A1
190/7.48"	
B	C
155/6.1"	140/5.51"
D	E
	170/6.69"
F	G
ø1320/52"	630/24.8"
Downrod L	Downrod ø



Nias L


ø132 CM	> 17,6-28 M ² 190-300 SQ.FT	DC MOTOR	SUMMER WINTER
-------------------	---	--------------------	------------------



33472N-6


Body Satin Nickel
Blades Dark Walnut

Material	Body Steel	Power 15W
	Blades Plywood	Lumen Output 800lm
W	2-7-9-14-21-32	Light Source SMD LED 3000K
RPM	50-82-114-146-178-210	CRI >=90
Airflow	195.39 m ³ min	Driver incl. Yes
V/Hz	220V-240V/50-60Hz	Material Diff PC






Icaria L



Reversible blades

Material	Body Steel	Light Source	2 E27 max. 15W
	Blades MDF	Bulb incl.	No
W	15-30-56	Recom. Bulb	17463
RPM	100-150-205	Material Diff	Glass
Airflow	155.62 m ³ min		
V/Hz	220V-240V/50Hz		
Accesories ☺	33928 Wall Control 3 speeds 33929 Remote Control/dimer-on-off 33937 Remote Control/Programmer		
Opt. downrod	Page 282		





Mallorca L

NEW

ø132
CM

> 17,6-28 M²
190-300 SQ.FT

DC
MOTOR

SUMMER
WINTER

INCLINING
ROOF



33350DC

33350DCWP


Body Matt White

Blades Matt White + Maple


*Smart Fan



Reversible blades



Programmable 1-4-8h
Memory function pag 38



Smart option

Material Body Steel

Blades Plywood

W 7.31-9.71-13.16-17.76-26.79-40


RPM 78-100-127-139-158-197

Airflow 155 m3 min

V/Hz 220V-240V/50-60Hz

Accesories 33974 DC Wall Control

Opt. downrod Page 282



A	A1
310/12.2"	246/9.69"
B	C
80/3.15"	248/9.76"
D	E
60/2.4"	150/5.91"
F	G
ø1320/52"	540/21.26"
Downrod L	Downrod ø
152/5.98"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-31 of the gear. The price of the gear is with PRO35 discount.



Cuba L

ø132
CM

> 17,6-28 M²
190-300 SQ.FT




33352
Body Dark Brown
Blades Dark Brown



33352B
Body Old Gold
Blades Brown

Material	Body Steel
Blades	ABS
W	20-34-65
RPM	73-99-145
Airflow	127.45 m ³ min
V/Hz	220V-240V/50Hz
Accessories ☺	33928 Wall Control 3 speeds 33929 Remote Control/dimer-on/off 33937 Remote Control/Programmer
Opt. downrod	Page 282





Izaro L

Ø130 CM	13-17 M² 140-190 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER	INCLINING ROOF
-------------------	---	--------------------	--	--------------------------------	---------------------------------



33514
33514WP *Smart Fan

Body Shiny White
Blades White + Maple



Reversible blades



Glass diffuser




Smart option



Programmable from 1-4-8h

Material	Body Steel	Power	15W
	Blades Plywood	Lumen Output	850lm
W	5-10-16-25-37	Light Source	SMD LED 2700K
RPM	100-142-165-192-226	CRI	>80
Airflow	190.12 m ³ min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	Glass

Power	15W
Lumen Output	850lm
Light Source	SMD LED 2700K
CRI	>80
Driver incl.	Yes
Material Diff	Glass



A	A1
420/16.54"	270/10.63"
B	C
260/10.24"	230/9.06"
D	E
70/2.8"	150/5.91"
F	G
ø1300/51.2"	540/21.26"
Downrod L	Downrod ø
150/5.91"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-30 of the gear. The price of the gear is with PRO35 discount.



Punt M
Faro Lab



33814
33814WP
Body White
Blades Matt White



33815
33815WP
Body Black
Blades Matt Black



33816
33816WP
Body White
Blades Maple




33817
33817WP
Body Black
Blades Walnut



Smart option

Material	Body Steel
Blades	ABS
W	5.3-7.1-9.8-13.3-19.8-28
RPM	90-115-135-158-185-210
Airflow	177 m3 min
V/Hz	220V-240V/50-60Hz
Opt. downrod	Page 282



A	A1
254/10"	275/10.83"
B	C
66/2.6"	150/5.91"
D	E
59/2.3"	132/5.2"
F	G
ø1300/51.2"	578/22.76"
Downrod L	Downrod o
100/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and request the reference of the gear. The price of the gear is with PRO35 discount.





33814-20
33814WP-20
Body White
Blades Matt White



33815-21
33815WP-21
Body Black
Blades Matt Black



33816-20
33816WP-20
Body White
Blades Maple



33817-21
33817WP-21
Body Black
Blades Walnut




Glass diffuser

Color temperature
adjustable

Smart option

Material	Body Steel	Power	18W
	Blades ABS	Lumen Output	1300lm
W	5.3-7.1-9.8-13.3-19.8-28	Light Source	SMD LED
RPM	90-115-135-158-185-210	Dimmable K	3000 - 4200 - 6500K
Airflow	177 m3 min	CRI	>80
V/Hz	220V-240V/50-60Hz	Driver incl.	Yes
Opt. downrod	Page 282	Material Diff	Glass



A	A1
277/10.91"	275/10.83"
B	C
66/2.6"	150/5.91"
D	E
59/2.3"	132/5.2"
F	G
ø1300/51.2"	578/22.76"
Downrod L	Downrod o
100/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and request the reference of the gear. The price of the gear is with PRO35 discount.



Punt Tub M
Faro Lab

NEW

Ø130 CM	> 17,6-28 M ² 190-300 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER	WINTER	INCLINING ROOF
----------------	---	-----------------	--	--------	--------	----------------



33828 NEW
33828WP NEW
Body Matt White
Blades Matt White

*Smart Fan



33829 NEW
33829WP NEW
Body Matt White
Blades Maple

*Smart Fan



33830 NEW
33830WP NEW
Body Matt Black
Blades Matt Black

*Smart Fan




33831 NEW
33831WP NEW
Body Matt Black
Blades Walnut


*Smart Fan



Suitable for low ceilings



Programmable 1-4-8h
Memory function pag 38



Smart option

Material	Body Steel
Blades	ABS
W	5.3-7.1-9.8-13.3-19.8-28
RPM	90-115-135-158-185-210
Airflow	177 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☺	33974 DC Wall Control

A	A1
207/8.15"	145/5.71"
B	C
145/5.71"	156/6.14"
D	E
145/5.7"	120/4.72"
F	G
ø1300/51.2"	640/25.2"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-10 of the gear. The price of the gear is with PRO35 discount.



Punt Tub M
Faro Lab

NEW



33828-1TW NEW
33828WP-1TW NEW
Body Matt White
Blades Matt White

*Smart Fan



33829-1TW NEW
33829WP-1TW NEW
Body Matt White
Blades Maple

*Smart Fan



33830-1TW NEW
33830WP-1TW NEW
Body Matt Black
Blades Matt Black

*Smart Fan



33831-1TW NEW
33831WP-1TW NEW
Body Matt Black
Blades Walnut

*Smart Fan



Suitable for low ceilings



Color temperature
adjustable




Programmable 1-4-8h
Memory function pag 38



Smart option

Material	Body Steel	Power	18W
	Blades ABS	Lumen Output	1300lm
W	5.3-7.1-9.8-13.3-19.8-28	Light Source	SMD LED
RPM	90-115-135-158-185-210	Dimmable K	3000 - 4200 - 6500K
Airflow	177 m3 min	CRI	>80
V/Hz	220V-240V/50-60Hz	Driver incl.	Yes
Accesories ☺	33974 DC Wall Control	Material Diff	Glass



A	A1
230/9.06"	145/5.71"
B	C
145/5.71"	156/6.14"
D	E
145/5.7"	120/4.72"
F	G
ø1300/51.2"	640/25.2"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-10 of the gear. The price of the gear is with PRO35 discount.



Typhoon M

Jordi Busquets

Ø 130 CM	13-17 M ² 140-190 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	IP44 OUTDOOR	SUMMER WINTER	INCLINING ROOF
-----------------	---------------------------------------	-----------------	--	---------------------	----------------------	-----------------------



33480
33480WP *Smart Fan
Body Matt White
Blades Matt White



33489
33489WP *Smart Fan
Body Grey
Blades Grey



33490
33490WP *Smart Fan
Body Dark Brown
Blades Dark Brown



34105 NEW
34105WP NEW *Smart Fan
Body Matt White
Blades Maple




34106 NEW
34106WP NEW *Smart Fan
Body Brown
Blades Maple



Wooden finish




IP44 outdoor



Smart option

Material	Body Steel
Blades	ABS
W	3-5-8-12-21-31
RPM	50-71-93-115-138-162
Airflow	183.09 m ³ min
V/Hz	220V-240V/50-60Hz
Opt. downrod	Page 282



A	A1
390/15.35"	370/14.57"
B	C
200/7.87"	200/7.87"
D	E
55/2.2"	130/5.12"
F	G
ø1300/51.2"	530/20.87"
Downrod L	Downrod ø
153/6.02"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-18 of the gear. The price of the gear is with PRO35 discount.



Typhoon M

Jordi Busquets



33480-14
33480WP-14
Body Matt White
Blades Matt White

*Smart Fan



33489-15
33489WP-15
Body Grey
Blades Grey

*Smart Fan



33490-16
33490WP-16
Body Dark Brown
Blades Dark Brown

*Smart Fan



34105-130 NEW
34105WP-130 NEW
Body Matt White
Blades Maple

*Smart Fan



34106-130 NEW
34106WP-130 NEW
Body Brown
Blades Maple


*Smart Fan



Wooden finish




IP44 outdoor



Smart option

Material	Body Steel	Power	19W
	Blades ABS	Lumen Output	900lm
W	3-5-8-12-21-31	Light Source	SMD LED 3000K
RPM	50-71-93-115-138-162	CRI	>80
Airflow	183.09 m³ min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	ABS
Opt. downrod	Page 282		



A	A1
390/15.35"	355/13.98"
B	C
210/8.27"	200/7.87"
D	E
55/2.2"	130/5.12"
F	G
ø1270/50"	530/20.87"
Downrod L	Downrod ø
153/6.02"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-18 of the gear. The price of the gear is with PRO35 discount.





Ø129 CM	13-17 M ² 140-190 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	IP44 OUTDOOR	SUMMER WINTER	INCLINING ROOF
-------------------	---------------------------------------	--------------------	--	------------------------	------------------	-------------------



34301
34301WP *Smart Fan
Body Dark Brown
Blades Dark Brown



Textured blade



IP44 outdoor anti-corrosive




Programmable 1-4-8h
Memory function pag 38



Smart option

Material	Body Steel
Blades	ABS
W	4.3-6.5-10.4-16.8-24.2-33.4
RPM	61-82-106-123-146-165
Airflow	166 m3 min
V/Hz	220V-240V/50-60Hz
Accesories ☺	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 282



A	A1
280/11.02"	173/6.81"
B	C
83/3.27"	128/5.04"
D	E
60/2.4"	130/5.12"
F	G
ø1290/50.8"	625/24.61"
Downrod L	Downrod o
100/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-30 of the gear. The price of the gear is with PRO35 discount.



Palma M
Faro Lab

NEW

Ø129 CM	13-17 M ² 140-190 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	IP44 OUTDOOR	SUMMER WINTER	INCLINING ROOF
-------------------	---------------------------------------	--------------------	--	------------------------	------------------	-------------------



34301-11L
34301WP-11L
Body Dark Brown
Blades Dark Brown

*Smart Fan



Textured blade



IP44 outdoor anti-corrosive



Programmable 1-4-8h
Memory function pag 38



Smart option

Material	Body Steel	Light Source 1 E27 max.
	Blades ABS	Bulb incl. No
Airflow	166 m ³ min	Recom. Bulb 17463
V/Hz	220V-240V/50-60Hz	Material Diff Glass
Accessories ⓧ	33974 DC Wall Control	
Incl. downrod	100 mm	
Opt. downrod	Page 282	

A	A1
412/16.22"	173/6.81"
B	C
83/3.27"	128/5.04"
D	E
60/2.4"	130/5.12"
F	G
ø1290/50.8"	625/24.61"
Downrod L	Downrod ø
100/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-30 of the gear. The price of the gear is with PRO35 discount.



Cooper M

Ø128 CM	13-17 M ² 140-190 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER	INCLINING ROOF
-------------------	---------------------------------------	--------------------	---	------------------	-------------------



33451
33451WP
Body Matt Black
Blades Walnut

*Smart Fan



Aesthetic motor




Smart option



3 downrods included
100 / 200 / 460mm

Material	Body Steel
Blades	PC
W	4-6-9-13-22-32
RPM	51-77-103-129-155-185
Airflow	145.66 m ³ min
V/Hz	220V-240V/50-60Hz
Incl. downrod	100-200-460 mm
Opt. downrod	Page 282



A	A1
640/25.2"	630/24.8"
B	C
180/7.09"	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
ø1280/50.4"	555/21.85"
Downrod L	Downrod ø
100-200-460/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.



Mini Eterfan M

Conillas

Ø128 CM	13-17 M² 140-190 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER
-------------------	---	--------------------	--	--------------------------------



33382
33382WP *Smart Fan
Body Chrome
Blades Transparent



32020
32020WP *Smart Fan
Body Shiny White
Blades Transparent



32025
32025WP *Smart Fan
Body Matt White
Blades Transparent



32026
32026WP *Smart Fan
Body Shiny Black
Blades Transparent



32027
32027WP *Smart Fan
Body Matt Black
Blades Transparent




32028
32028WP *Smart Fan
Body Matt Black
Blades Walnut



32029
32029WP *Smart Fan
Body Shiny Red
Blades Transparent




32030
32030WP *Smart Fan
Body Matt Black
Blades Matt Black



Smart option

Material	Body Steel+Glass
	Blades PC
W	3-6-9-13-22-32
RPM	51-77-103-129-155-185
Airflow	145.66 m ³ min
V/Hz	220V-240V/50-60Hz




*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.



Mini Eterfan M


Conillas

Ø128 CM	13-17 M² 140-190 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER
----------------	---	-----------------	--	----------------------



Smart option

Material	Body Steel+Glass	Power 16W
	Blades PC	Lumen Output 709lm
W	3-6-9-13-22-32	Light Source SMD LED 3000K
RPM	51-77-103-129-155-185	CRI >80
Airflow	145.66 m ³ min	Driver incl. Yes
V/Hz	220V-240V/50-60Hz	Material Diff Glass



*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.



Eterfan M

Conillas

Ø128 CM	13-17 M² 140-190 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER
-------------------	---	--------------------	--	--------------------------------



33381
33381WP
Body Chrome
Blades Transparent
***Smart Fan**



32000WP
32000
Body Shiny White
Blades Transparent
***Smart Fan**



32001
32001WP
Body Matt White
Blades Transparent
***Smart Fan**



32002
32002WP
Body Shiny Black
Blades Transparent
***Smart Fan**



32003
32003WP
Body Matt Black
Blades Transparent
***Smart Fan**




32004WP
32004
Body Matt Black
Blades Walnut
***Smart Fan**



32005WP
32005
Body Shiny Red
Blades Transparent
***Smart Fan**



32006WP
32006
Body Matt Black
Blades Matt Black
***Smart Fan**



Smart option

Material	Body Steel+Glass
Blades	PC
W	3-6-9-13-22-32
RPM	51-77-103-129-155-185
Airflow	145.66 m ³ min
V/Hz	220V-240V/50-60Hz

A	A1
640/25.2"	760/29.92"
B	C
630/24.8"	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
ø1280/50.4"	555/21.85"
Downrod L	Downrod o
460/18.11"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.



Eterfan M

Conillas



33381-9
33381WP-9
Body Chrome
Blades Transparent



32000-9
32000WP-9
Body Shiny White
Blades Transparent



32001-9
32001WP-9
Body Matt White
Blades Transparent



32002-10
32002WP-10
Body Shiny Black
Blades Transparent



32003-10
32003WP-10
Body Matt Black
Blades Transparent



32004-10
32004WP-10
Body Matt Black
Blades Walnut



32005-9
32005WP-9
Body Shiny Red
Blades Transparent




32006-10
32006WP-10
Body Matt Black
Blades Matt Black



Smart option

Material	Body Steel+Glass	Power 16W
	Blades PC	Lumen Output 709lm
W	3-6-9-13-22-32	Light Source SMD LED 3000K
RPM	51-77-103-129-155-185	CRI >80
Airflow	145.66 m³ min	Driver incl. Yes
V/Hz	220V-240V/50-60Hz	Material Diff Glass



*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.



Just Fan M

Conillas

Ø 128 CM	13-17 M² 140-190 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER	INCLINING ROOF
-----------------	---	-----------------	--	----------------------	-----------------------



33394
33394WP
Body Chrome
Blades Transparent



33395
33395WP
Body Matt Black
Blades Walnut



33398
33398WP
Body Old Gold
Blades Walnut



33399
33399WP
Body Copper
Blades Walnut



32100
32100WP
Body Matt Black
Blades Matt Black



33417
33417WP
Body Old Gold
Blades Matt Black



33418
33418WP
Body Copper
Blades Matt Black



32110
32110WP
Body Matt White
Blades Maple



32101 NEW
32101WP NEW
Body Matt White
Blades Matt White

*Smart Fan

NEW FINISH




Smart option



3 downrods included
100 / 200 / 460mm

Material	Body Steel
	Blades PC
W	4-6-9-13-22-32
RPM	51-77-103-129-155-185
Airflow	145.66 m ³ min
V/Hz	220V-240V/50-60Hz
Incl. downrod	100-200-460 mm
Opt. downrod	Page 282



A	A1
640/25.2"	630/24.8"
B	C
180/7.09"	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
ø1280/50.4"	555/21.85"
Downrod L	Downrod o
100-200-460/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.



Just Fan M

Conillas



33394-9
33394WP-9
Body Chrome
Blades Transparent



33395-10
33395WP-10
Body Matt Black
Blades Walnut



33398-10
33398WP-10
Body Old Gold
Blades Walnut



33399-10
33399WP-10
Body Copper
Blades Walnut



32100-10
32100WP-10
Body Matt Black
Blades Matt Black



33417-10
33417WP-10
Body Old Gold
Blades Matt Black



33418-10
33418WP-10
Body Copper
Blades Matt Black




Smart option



3 downrods included
100 / 200 / 450mm

Material	Body Steel	Power	16W
	Blades PC	Lumen Output	709lm
W	4-6-9-13-22-32	Light Source	SMD LED 3000K
RPM	51-77-103-129-155-185	CRI	>80
Airflow	145.66 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	Glass
Incl. downrod	100-200-460 mm		
Opt. downrod	Page 282		



A	A1
674/26.54"	630/24.8"
B	C
180/7.09"	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
ø1280/50.4"	555/21.85"
Downrod L	Downrod ø
100-200-460/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.



Deco Fan M

Conillas

Ø128 CM	13-17 M ² 140-190 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER
-------------------	---------------------------------------	--------------------	---	------------------



33394D
33394DWP
Body Chrome
Blades Transparent




33398D
33398DWP
Body Old Gold
Blades Walnut



33395D
33395DWP
Body Matt Black
Blades Walnut



33399D
33399DWP
Body Copper
Blades Walnut



Smart option



Aesthetic glass

Material	Body Steel
Blades	PC
W	4-6-9-13-22-32
RPM	51-77-103-129-155-185
Airflow	145.66 m ³ min
V/Hz	220V-240V/50-60Hz
Incl. downrod	100-200-460 mm
Opt. downrod	Page 282

A	A1
450/17.72"	420/16.54"
B	C
	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
ø1280/50.4"	555/21.85"
Downrod L	Downrod ø
100-200-460/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.



Deco Fan M

Conillas

Ø128 CM	13-17 M² 140-190 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER
-------------------	---	--------------------	--	--------------------------------



33394D-9
33394DWP-9
Body Chrome
Blades Transparent




33395D-10
33395DWP-10
Body Matt Black
Blades Walnut



33398D-10
33398DWP-10
Body Old Gold
Blades Walnut



33399D-10
33399DWP-10
Body Copper
Blades Walnut



Smart option



Aesthetic glass

Material	Body Steel+Glass	Power	16W
	Blades PC	Lumen Output	709lm
W	4-6-9-13-22-32	Light Source	SMD LED 3000K
RPM	51-77-103-129-155-185	CRI	>80
Airflow	145.66 m ³ min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	Glass
Incl. downrod	100-200-460 mm		
Opt. downrod	Page 282		

A	A1
484/19.06"	420/16.54"
B	C
	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
ø1280/50.4"	555/21.85"
Downrod L	Downrod o
100-200-460/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.



Mini Tube Fan M

Conillas

Ø128
CM

13-17 M²
140-190 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER



33393
33393WP *Smart Fan
Body Chrome
Blades Transparent



32038
32038WP *Smart Fan
Body Shiny White
Blades Transparent



32039
32039WP *Smart Fan
Body Matt White
Blades Transparent



32040
32040WP *Smart Fan
Body Shiny Black
Blades Transparent



32041
32041WP *Smart Fan
Body Matt Black
Blades Transparent



32042
32042WP *Smart Fan
Body Matt Black
Blades Walnut




32043
32043WP *Smart Fan
Body Matt Black
Blades Matt Black



Smart option

Material	Body Steel+Glass
Blades	PC
W	4-6-9-13-22-32
RPM	51-77-103-129-155-185
Airflow	145.66 m ³ min
V/Hz	220V-240V/50-60Hz



A	A1
290/11.42"	250/9.84"
B	C
250/9.84"	160/6.3"
D	E
	130/5.12"
F	G
ø1280/50.4"	430/16.93"
Downrod L	Downrod ø
200/7.87"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.

199



Mini Tube Fan M

Conillas



3393-9
3393WP-9
Body Chrome
Blades Transparent



32038-9
32038WP-9
Body Shiny White
Blades Transparent



32039-9
32039WP-9
Body Matt White
Blades Transparent



32040-10
32040WP-10
Body Shiny Black
Blades Transparent



32041-10
32041WP-10
Body Matt Black
Blades Transparent



32042-10
32042WP-10
Body Matt Black
Blades Walnut




32043-10
32043WP-10
Body Matt Black
Blades Matt Black



Smart option

Material	Body Steel+Glass	Power 16W
	Blades PC	Lumen Output 709lm
W	4-6-9-13-22-32	Light Source SMD LED 3000K
RPM	51-77-103-129-155-185	CRI >80
Airflow	145.66 m³ min	Driver incl. Yes
V/Hz	220V-240V/50-60Hz	Material Diff Glass



*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.



Tube Fan M

Conillas



33374
33374WP *Smart Fan
Body Chrome
Blades Transparent



32033
32033WP *Smart Fan
Body Shiny White
Blades Transparent



32034
32034WP *Smart Fan
Body Matt White
Blades Transparent



32035
32035WP *Smart Fan
Body Shiny Black
Blades Transparent



32036
32036WP *Smart Fan
Body Matt Black
Blades Transparent



32037
32037WP *Smart Fan
Body Matt Black
Blades Walnut




32060
32060WP *Smart Fan
Body Matt Black
Blades Matt Black



Smart option

Material	Body Steel+Glass
Blades	PC
W	3-6-9-13-22-32
RPM	51-77-103-129-155-185
Airflow	145.66 m³ min
V/Hz	220V-240V/50-60Hz



*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.



Tube Fan M

Conillas



33374-9
33374WP-9
Body Chrome
Blades Transparent



32033-9
32033WP-9
Body Shiny White
Blades Transparent



32034-9
32034WP-9
Body Matt White
Blades Transparent



32035-10
32035WP-10
Body Shiny Black
Blades Transparent



32036-10
32036WP-10
Body Matt Black
Blades Transparent



32037-10
32037WP-10
Body Matt Black
Blades Walnut




32060-10
32060WP-10
Body Matt Black
Blades Matt Black



Smart option

Material	Body Steel+Glass	Power 16W
	Blades PC	Lumen Output 709lm
W	3-6-9-13-22-32	Light Source SMD LED 3000K
RPM	51-77-103-129-155-185	CRI >80
Airflow	145.66 m³ min	Driver incl. Yes
V/Hz	220V-240V/50-60Hz	Material Diff Glass



*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.



Nassau M


Ø128 CM	13-17 M ² 140-190 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER	INCLINING ROOF
-------------------	---------------------------------------	--------------------	--	------------------	-------------------




33478
33478WP *Smart Fan
Body Dark Brown
Blades Dark Brown



33487
33487WP *Smart Fan
Body Matt White
Blades Matt White




High airflow



Smart option

Material	Body Steel
Blades	Plywood
W	4-6-10-16-24-37
RPM	50-87-125-162-199-237
Airflow	222.41 m ³ min
V/Hz	220V-240V/50-60Hz
Incl. downrod	910 mm



A	A1
400/15.75"	370/14.57"
B	C
170/6.69"	120/4.72"
D	E
60/2.4"	130/5.12"
F	G
ø1280/50.4"	575/22.64"
Downrod L	Downrod ø
225/8.86"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-04 of the gear. The price of the gear is with PRO35 discount.



Winche M
Conillas


Ø127 CM	13-17 M² 140-190 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER	INCLINING ROOF
----------------	--	-----------------	--	----------------------	-----------------------



33481
33481WP *Smart Fan
Body Matt Black
Blades Dark Brown




33482
33482WP *Smart Fan
Body Chrome
Blades Brown



Ref.33481 IP44 outdoor Smart option

Material	Body Steel
Blades	ABS
W	3-5-8-12-21-35
RPM	50-71-93-115-138-162
Airflow	183.01 m³ min
V/Hz	220V-240V/50-60Hz
Opt. downrod	Page 282



A	A1
390/15.35"	355/13.98"
B	C
210/8.27"	190/7.48"
D	E
55/2.2"	130/5.12"
F	G
ø1270/50"	530/20.87"
Downrod L	Downrod ø
153/6.02"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-08 of the gear. The price of the gear is with PRO35 discount.




Winche M
Conillas



33481-7
33481WP-7 *Smart Fan
Body Matt Black
Blades Dark Walnut




33482-8
33482WP-8 *Smart Fan
Body Chrome
Blades Dark Walnut



Ref.33481-7 IP44 outdoor Smart option

Material	Body Steel	Power	15W
	Blades ABS	Lumen Output	800lm
W	3-5-8-12-21-35	Light Source	SMD LED 3000K
RPM	50-71-93-115-138-162	CRI	>80
Airflow	183.01 m³ min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	ABS
Opt. downrod	Page 282		



A	A1
390/15.35"	355/13.98"
B	C
210/8.27"	190/7.48"
D	E
55/2.2"	130/5.12"
F	G
ø1270/50"	530/20.87"
Downrod L	Downrod ø
153/6.02"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-08 of the gear. The price of the gear is with PRO35 discount.



Klim M
Faro Lab

NEW

Ø125 CM	13-17 M ² 140-190 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER	INCLINING ROOF
-------------------	---------------------------------------	--------------------	--	------------------	----------------



34277
34277WP
Body Matt Black
Blades Dark Walnut



34280
34280WP
Body Matt White
Blades Oak



34283
34283WP
Body Matt Black
Blades Oak



Wood



Optional Light kit
page 298




Programmable 1-4-8h
Memory function pag 38



Smart option

A	A1
240/9.45"	212/8.35"
B	C
48/1.89"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
ø1250/49.2"	620/24.41"
Downrod L	Downrod o
100/3.94"	26/1.02"

Material	Body Steel
Blades	Wood
W	5.1-7.8-11.2-17.2-24.3-35.7
RPM	90-119-144-170-192-220
Airflow	188 m3 min
V/Hz	220V-240V/50-60Hz
Accesories ☺	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 282



*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-40 of the gear. The price of the gear is with PRO35 discount.



NEW



34277-11L
34277WP-11L
Body Matt Black
Blades Dark Walnut

*Smart Fan




34280-11L
34280WP-11L
Body Matt White
Blades Oak

*Smart Fan



34283-11L
34283WP-11L
Body Matt Black
Blades Oak

*Smart Fan



Glass diffuser




Programmable 1-4-8h
Memory function pag 38



Smart option

Material	Body Steel	Light Source	1 E27 max.
	Blades Wood	Bulb incl.	No
W	5.1-7.8-11.2-17.2-24.3-35.7	Recom. Bulb	17463
RPM	90-119-144-170-192-220	Material Diff	Glass
Airflow	188 m³ min		
V/Hz	220V-240V/50-60Hz		
Accesories ☺	33974 DC Wall Control		
Incl. downrod	100 mm		
Opt. downrod	Page 282		



A	A1
330/12.99"	212/8.35"
B	C
231/9.09"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
ø1250/49.2"	620/24.41"
Downrod L	Downrod ø
100/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-41 of the gear. The price of the gear is with PRO35 discount.



Sfera M
Faro Lab



Ø125 CM	13-17 M ² 140-190 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER	INCLINING ROOF
-------------------	---------------------------------------	--------------------	--	------------------	-------------------



34272
34272WP *Smart Fan
Body Matt White
Blades Matt White




34273
34273WP *Smart Fan
Body Matt Black
Blades Matt Black



Programmable 1-4-8h
Memory function pag 38

Smart option

Material	Body Steel
Blades	ABS
W	6-9.2-12.9-17.7-25.3-34
RPM	100-122-138-159-180-197
Airflow	176.08 m ³ min
V/Hz	220V-240V/50-60Hz
Accesories ☺	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 282



A	A1
248/9.76"	171/6.73"
B	C
132/5.2"	132/5.2"
D	E
60/2.4"	130/5.12"
F	G
ø1250/49.2"	615/24.21"
Downrod L	Downrod o
100/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-28 of the gear. The price of the gear is with PRO35 discount.



Marine M
Faro Lab

NEW

Ø125 CM	13-17 M ² 140-190 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	IP44 OUTDOOR	SUMMER WINTER	INCLINING ROOF
-------------------	---------------------------------------	--------------------	---	-----------------	------------------	-------------------



34274
34274WP
Body Matt White
Blades Brown

*Smart Fan




34275
34275WP
Body Dark Brown
Blades Dark Brown


*Smart Fan



IP44 outdoor anti-corrosive




Programmable 1-4-8h
Memory function pag 38



Smart option

Material	Body Steel
Blades	ABS
W	4-6.3-9.2-14.7-20.1-27.9
RPM	86-121-146-175-198-222
Airflow	174.3 m ³ min
V/Hz	220V-240V/50-60Hz
Accesories ☺	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 282



A	A1
245/9.65"	221/8.7"
B	C
122/4.8"	125/4.92"
D	E
60/2.4"	130/5.12"
F	G
ø1250/49.2"	489/19.25"
Downrod L	Downrod o
100/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-29 of the gear. The price of the gear is with PRO35 discount.




Panay M

ø122 CM
13-17 M²
140-190 SQ.FT
INCLINING ROOF



33608
Body Matt Nickel
Blades Grey


Material	Body Steel	Light Source	2 E14 max. 8W
	Blades MDF	Bulb incl.	No
W	14-30-58	Recom. Bulb	17461
RPM	95-150-200	Material Diff	Glass
Airflow	116.2 m ³ min		
V/Hz	220V-240V/50Hz		
Opt. downrod	Page 282		





Yakarta M

Ø121 CM	13-17 M ² 140-190 SQ.FT	SUMMER WINTER	INCLINING ROOF	DIRECT CEILING MOUNTING	CONTROLLED BY CHAINS
-------------------	---------------------------------------	------------------	-------------------	-------------------------------	-------------------------



Reversible blades


Material	Body Steel
Blades	Plywood
W	14-23-51
RPM	115-150-205
Airflow	94.57 m ³ min
V/Hz	220V-240V/50Hz
Accesories ☺	33928 Wall Control 3 speeds 33929 Remote Control/dimer-on-off 33937 Remote Control/Programmer
Opt. downrod	Page 282

A	A1
350/13.78"	300/11.81"
B	C
130/5.12"	
D	E
60/2.4"	130/5.12"
F	G
ø1210/47.6"	465/18.31"
Downrod L	Downrod o
153/6.02"	21/0.83"



Yakarta M

Ø 121 CM	13-17 M² 140-190 SQ.FT	SUMMER WINTER	INCLINING ROOF	DIRECT CEILING MOUNTING	CONTROLLED BY CHAINS
-----------------	--	--------------------------	---------------------------	--	---------------------------------



Reversible blades

Material	Body Steel	Light Source	3 E27 max. 15W
	Blades Plywood	Bulb incl.	No
W	14-23-51	Recom. Bulb	17463
RPM	115-150-205		
Airflow	94.57 m ³ min		
V/Hz	220V-240V/50-60Hz		
Accesories ☺	33928 Wall Control 3 speeds 33929 Remote Control/dimer-on-off 33937 Remote Control/Programmer		
Opt. downrod	Page 282		

A	A1
520/20.47"	300/11.81"
B	C
130/5.12"	
D	E
60/2.4"	130/5.12"
F	G
ø1210/47.6"	465/18.31"
Downrod L	Downrod ø
153/6.02"	21/0.83"



Fraser M



33756
33756WP *Smart Fan
Body Matt White
Blades Matt White




Glass diffuser

Programmable 1-4-8h
Memory function pag 38

Smart option

Material	Body Steel	Power 16W	
	Blades ABS	Lumen Output 850lm	
W	5-8-11-16-22-32	Light Source SMD LED 3000K	
RPM	103-126-145-166-182-209	CRI >=80	
Airflow	212 m³ min	Driver incl. Yes	
V/Hz	220V-240V/50-60Hz	Material Diff Glass	
Accessories ☺	33974 DC Wall Control		



*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-09 of the gear. The price of the gear is with PRO35 discount.




Eco indus M



33005
Body Matt White
Blades White

Material	Body Steel
Blades	Steel
W	16-26-68
RPM	150-225-322
Airflow	189.47 m ³ min
V/Hz	220V-240V/50Hz





Mini Icaria S

ø107
CM
< 13 M²
< 140 SQ.FT
SUMMER
WINTER
INCLINING
ROOF



33695
Body Old Gold
Blades Brown + Oak



33699
Body Matt Nickel
Blades Grey + Maple




Reversible blades



Glass diffuser

Material	Body Steel	Light Source 2 E14 max. 8W
	Blades MDF	Bulb incl. No
W	16-24-35	Recom. Bulb 17461
RPM	135-175-210	Material Diff Glass
Airflow	101.09 m ³ min	
V/Hz	220V-240V/50Hz	
Accesories ☺	33928 Wall Control 3 speeds 33929 Remote Control/dimer-on-off 33937 Remote Control/Programmer	
Opt. downrod	Page 282	

A	A1
405/15.94"	270/10.63"
B	C
280/11.02"	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
ø1070/42.1"	425/16.73"
Downrod L	Downrod Ø
152/5.98"	21/0.83"





Mini Lantau S



33508DC
33508DCWP
Body Matt Nickel
Blades Walnut

*Smart Fan




33509DC
33509DCWP
Body Matt Nickel
Blades Pine

*Smart Fan



33517DC
33517DCWP
Body Matt Black
Blades Walnut

*Smart Fan



Wood




Programmable 1-4-8h



Smart option

Material	Body Steel
	Blades Wood
W	3-5-7-10-15-21
RPM	72-104-131-164-193-224
Airflow	143.2 m3 min
V/Hz	220V-240V/50Hz
Accesories ☺	33974 DC Wall Control
Opt. downrod	Page 282



A	A1
340/13.39"	300/11.81"
B	C
110/4.33"	
D	E
65/2.6"	150/5.91"
F	G
ø1070/42.1"	460/18.11"
Downrod L	Downrod ø
153/6.02"	21/0.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-34 of the gear. The price of the gear is with PRO35 discount.



Mini Mallorca S

NEW

Ø106
CM

< 13 M²
< 140 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

INCLINING
ROOF



33603DC
33603DCWP
Body Matt White
Blades Matt White + Maple


*Smart Fan



Reversible blades




Programmable 1-4-8h
Memory function pag 38



Smart option

Material	Body Stainless steel 316L
	Blades Plywood
W	6.1-7.4-10.4-13.1-18.5-23.9
RPM	126-156-186-218-240-270
Airflow	70 m3 min
V/Hz	220V-240V/50-60Hz
Accesories ☺	33974 DC Wall Control
Opt. downrod	Page 282



A	A1
310/12.2"	246/9.69"
B	C
80/3.15"	248/9.76"
D	E
60/2.4"	150/5.91"
F	G
ø1060/41.7"	410/16.14"
Downrod L	Downrod o
152/5.98"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-37 of the gear. The price of the gear is with PRO35 discount.




NEW


Ø 106 CM	< 13 M ² < 140 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER	INCLINING ROOF
-----------------	------------------------------------	-----------------	--	------------------	----------------



Reversible blades




Programmable 1-4-8h
Memory function pag 38



Smart option

Material	Body Steel
Blades	Plywood
W	3.8-5.9-9.3-14.8-21.9-29.9
RPM	97-148-188-227-262-290
Airflow	124.4 m ³ min
V/Hz	220V-240V/50-60Hz
Accesories ☺	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 282



A	A1
232/9.13"	180/7.09"
B	C
80/3.15"	150/5.91"
D	E
60/2.4"	130/5.12"
F	G
ø1060/41.7"	500/19.69"
Downrod L	Downrod o
100/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-04 of the gear. The price of the gear is with PRO35 discount.



NEW




34295-1TW
34295WP-1TW
Body Matt White
Blades Ash Tree + Matt White

*Smart Fan



34296-1TW
34296WP-1TW
Body Matt Black
Blades Walnut + Matt Black

*Smart Fan




Reversible blades

Color temperature
adjustable

Programmable 1-4-8h
Memory function pag 38

Smart option

Material	Body Steel	Power	18W
	Blades Plywood	Lumen Output	1300lm
W	3.8-5.9-9.3-14.8-21.9-29.9	Light Source	SMD LED
RPM	97-148-188-227-262-290	Dimmable K	2700 - 4350 - 6000K
Airflow	124.4 m3 min	CRI	>80
V/Hz	220V-240V/50-60Hz	Driver incl.	Yes
Accesories ☺	33974 DC Wall Control	Material Diff	Glass
Incl. downrod	100 mm		
Opt. downrod	Page 282		



A	A1
276/10.87"	180/7.09"
B	C
80/3.15"	150/5.12"
D	E
60/2.4"	130/5.12"
F	G
ø1060/41.7"	500/19.69"
Downrod L	Downrod o
100/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-04 of the gear. The price of the gear is with PRO35 discount.



Cruiser S

Faro Lab

NEW




34288
34288WP *Smart Fan
Body Matt White
Blades Matt White




34289
34289WP *Smart Fan
Body Matt Black
Blades Matt Black



34285
34285WP *Smart Fan
Body Matt Black
Blades Aluminum




Programmable 1-4-8h
Memory function pag 38



Smart option

Material	Body Steel
Blades	Aluminium
W	3.7-5.9-9.2-14.7-21.8-29.9
RPM	95-148-188-221-260-292
Airflow	136.5 m3 min
V/Hz	220V-240V/50-60Hz
Accesories ☺	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 282



A	A1
232/9.13"	194/7.64"
B	C
83/3.27"	151/5.94"
D	E
60/2.4"	130/5.12"
F	G
ø1060/41.7"	630/24.8"
Downrod L	Downrod ø
100/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-01 of the gear. The price of the gear is with PRO35 discount.



Cruiser S

Faro Lab

NEW



34288-1TW
34288WP-1TW
Body Matt White
Blades Matt White

*Smart Fan



34289WP-1TW
34289-1TW
Body Matt Black
Blades Matt Black

*Smart Fan




34285-1TW
34285WP-1TW
Body Matt Black
Blades Aluminum


*Smart Fan



Color temperature
adjustable




Programmable 1-4-8h
Memory function pag 38



Smart option

Material	Body Steel	Power	18W
	Blades Aluminium	Lumen Output	1300lm
W	3.7-5.9-9.2-14.7-21.8-29.9	Light Source	SMD LED
RPM	95-148-188-221-260-292	Dimmable K	2700 - 4350 - 6000K
Airflow	136.5 m3 min	CRI	>80
V/Hz	220V-240V/50-60Hz	Driver incl.	Yes
Accesories ☺	33974 DC Wall Control	Material Diff	Glass
Incl. downrod	100 mm		
Opt. downrod	Page 282		



A	A1
276/10.87"	180/7.09"
B	C
80/3.15"	150/5.91"
D	E
60/2.4"	130/5.12"
F	G
ø1060/41.7"	500/19.69"
Downrod L	Downrod o
100/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-02 of the gear. The price of the gear is with PRO35 discount.



Easy S




33416
Body Grey
Blades Grey



Programmable 1-3-6-9h

Material	Body Steel+ABS
	Blades ABS
W	11-23-68
RPM	105-185-285
Airflow	159.76 m ³ min
V/Hz	220V-240V/50Hz

Light Source	2 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Material Diff	ABS



A	A1
460/18.11"	320/12.6"
B	C
100/3.94"	210/8.27"
D	E
75/3"	140/5.51"
F	G
ø1050/41.3"	420/16.54"
Downrod L	Downrod ø
235/9.25"	21/0.83"



Hvar S



34300
34300WP *Smart Fan
Body Matt White
Blades Matt White




Color temperature
adjustable

Programmable 1-4-8h
Memory function pag 38

Smart option

Material	Body Steel	Power	24W
	Blades ABS	Lumen Output	1600lm
W	5.5-8.8-14-20.6-27.5-34.8	Light Source	SMD LED 6500K
RPM	139-172-206-245-268-300	Dimmable K	3000 - 4500 - 6500K
Airflow	130 m³ min	CRI	>80
V/Hz	220V-240V/50Hz	Driver incl.	Yes
Accesories ☺	33974 DC Wall Control	Material Diff	PMMA
Incl. downrod	127-250 mm		



A	A1
549/21.61"	447/17.6"
B	C
295/11.61"	
D	E
80/3.1"	165/6.5"
F	G
ø914/36"	328/12.91"
Downrod L	Downrod ø
127-250/5"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-25 of the gear. The price of the gear is with PRO35 discount.



Klim S
Faro Lab

NEW

ø92
CM

< 13 M²
< 140 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

INCLINING
ROOF



34278
34278WP *Smart Fan
Body Matt Black
Blades Dark Walnut

34281
34281WP *Smart Fan
Body Matt White
Blades Oak



34284
34284WP *Smart Fan
Body Matt Black
Blades Oak



Wood

Optional Light kit
page 298




Programmable 1-4-8h
Memory function pag 38



Smart option

Material	Body Steel
	Blades Wood
W	6.2-7.9-10.5-14-20-28
RPM	153-192-226-259-302-348
Airflow	124 m3 min
V/Hz	220V-240V/50-60Hz
Accesories ☀	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 282



A	A1
240/9.45"	212/8.35"
B	C
48/1.89"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
ø925/36.4"	458/18.03"
Downrod L	Downrod o
100/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-39 of the gear. The price of the gear is with PRO35 discount.

249



NEW



34278WP-11L *Smart Fan

34278-11L
Body Matt Black
Blades Dark Walnut



34281-11L *Smart Fan

34281WP-11L
Body Matt White
Blades Oak



34284-11L *Smart Fan


34284WP-11L
Body Matt Black
Blades Oak



Glass diffuser




Programmable 1-4-8h
Memory function pag 38




Smart option

Material	Body Steel	Light Source	1 E27 max.
	Blades Wood	Bulb incl.	No
W	6.2-7.9-10.5-14-20-28	Recom. Bulb	17463
RPM	153-192-226-259-302-348	Material Diff	Glass
Airflow	124 m3 min		
V/Hz	100V-240V/50-60Hz		
Accesories ☺	33974 DC Wall Control		
Incl. downrod	100 mm		
Opt. downrod	Page 282		



A	A1
330/12.99"	212/8.35"
B	C
231/9.09"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
ø925/36.4"	458/18.03"
Downrod L	Downrod ø
100/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-41 of the gear. The price of the gear is with PRO35 discount.



Chicago S
Àlex & Manel Lluscà


ø91
CM

< 13 M²
< 140 SQ.FT



33703
Body Matt Black
Blades Walnut

Material	Body Steel	Light Source	1 E27 max. 15W
	Blades MDF	Bulb incl.	No
W	15-26-49	Recom. Bulb	17463
RPM	136-192-225		
Airflow	96.71 m ³ min		
V/Hz	220V-240V/50-60Hz		
Accesories ☺	33928 Wall Control 3 speeds 33929 Remote Control/dimer-on-off 33937 Remote Control/Programmer		
Opt. downrod	Page 282		








ø90 CM	< 13 M² < 140 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER	INCLINING ROOF
---------------	---	-----------------	--	----------------------	-----------------------




34270
34270WP *Smart Fan
Body Matt White
Blades Matt White



34271
34271WP *Smart Fan
Body Matt Black
Blades Matt Black




Programmable 1-4-8h
Memory function pag 38



Smart option

Material	Body Steel
Blades	ABS
W	5.5-7.3-10.1-13.7-20.3-28.7
RPM	142-178-213-244-290-333
Airflow	134.7 m ³ min
V/Hz	220V-240V/50-60Hz
Accesories ☺	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 282



A	A1
248/9.76"	171/6.73"
B	C
132/5.2"	132/5.2"
D	E
60/2.4"	130/5.12"
F	G
ø900/35.4"	439/17.28"
Downrod L	Downrod o
100/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-27 of the gear. The price of the gear is with PRO35 discount.



Mini Punt S

Faro Lab

NEW

ø90
CM

< 13 M²
< 140 SQ.FT

DC
MOTOR

OPTION SMART
100-240V
50-60Hz

SUMMER
WINTER

INCLINING
ROOF



33820WP *Smart Fan

33820
Body Matt White
Blades Matt White



33821

33821WP *Smart Fan
Body Matt White
Blades Maple



33822
33822WP *Smart Fan

Body Matt Black
Blades Matt Black




33823
33823WP *Smart Fan
Body Matt Black
Blades Walnut



Programmable 1-4-8h
Memory function pag 38

Smart option

Material	Body Steel
Blades	ABS
W	3.8-5.3-7.9-12.8-18.7-26.8
RPM	113-150-195-244-286-327
Airflow	141.8 m3 min
V/Hz	220V-240V/50-60Hz
Accessories	33974 DC Wall Control
Opt. downrod	Page 282



A	A1
235/9.25"	173/6.81"
B	C
77/3.03"	120/4.72"
D	E
60/2.4"	130/5.12"
F	G
ø900/35.4"	441/17.36"
Downrod L	Downrod o
101/3.98"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-06 of the gear. The price of the gear is with PRO35 discount.



Mini Punt S

Faro Lab

NEW



33820-1TW
33820WP-1TW
Body Matt White
Blades Matt White

*Smart Fan



33821-1TW
33821WP-1TW
Body Matt White
Blades Maple

*Smart Fan



33822-1TW
33822WP-1TW
Body Matt Black
Blades Matt Black

*Smart Fan



33823-1TW
33823WP-1TW
Body Matt Black
Blades Walnut


*Smart Fan



Glass diffuser



Color temperature
adjustable




Programmable 1-4-8h
Memory function pag 38



Smart option

Material	Body Steel	Power	10W
	Blades ABS	Lumen Output	800lm
W	3.8-5.3-7.9-12.8-18.7-26.8	Light Source	SMD LED
RPM	113-150-195-244-286-327	Dimmable K	2700 - 4350 - 6000K
Airflow	141.8 m3 min	CRI	>80
V/Hz	220V-240V/50-60Hz	Driver incl.	Yes
Accesories ☺	33974 DC Wall Control	Material Diff	Glass
Opt. downrod	Page 282		



A	A1
263/10.35"	173/6.81"
B	C
106/4.17"	120/4.72"
D	E
60/2.4"	130/5.12"
F	G
ø900/35.4"	441/17.36"
Downrod L	Downrod o
101/3.98"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-06 of the gear. The price of the gear is with PRO35 discount.



Mini Punt Tub S

Faro Lab NEW

ø90 CM	< 13 M2 < 140 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER	INCLINING ROOF
---------------	------------------------	-----------------	--	---------------	----------------



33832
33832WP *Smart Fan
Body Matt White
Blades Matt White



33833
33833WP *Smart Fan
Body Matt White
Blades Maple




33834
33834WP *Smart Fan
Body Matt Black
Blades Matt Black




33835
33835WP *Smart Fan
Body Matt Black
Blades Walnut



Suitable for low ceilings




Programmable 1-4-8h
Memory function pag 38



Smart option

Material	Body Steel
Blades	ABS
W	3.8-5.3-7.9-12.8-18.7-26.8
RPM	113-150-195-244-286-327
Airflow	141.8 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☺	33974 DC Wall Control



A	A1
203/7.99"	142/5.59"
B	C
142/5.59"	124/4.88"
D	E
142/5.6"	112/4.41"
F	G
ø900/35.4"	441/17.36"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-06 of the gear. The price of the gear is with PRO35 discount.



Mini Punt Tub S

Faro Lab NEW



33832-1TW
33832WP-1TW
Body Matt White
Blades Matt White

*Smart Fan



33833-1TW
33833WP-1TW
Body Matt White
Blades Maple

*Smart Fan



33834-1TW
33834WP-1TW
Body Matt Black
Blades Matt Black

*Smart Fan



33835-1TW
33835WP-1TW
Body Matt Black
Blades Walnut


*Smart Fan




Suitable for low ceilings



Color temperature
adjustable




Programmable 1-4-8h
Memory function pag 38



Smart option

Material	Body Steel	Power	10W
	Blades ABS	Lumen Output	800 lm
W	3.8-5.3-7.9-12.8-18.7-26.8	Light Source	SMD LED
RPM	113-150-195-244-286-327	Dimmable K	2700 - 4350 - 6000K
Airflow	141.8 m3 min	CRI	>80
V/Hz	220V-240V/50-60Hz	Driver incl.	Yes
Accesories ☺	33974 DC Wall Control	Material Diff	Glass



A	A1
230/9.06"	142/5.59"
B	C
142/5.59"	124/4.88"
D	E
142/5.6"	112/4.41"
F	G
ø900/35.4"	441/17.36"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-06 of the gear. The price of the gear is with PRO35 discount.



Hey S
Faro Lab

NEW

ø90
CM

< 13 M²
< 140 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER



INCLINING
ROOF



33824
33824WP *Smart Fan
Body Matt White
Blades Matt White




33825
33825WP *Smart Fan
Body Matt Black
Blades Matt Black



Programmable 1-4-8h
Memory function pag 38

Smart option

Material	Body Steel
Blades	ABS
W	4.3-7.0-10.2-16-21-30
RPM	110-162-197-238-267-300
Airflow	147.6 m ³ min
V/Hz	220V-240V/50-60Hz
Accessories	33974 DC Wall Control
Opt. downrod	Page 282



A	A1
243/9.57"	200/7.87"
B	C
80/3.15"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
ø900/35.4"	430/16.93"
Downrod L	Downrod ø
101/3.98"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-07 of the gear. The price of the gear is with PRO35 discount.





33824-1TW
33824WP-1TW
Body Matt White
Blades Matt White

*Smart Fan



33825-1TW
33825WP-1TW
Body Matt Black
Blades Matt Black

*Smart Fan




Color temperature
adjustable

Programmable 1-4-8h
Memory function pag 38

Smart option

Material	Body Steel	Power	10W
	Blades ABS	Lumen Output	800lm
W	4.3-7.0-10.2-16-21-30	Light Source	SMD LED
RPM	110-162-197-238-267-300	Dimmable K	3000 - 4200 - 6500K
Airflow	147.6 m3 min	CRI	>80
V/Hz	220V-240V/50-60Hz	Driver incl.	Yes
Accesories ☺	33974 DC Wall Control	Material Diff	Glass
Opt. downrod	Page 282		



A	A1
270/10.63"	200/7.87"
B	C
80/3.15"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
ø900/35.4"	430/16.93"
Downrod L	Downrod o
101/3.98"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-07 of the gear. The price of the gear is with PRO35 discount.




Heywood S
Faro Lab



33805
33805WP *Smart Fan
Body Matt White
Blades Maple




33806
33806WP *Smart Fan
Body Matt Black
Blades Dark Oak



Wooden finish

Smart option

Material	Body Steel
Blades	Wood
W	5.1-7.4-11.2-16.9-22.7-30
RPM	115-155-195-235-266-297
Airflow	135.8 m3 min
V/Hz	220V-240V/50-60Hz
Opt. downrod	Page 282



A	A1
243/9.57"	223/8.78"
B	C
82/3.23"	100/3.94"
D	E
59/2.3"	132/5.2"
F	G
ø900/35.4"	387/15.24"
Downrod L	Downrod ø
101/3.98"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and request the reference of the gear. The price of the gear is with PRO35 discount.







33805-1TW
33805WP-1TW
Body Matt White
Blades Maple

*Smart Fan



33806-1TW
33806WP-1TW
Body Matt Black
Blades Dark Oak

*Smart Fan




Wooden finish

Color temperature
adjustable

Programmable 1-4-8h
Memory function pag 38

Smart option

Material	Body Steel	Power	10W
	Blades Wood	Lumen Output	800lm
W	5.1-7.4-11.2-16.9-22.7-30	Light Source	SMD LED
RPM	115-155-195-235-266-297	Dimmable K	3000 - 4200 - 6500K
Airflow	135.8 m3 min	CRI	>80
V/Hz	220V-240V/50-60Hz	Driver incl.	Yes
Accesories ☺	33974 DC Wall Control	Material Diff	Glass
Opt. downrod	Page 282		



A	A1
270/10.63"	200/7.87"
B	C
80/3.15"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
ø900/35.4"	430/16.93"
Downrod L	Downrod o
101/3.98"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-08 of the gear. The price of the gear is with PRO35 discount.



Just Fan XS

Conillas



33426
33426WP
Body Chrome
Blades Transparent



33425
33425WP
Body Matt Black
Blades Walnut



33428
33428WP
Body Old Gold
Blades Walnut



33423
33423WP
Body Copper
Blades Walnut



33424
33424WP
Body Matt Black
Blades Matt Black



33429
33429WP
Body Old Gold
Blades Matt Black



33427
33427WP
Body Copper
Blades Matt Black



Smart option



2 downrods included
100 / 200mm

Material	Body Steel
	Blades PC
W	2.8-3.2-4-5-6.7-9
RPM	51-86-122-158-195-235
Airflow	121.69 m3 min
V/Hz	220V-240V/50-60Hz
Incl. downrod	100-200 mm
Opt. downrod	Page 282

A	A1
390/15.35"	380/14.96"
B	C
180/7.09"	160/6.3"
D	E
55/2.2"	130/5.12"
F	G
ø810/31.9"	358/14.09"
Downrod L	Downrod o
100-200/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-02 of the gear. The price of the gear is with PRO35 discount.



Just Fan XS

Conillas



33426-9
33426WP-9
Body Chrome
Blades Transparent



33425-10
33425WP-10
Body Matt Black
Blades Walnut



33428-10
33428WP-10
Body Old Gold
Blades Walnut



33423-10
33423WP-10
Body Copper
Blades Walnut



33424-10
33424WP-10
Body Matt Black
Blades Matt Black



33429-10
33429WP-10
Body Old Gold
Blades Matt Black



33427-10
33427WP-10
Body Copper
Blades Matt Black



Smart option



2 downrods included
100 / 200mm

Material	Body Steel	Power	16W
	Blades PC	Lumen Output	709lm
W	2.8-3,2-4-5-6.7-9	Light Source	SMD LED 3000K
RPM	51-86-122-158-195-235	CRI	>80
Airflow	121.69 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	Glass
Incl. downrod	100-200 mm		
Opt. downrod	Page 282		

A	A1
390/15.35"	380/14.96"
B	C
180/7.09"	160/6.3"
D	E
55/2.2"	130/5.12"
F	G
ø810/31.9"	358/14.09"
Downrod L	Downrod o
100-200/3.94"	26/1.02"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-02 of the gear. The price of the gear is with PRO35 discount.



Palao S



33179
Body Matt White
Blades Multicolor




33186
Body Grey
Blades Grey



33183
Body Satin Nickel
Blades Maple

Material	Body Steel	Light Source	1 E14 max. 8W
	Blades MDF	Bulb incl.	No
W	24-28-37	Recom. Bulb	17461
RPM	127-192-241	Material Diff	Glass
Airflow	92.37 m ³ min		
V/Hz	220V-240V/50Hz		
Accessories ☺	33928 Wall Control 3 speeds 33929 Remote Control/dimer-on-off 33937 Remote Control/Programmer		
Opt. downrod	Page 282		





Vedra S




33525
Body Black
Blades Dark Walnut



Adjustable inclination

Material	Body Steel
Blades	MDF
W	19-22-34-37
RPM	327-369-495-515
Airflow	58.11 m ³ min
V/Hz	220V-240V/50Hz



A	A1
540/21.26"	450/17.72"
B	C
D	E
60/2.4"	145/5.71"
F	G
ø460/18.1"	200/7.87"




Keiki S



33715
Body Dark Brown
Blades Dark Walnut

Material	Body Steel
Blades	Plywood
W	10-19-28
RPM	380-640-890
Airflow	38.61 m ³ min
V/Hz	220V-240V/50Hz



A	A1
505/19.88"	440/17.32"
B	C
55/2.2"	150/5.91"
D	E
ø430/16.9"	150/5.91"
F	G

OPTIONAL DOWNROD

3T022300

Length


Diameter

Finish

Downrod Model

Family	Length	Diameter	Finish	Downrod Model
3T Downrod Accessory	02 200mm	1 ø21mm	1 White	00 Universal 21mm
	03 300mm	2 ø26mm	2 Black	00 Universal 26mm
	04 400mm		3 Brown	01 Universal 26mm seaside
	05 500mm		4 Grey	03 Just Deco Copper Fan
	06 600mm		5 Chrome	04 Just Fan XL
	07 700mm		6 Satin Nickel	05 Amelia
	08 800mm		7 Old Gold	06 Luzon DC
	09 900mm		8 Light Brown	07 Winche
	10 1000mm			08 Typhoon
	12 1200mm			09 Lantau DC
	15 1500mm			10 Lantau DC Led
	18 1800mm			11 Gotland
				12 Morea

Example ref. Description
3T022100 Downrod accessory 200mm Ø26 White universal



(A) or (AL) – (T1) + (TO) = (AR)

(A)

Total height fan no light

(AL)

Total height fan with light

(T1)

Included downrod length

(TO)


Optional downrod length

(AR)

Total height with optional downrod

Example

$250\text{mm} - 100\text{mm} + 400\text{mm} = 550\text{mm}$



OPTIONAL DOWNSPOUT

Alo DC L

Total fan height (A)	152/5,98"
Included downrod length (TI)	320/12,59"
Total height fan with light (AL)	339/13,34"
Additional wire included	Yes

New total height (AR)

No Light	With Light	Family	Length	Diameter	Finish	Downrod Model
368/14,48"	387/15,23"	3T	02 200/7,87"	2 26/1,02"	1 White	00 Universal 26mm
468/18,42"	487/19,17"		03 300/11,81"		2 Black	
568/22,36"	587/23,11"		04 400/15,74"			
668/26,29"	687/27,04"		05 500/19,68"			
768/30,23"	787/30,98"		06 600/23,62"			
868/34,17"	887/34,92"		07 700/27,55"			
968/38,11"	987/38,85"		08 800/31,49"			
1068/42,04"	1087/42,79"		09 900/35,43"			
1168/45,98"	1187/46,73"		10 1000/39,37"			
1368/53,85"	1387/54,6"		12 1200/47,24"			
1668/65,66"	1687/66,41"		15 1500/59,05"			
1968/77,48"	1987/78,22"		18 1800/70,86"			

Amelia L

Total fan height (A)	264/10,39"
Included downrod length (TI)	364/14,33"
Additional wire included	Yes
	100/3,93"
	200/7,87"

New total height (AR)

No Light	Family	Length	Diameter	Finish	Downrod Model
464/18,26"	3T	03 300/11,81"	2 26/1,02"	1 White	05 Amelia
564/22,2"		04 400/15,74"		2 Black	
664/26,14"		05 500/19,68"		4 Grey	
764/30,07"		06 600/23,62"			
864/34,01"		07 700/27,55"			
964/37,95"		08 800/31,49"			
1064/41,88"		09 900/35,43"			
1164/45,82"		10 1000/39,37"			
1364/53,7"		12 1200/47,24"			
1664/65,51"		15 1500/59,05"			
1964/77,32"		18 1800/70,86"			

Amelia Ball L

Total fan height (A)	474/18,66"
	574/22,59"
Included downrod length (TI)	100/3,93"
	200/7,87"

Additional wire included Yes

New total height (AR)

Ball Light	Family	Length	Diameter	Finish	Downrod Model
674/26,53"	3T	02 200/7,87"	2 26/1,02"	1 White	05 Amelia
774/30,47"		03 300/11,81"		2 Black	
874/34,4"		04 400/15,74"		4 Grey	
974/38,34"		05 500/19,68"			
1074/42,28"		06 600/23,62"			
1174/46,22"		07 700/27,55"			
1274/50,15"		08 800/31,49"			
1374/54,09"		09 900/35,43"			
1574/61,96"		10 1000/39,37"			
1874/73,77"		12 1200/47,24"			
2174/85,59"		15 1500/59,05"			
		18 1800/70,86"			

Amelia Cone L

Total fan height (A)	474/18,66"
	574/22,59"
Included downrod length (TI)	100/3,93"
	200/7,87"

Additional wire included Yes

New total height (AR)

Cone Light	Family	Length	Diameter	Finish	Downrod Model
594/23,38"	3T	03 300/11,81"	2 26/1,02"	1 White	05 Amelia
694/27,32"		04 400/15,74"		2 Black	
794/31,25"		05 500/19,68"		4 Grey	
894/35,19"		06 600/23,62"			
994/39,13"		07 700/27,55"			
1094/43,07"		08 800/31,49"			
1194/47"		09 900/35,43"			
1294/50,94"		10 1000/39,37"			
1494/58,81"		12 1200/47,24"			
1794/70,62"		15 1500/59,05"			
2094/82,44"		18 1800/70,86"			

OPTIONAL DOWNSPOUT

Barth / Saint L

Total fan height (A)	291/11,45"
Included downrod length (TI)	152/5,98"
Downrod diameter	26/1,02"
Additional wire included	Yes

New total height (AR)

With Light	Family	Length	Diameter	Finish	Downrod Model
339/13,34"	3T	02 200/7,87"	2 26/1,02"	1 White	00 Universal 26mm
439/17,28"		03 300/11,81"		2 Black	
539/21,22"		04 400/15,74"			
639/25,15"		05 500/19,68"			
739/29,09"		06 600/23,62"			
839/33,03"		07 700/27,55"			
939/36,96"		08 800/31,49"			
1039/40,9"		09 900/35,43"			
1139/44,84"		10 1000/39,37"			
1339/52,71"		12 1200/47,24"			
1639/64,52"		15 1500/59,05"			
1939/76,33"		18 1800/70,86"			

Cruiser / Rudder S, L, XL

Total fan height (A)	220/8,66"
Included downrod length (TI)	100/3,93"
Total height fan with light (AL)	258/10,15"
Additional wire included	Yes

New total height (AR)

No Light	With Light	Family	Length	Diameter	Finish	Downrod Model
320/12,59"	358/14,09"	3T	02 200/7,87"	2 26/1,02"	1 White	00 Universal 26mm
420/16,53"	458/18,03"		03 300/11,81"		2 Black	
520/20,47"	558/21,96"		04 400/15,74"			
620/24,4"	658/25,9"		05 500/19,68"			
720/28,34"	758/29,84"		06 600/23,62"			
820/32,28"	858/33,77"		07 700/27,55"			
920/36,22"	958/37,71"		08 800/31,49"			
1020/40,15"	1058/41,65"		09 900/35,43"			
1120/44,09"	1158/45,59"		10 1000/39,37"			
1320/51,96"	1358/53,46"		12 1200/47,24"			
1620/63,77"	1658/65,27"		15 1500/59,05"			
1920/75,59"	1958/77,08"		18 1800/70,86"			

Gotland L

Total fan height (A)	290/11,41"
Included downrod length (TI)	128/5,03"
Additional wire included	Yes

New total height (AR)

No light	Family	Length	Diameter	Finish	Downrod Model
362/14,25"	3T	02 200/7,87"	1 21/0,82"	1 White	11 Gotland
462/18,18"		03 300/11,81"		2 Black	
562/22,12"		04 400/15,74"			
662/26,06"		05 500/19,68"			
762/30"		06 600/23,62"			
862/33,93"		07 700/27,55"			
962/37,87"		08 800/31,49"			
1062/41,81"		09 900/35,43"			
1162/45,74"		10 1000/39,37"			
1362/53,62"		12 1200/47,24"			
1662/65,43"		15 1500/59,05"			

Hey / Heywood S, L

Total fan height (A)	240/9,44"
Included downrod length (TI)	100/3,93"
Total height fan with light (AL)	276/10,86"
Additional wire included	Yes

New total height (AR)

No Light	With Light	Family	Length	Diameter	Finish	Downrod Model
340/13,38"	376/14,8"	3T	02 200/7,87"	2 26/1,02"	1 White	00 Universal 26mm
440/17,32"	476/18,74"		03 300/11,81"		2 Black	
540/21,25"	576/22,67"		04 400/15,74"			
640/25,19"	676/26,61"		05 500/19,68"			
740/29,13"	776/30,55"		06 600/23,62"			
840/33,07"	876/34,48"		07 700/27,55"			
940/37"	976/38,42"		08 800/31,49"			
1040/40,94"	1076/42,36"		09 900/35,43"			
1140/44,88"	1176/46,29"		10 1000/39,37"			
1340/52,75"	1376/54,17"		12 1200/47,24"			
1640/64,56"	1676/65,98"		15 1500/59,05"			
1940/76,37"	1976/77,79"		18 1800/70,86"			

OPTIONAL DOWNRod

Just Deco Copper Fan XS, L

Total fan height (A)	290/11,41" 390/15,35" 640/25,19"	Total height with light (AL)	324/12,75" 424/16,69" 674/26,53"
Included downrod length (TI)	100/3,93" 200/7,87" 460/18,11"	Additional wire included	Yes

New total height (AR)

No Light	With Light	Family	Length	Diameter	Finish	Downrod Model
490/19,29"	524/20,62"	3T	03	300/11,81"	2 26/1,02"	0 Copper
590/23,22"	624/24,56"		04	400/15,74"		1 White
690/27,16"	724/28,5"		05	500/19,68"		2 Black
790/31,1"	824/32,44"		06	600/23,62"		5 Chrome
890/35,03"	924/36,37"		07	700/27,55"		7 Old Gold
990/38,97"	1024/40,31"		08	800/31,49"		
1090/42,91"	1124/44,25"		09	900/35,43"		
1190/46,85"	1224/48,18"		10	1000/39,37"		
1390/54,72"	1424/56,06"		12	1200/47,24"		
1690/66,53"	1724/67,87"		15	1500/59,05"		

Just Fan XL

Total fan height (A)	100/3,93" 200/7,87" 460/18,11"	Additional wire included	Yes
Included downrod length (TI)	100/3,93" 200/7,87" 460/18,11"		

New total height (AR)

No Light	Family	Length	Diameter	Finish	Downrod Model
790/31,1"	3T	06	600/23,62"	2 26/1,02"	2 Black
890/35,03"		07	700/27,55"		04 Just Fan XL
990/38,97"		08	800/31,49"		
1090/42,91"		09	900/35,43"		
1190/46,85"		10	1000/39,37"		
1390/54,72"		12	1200/47,24"		
1690/66,53"		15	1500/59,05"		
1990/78,34"		18	1800/70,86"		

Kauai XL

Total fan height (A)	480/18,89"
	605/23,81"
Included downrod length (TI)	125/4,92"
	250/9,84"

Additional wire included Yes

New total height (AR)

No light	Family	Length	Diameter	Finish	Downrod Model
655/25,78"	3T	03	300/11,81"	2 26/1,02"	1 White
755/29,72"		04	400/15,74"	3 Brown	00 Universal 26mm
855/33,66"		05	500/19,68"		
955/37,59"		06	600/23,62"		
1055/41,53"		07	700/27,55"		
1155/45,47"		08	800/31,49"		
1255/49,4"		09	900/35,43"		
1355/53,34"		10	1000/39,37"		
1555/61,22"		12	1200/47,24"		
1855/73,03"		15	1500/59,05"		
2155/84,84"		18	1800/70,86"		

Klim S, M, L

Total fan height (A)	240/9,44"
Included downrod length (TI)	100/3,93"
Total height fan with light (AL)	393/15,47"
Additional wire included	Yes

New total height (AR)

No Light	With Light	Family	Length	Diameter	Finish	Downrod Model
340/13,38"	493/19,4"	3T	02	200/7,87"	2 26/1,02"	1 White
440/17,32"	593/23,34"		03	300/11,81"	2 Black	00 Universal 26mm
540/21,25"	693/27,28"		04	400/15,74"		
640/25,19"	793/31,22"		05	500/19,68"		
740/29,13"	893/35,15"		06	600/23,62"		
840/33,07"	993/39,09"		07	700/27,55"		
940/37"	1093/43,03"		08	800/31,49"		
1040/40,94"	1193/46,96"		09	900/35,43"		
1140/44,88"	1293/50,9"		10	1000/39,37"		
1340/52,75"	1493/58,77"		12	1200/47,24"		
1640/64,56"	1793/70,59"		15	1500/59,05"		
1940/76,37"	2093/82,4"		18	1800/70,86"		

OPTIONAL DOWNRod

Lantau L, Mini Lantau S

Total fan height (A)	330/12,99"
Included downrod length (TI)	153/6,02"
Total height with light (AL)	380/14,96"
Additional wire included	Yes

New total height (AR)

No Light	With Light	Family	Length	Diameter	Finish	Downrod Model	
377/14,84"	427/16,81"	3T	02	200/7,87"	1	21/0,82"	09 Lantau DC
477/18,77"	527/20,74"		03	300/11,81"	2	Black	10 Lantau DC Led
577/22,71"	627/24,68"		04	400/15,74"	3	Brown	
677/26,65"	727/28,62"		05	500/19,68"	6	Satin Nickel	
777/30,59"	827/32,55"		06	600/23,62"			
877/34,52"	927/36,49"		07	700/27,55"			
977/38,46"	1027/40,43"		08	800/31,49"			
1077/42,4"	1127/44,37"		09	900/35,43"			
1177/46,33"	1227/48,3"		10	1000/39,37"			
1377/54,21"	1427/56,18"		12	1200/47,24"			
1677/66,02"	1727/67,99"		15	1500/59,05"			

Lantau XL

Total fan height (A)	410/16,14"
Included downrod length (TI)	153/6,02"
Total height fan with light (AL)	460/18,11"
Additional wire included	Yes

New total height (AR)

No Light	With Light	Family	Length	Diameter	Finish	Downrod Model	
457/17,99"	507/19,96"	3T	02	200/7,87"	1	21/0,82"	09 Lantau DC
557/21,92"	607/23,89"		03	300/11,81"	6	Satin Nickel	10 Lantau DC Led
657/25,86"	707/27,83"		04	400/15,74"			
757/29,8"	807/31,77"		05	500/19,68"			
857/33,74"	907/35,7"		06	600/23,62"			
957/37,67"	1007/39,64"		07	700/27,55"			
1057/41,61"	1107/43,58"		08	800/31,49"			
1157/45,55"	1207/47,51"		09	900/35,43"			
1257/49,48"	1307/51,45"		10	1000/39,37"			
1457/57,36"	1507/59,33"		12	1200/47,24"			
1757/69,17"	1807/71,14"		15	1500/59,05"			

Luzon DC L

Total fan height (A)	290/11,41"
	340/13,38"
Included downrod length (TI)	100/3,93"
	153/6,02"

Additional wire included Yes

New total heighth (AR)

No light	Family	Length	Diameter	Finish	Downrod Model
390/15,35"	3T	02 200/7,87"	1 21/0,82"	1 White	06 Luzon DC
490/19,29"		03 300/11,81"			
590/23,22"		04 400/15,74"			
690/27,16"		05 500/19,68"			
790/31,1"		06 600/23,62"			
890/35,03"		07 700/27,55"			
990/38,97"		08 800/31,49"			
1090/42,91"		09 900/35,43"			
1190/46,85"		10 1000/39,37"			
1390/54,72"		12 1200/47,24"			
1690/66,53"		15 1500/59,05"			

Mallorca L, Mini Mallorca S

Total fan height (A)	310/12,2"
Included downrod length (TI)	152/5,98"
Additional wire included	Yes

New total heighth (AR)

Ball Light	Family	Length	Diameter	Finish	Downrod Model
358/14,09"	3T	02 200/7,87"	2 26/1,02"	1 White	00 Universal 26mm
458/18,03"		03 300/11,81"			
558/21,96"		04 400/15,74"			
658/25,9"		05 500/19,68"			
758/29,84"		06 600/23,62"			
858/33,77"		07 700/27,55"			
958/37,71"		08 800/31,49"			
1058/41,65"		09 900/35,43"			
1158/45,59"		10 1000/39,37"			
1358/53,46"		12 1200/47,24"			
1658/65,27"		15 1500/59,05"			
1958/77,08"		18 1800/70,86"			

OPTIONAL DOWNRod

Marine M

Total fan height (A)	250/9,84"
Included downrod length (TI)	100/3,93"
Additional wire included	Yes

New total height (AR)

No Light	Family	Length	Diameter	Finish	Downrod Model
350/13,77"	3T	02 200/7,87"	2 26/1,02"	1 White	01 Universal 26 seaside
450/17,71"		03 300/11,81"		3 Brown	
550/21,65"		04 400/15,74"			
650/25,59"		05 500/19,68"			
750/29,52"		06 600/23,62"			
850/33,46"		07 700/27,55"			
950/37,4"		08 800/31,49"			
1050/41,33"		09 900/35,43"			
1150/45,27"		10 1000/39,37"			
1350/53,14"		12 1200/47,24"			
1650/64,96"		15 1500/59,05"			
1950/76,77"		18 1800/70,86"			

Mini Punt S

Total fan height (A)	235/9,25"
Included downrod length (TI)	100/3,93"
Total height fan with light (AL)	263/10,35"
Additional wire included	Yes

New total height (AR)

No Light	With Light	Family	Length	Diameter	Finish	Downrod Model
335/13,18"	363/14,29"	3T	02 200/7,87"	2 26/1,02"	1 White	00 Universal 26mm
435/17,12"	463/18,22"		03 300/11,81"		2 Black	
535/21,06"	563/22,16"		04 400/15,74"			
635/25"	663/26,1"		05 500/19,68"			
735/28,93"	763/30,03"		06 600/23,62"			
835/32,87"	863/33,97"		07 700/27,55"			
935/36,81"	963/37,91"		08 800/31,49"			
1035/40,74"	1063/41,85"		09 900/35,43"			
1135/44,68"	1163/45,78"		10 1000/39,37"			
1335/52,55"	1363/53,66"		12 1200/47,24"			
1635/64,37"	1663/65,47"		15 1500/59,05"			
1935/76,18"	1963/77,28"		18 1800/70,86"			

Morea L

Total fan height (A)	280/11,02"
Included downrod length (TI)	152/5,98"
Additional wire included	Yes

New total height (AR)

No Light	Family	Length	Diameter	Finish	Downrod Model
328/12,91"	3T	02 200/7,87"	1 21/0,82"	3 Brown	12 Morea
428/16,85"		03 300/11,81"			
528/20,78"		04 400/15,74"			
628/24,72"		05 500/19,68"			
728/28,66"		06 600/23,62"			
828/32,59"		07 700/27,55"			
928/36,53"		08 800/31,49"			
1028/40,47"		09 900/35,43"			
1128/44,4"		10 1000/39,37"			
1328/52,28"		12 1200/47,24"			
1628/64,09"		15 1500/59,05"			

Palma M

Total fan height (A)	276/10,86"
Included downrod length (TI)	100/3,93"
Total height fan with light (AL)	408/16,06"
Additional wire included	Yes

New total height (AR)

No Light	With Light	Family	Length	Diameter	Finish	Downrod Model
376/14,8"	508/20"	3T	02 200/7,87"	2 26/1,02"	3 Brown	01 Universal 26 seaside
476/18,74"	608/23,93"		03 300/11,81"			
576/22,67"	708/27,87"		04 400/15,74"			
676/26,61"	808/31,81"		05 500/19,68"			
776/30,55"	908/35,74"		06 600/23,62"			
876/34,48"	1008/39,68"		07 700/27,55"			
976/38,42"	1108/43,62"		08 800/31,49"			
1076/42,36"	1208/47,55"		09 900/35,43"			
1176/46,29"	1308/51,49"		10 1000/39,37"			
1376/54,17"	1508/59,37"		12 1200/47,24"			
1676/65,98"	1808/71,18"		15 1500/59,05"			
1976/77,79"	2108/82,99"		18 1800/70,86"			

Punt M

Total fan height (A)	253/9,96"
Included downrod length (TI)	100/3,93"
Total height with light (AL)	276/10,86"
Additional wire included	Yes

New total heighth (AR)

No Light	With Light	Family	Length	Diameter	Finish	Downrod Model
353/13,89"	223/8,77"	3T	02 200/7,87"	2 26/1,02"	1 White	00 Universal 26mm
453/17,83"	323/12,71"		03 300/11,81"		2 Black	
553/21,77"	423/16,65"		04 400/15,74"			
653/25,7"	523/20,59"		05 500/19,68"			
753/29,64"	623/24,52"		06 600/23,62"			
853/33,58"	723/28,46"		07 700/27,55"			
953/37,51"	823/32,4"		08 800/31,49"			
1053/41,45"	923/36,33"		09 900/35,43"			
1153/45,39"	1023/40,27"		10 1000/39,37"			
1353/53,26"	1223/48,14"		12 1200/47,24"			
1653/65,07"	1523/59,96"		15 1500/59,05"			
1953/76,88"	1823/71,77"		18 1800/70,86"			

Sfera S, M

Total fan height (A)	250/9,84"
Included downrod length (TI)	100/3,93"
Additional wire included	Yes

New total heighth (AR)

Ball Light	Family	Length	Diameter	Finish	Downrod Model
350/13,77"	3T	02 200/7,87"	2 26/1,02"	1 White	00 Universal 26mm
450/17,71"		03 300/11,81"		2 Black	
550/21,65"		04 400/15,74"			
650/25,59"		05 500/19,68"			
750/29,52"		06 600/23,62"			
850/33,46"		07 700/27,55"			
950/37,4"		08 800/31,49"			
1050/41,33"		09 900/35,43"			
1150/45,27"		10 1000/39,37"			
1350/53,14"		12 1200/47,24"			
1650/64,96"		15 1500/59,05"			
1950/76,77"		18 1800/70,86"			

Typhoon M

Total fan height (A)	250/9,84"
Included downrod length (TI)	100/3,93"
Additional wire included	Yes

New total height (AR)

With & No light	Family	Length	Diameter	Finish	Downrod Model
438/17,24"	3T	02 200/7,87"	1 21/0,82"	1 White	08 Typhoon
538/21,18"		03 300/11,81"		3 Brown	
638/25,11"		04 400/15,74"			
738/29,05"		05 500/19,68"			
838/32,99"		06 600/23,62"			
938/36,92"		07 700/27,55"			
1038/40,86"		08 800/31,49"			
1138/44,8"		09 900/35,43"			
1238/48,74"		10 1000/39,37"			
1438/56,61"		12 1200/47,24"			
1738/68,42"		15 1500/59,05"			

Winche M

Total fan height (A)	250/9,84"
Included downrod length (TI)	100/3,93"
Additional wire included	Yes

New total height (AR)

With & No light	Family	Length	Diameter	Finish	Downrod Model
448/17,63"	3T	02 200/7,87"	1 21/0,82"	2 Black	07 Winche
548/21,57"		03 300/11,81"			
648/25,51"		04 400/15,74"			
748/29,44"		05 500/19,68"			
848/33,38"		06 600/23,62"			
948/37,32"		07 700/27,55"			
1048/41,25"		08 800/31,49"			
1148/45,19"		09 900/35,43"			
1248/49,13"		10 1000/39,37"			
1448/57"		12 1200/47,24"			
1748/68,81"		15 1500/59,05"			

OPTIONAL DOWNRod

Andros

Included downrod length (TI) 230/9,05"
Total height (A) 260/10,23"
Additional wire included Yes

New total height (AR)

	Downrod Length	White	Black	Brown	Nickel
630/24,8"	600/23,62"	34009	34012	34006	34000
930/36,61"	900/35,43"	34010	34013	34007	34001
1230/48,42"	1200/47,24"	34011	34014	34008	34002

Nassau

Included downrod length (TI) 225/8,85"
Total height (A) 400/15,74"
Additional wire included Yes

New total height (AR)

	Downrod Length	White	Brown
940/37"	910/35,82"	33488	33479

Tilos

Included downrod length (TI) 225/8,85"
Total height (A) 500/19,68"
Additional wire included Yes

New total height (AR)

	Downrod Length	Brown
870/34,25"	600/23,62"	34003
1170/46,06"	900/35,43"	34004
1470/57,87"	1200/47,24"	34005

Aoba	Attos	Chicago			
Downrod Model Downrod diameter Included downrod length (Tl)	Universal 21mm 21/0,82" 203/7,99"	Downrod Model Downrod diameter Included downrod length (Tl)	Universal 21mm 21/0,82" 230/9,05"	Downrod Model Downrod diameter Included downrod length (Tl)	Universal 21mm 21/0,82" 153/6,02"
Total height (A)	520/20,47" 623/24,52" 828/32,59"	Total height (A)	340/13,38"	Total height (A)	475/18,7"
Additional wire included	No	Additional wire included	No	Additional wire included	No
Cuba	Icaria	Malvinas			
Downrod Model Downrod diameter Included downrod length (Tl)	Universal 21mm 21/0,82" 152/5,98"	Downrod Model Downrod diameter Included downrod length (Tl)	Universal 21mm 21/0,82" 152/5,98"	Downrod Model Downrod diameter Included downrod length (Tl)	Universal 21mm 21/0,82" 510/20,07"
Total height (A)	510/20,07"	Total height (A)	415/16,33"	Total height (A)	600/23,62"
Additional wire included	No	Additional wire included	No	Additional wire included	No
Manhatthan	Mini Icaria	Panay			
Downrod Model Downrod diameter Included downrod length (Tl)	Universal 21mm 21/0,82" 150/5,9"	Downrod Model Downrod diameter Included downrod length (Tl)	Universal 21mm 21/0,82" 152/5,98"	Downrod Model Downrod diameter Included downrod length (Tl)	Universal 21mm 21/0,82" 101/3,97"
Total height (A)	360/14,17"	Total height (A)	405/15,94"	Total height (A)	280/11,02"
Additional wire included	No	Additional wire included	No	Additional wire included	No
Polea / Poros	Yakarta				
Downrod Model Downrod diameter Included downrod length (Tl)	Universal 21mm 21/0,82" 152/5,98"	Downrod Model Downrod diameter Included downrod length (Tl)	Universal 21mm 21/0,82" 153/6,02"		
Total height (A)	372/14,64"	Total height (A)	350/13,77"		
Additional wire included	No	Additional wire included	No		

*Request special extra wire for downrod by model and length

OPTIONAL LIGHT KIT

Taki



3L004

● black


3L004

white

Power	18W
Dimmable K	2700 - 4350 - 6000K
CRI	>80
Driver incl.	Yes
Material Diff	PC



Color temperature
adjustable



ACCESORIES

Remote control kit



33929

220-240V
50/60Hz

Remote control kit with programmer



33937

220-240V
50/60Hz

AC Wall control



33928

Steel/

220-240V
50/60Hz

3 speeds *The wall control is not compatible with the remote control at same time

DC Wall control



33974

White

Steel/

220-240V
50Hz

GENERAL INFORMATION

EN	ES	FR	IT
<p>The technical information detailed in our catalogue can be modified in order to improve the features or design of our products.</p> <p>Faro Barcelona keeps the right to cancel or modify any model without prior notice and without any cause for complaints.</p> <p>The conditions, technical characteristics and prices of the products that appear in this catalogue are the effective ones in the date of impression of the catalogue except for typographical error and are subject to possible changes.</p> <p>The catalogue prices are public prices.</p> <p>RATES DO NOT INCLUDE VAT.</p> <p>Returned goods shall only be accepted, after prior notice being given to LOREFAR, on the grounds of being defective and never on the basis of broken glass or missing parts. In such cases, please contact us so that we can send you the required parts as a matter of urgency.</p> <p>Exchanges or returns of goods in good condition will not be accepted. In the event of express acceptance by LOREFAR, a 20% charge shall be incurred, on receipt and checking, for depreciation and classification of the goods.</p>	<p>La información referente a nuestros productos puede ser modificada con el fin de mejorar las características técnicas o de diseño.</p> <p>Faro Barcelona se reserva el derecho de anular o modificar cualquier modelo sin aviso previo y sin que sea motivo de reclamaciones.</p> <p>Las condiciones, características y precios de los productos que aparecen en este catálogo son los vigentes en la fecha de impresión del catálogo salvo error tipográfico y están sujetos a posibles modificaciones, la versión digital siempre prevalece. Los precios mostrados son precios de venta al público (PVP).</p> <p>IVA NO INCLUIDO EN TARIFA.</p> <p>Previa comunicación a Lorefar sólo se aceptará la mercancía devuelta por defectuosa, nunca por cristales rotos o falta de algún componente. En estos casos rogamos se pongan en contacto con nosotros para enviarles urgentemente las piezas requeridas.</p> <p>No se admitirán cambios ni devoluciones de mercancía en buen estado. En caso de aceptación explícita por parte de Lorefar, a su recepción y comprobación se emitirá un cargo del 20% en concepto de depreciación y clasificación de la mercancía.</p>	<p>L'information qui se réfère à nos produits peut être modifiée afin d'améliorer les caractéristiques techniques ou de design.</p> <p>Faro Barcelona se réserve le droit d'annuler ou de modifier n'importe quel modèle sans préavis et sans que cela soit motif de réclamations.</p> <p>Les conditions, caractéristiques et prix des produits qui apparaissent dans ce catalogue sont celles en vigueur à la date d'impression du catalogue sauf erreur typographique et sont susceptibles d'être modifiées ultérieurement.</p> <p>Les prix du catalogue sont les prix de vente public .</p> <p>IVA NON COMPRISE DANS LE TARIF.</p> <p>Seule sera acceptée en retour la marchandise défectueuse, et ce après communication à LOREFAR. LOREFAR n'acceptera jamais de retour pour du verre brisé ou pour l'absence d'un composant quelconque. Dans ces derniers cas, nous vous prions de nous mettre en contact avec nous afin que nous vous fassions parvenir dans les plus brefs délais les pièces nécessaires. La marchandise en bon état ne sera ni reprise ni échangée. En cas d'acceptation explicite de sa part, LOREFAR retiendra 20% au titre de la dépréciation et de la classification du produit.</p>	<p>La informazione che si riferisce ai nostri articoli può essere soggetta a modifiche con il fine di migliorare le caratteristiche, tecniche o di design, dei nostri prodotti. Faro Barcelona si riserva il diritto di annullare o modificare qualsiasi modello senza previo avviso e senza che sia motivo di reclami.</p> <p>Le condizioni, caratteristiche e prezzi dei prodotti che compaiono in questo catalogo sono quelli vigenti alla data della stampa del catalogo ad eccezione di errori tipografici e sono soggetti a possibili modificazioni.</p> <p>I prezzi indicati sono prezzi di vendita al pubblico.</p> <p>IVA NON INCLUSA IN LISTINO.</p> <p>LOREFAR accetta previa comunicazione, solo la merce restituita perché difettosa; in nessun caso accetterà la merce restituita per presenza di vetri rotti o per mancanza di qualche componente. In questi casi vi preghiamo di contattarci per potervi mandare al più presto i pezzi richiesti.</p> <p>Non si effettueranno cambi né si ammettono restituzioni di merci in buono stato. In caso di accettazione esplicita da parte di LOREFAR, al momento del ricevimento e della verifica della merce si emetterà un addebito del 20% a titolo di deprezzamento e classificazione.</p>
<p>A informação referente aos nossos produtos pode ser modificada com o fim de melhorar as características técnicas ou de desenho.</p> <p>A Faro Barcelona reserva-se o direito de anular ou modificar qualquer modelo sem aviso prévio e sem que seja motivo de reclamações.</p> <p>As condições, características e preços dos produtos que aparecem neste catálogo são os vigentes na data de impressão do catálogo salvo erro tipográfico e estão sujeitos a possíveis modificações. Os preços mostrados são preços de venda ao público (PVP).</p> <p>IVA NÃO INCLUIDO NA LISTA DE PREÇOS</p> <p>Mediante comunicação prévia à Lorefar, apenas se aceitará a mercadoria devolvida por defeito, nunca por vidros partidos ou falta de algum componente. Nestes casos pedimos que entrem em contacto connosco para lhes enviarmos urgentemente as peças requeridas.</p> <p>Não serão admitidas alterações nem devoluções de mercadoria em bom estado. Em caso de aceitação explícita por parte da Lorefar, na sua receção e comprovação emitir-se-á um débito de 20% a título de depreciação e classificação da mercadoria.</p>	<p>Die Information über unsere Produkte kann im Zusammenhang mit den Verbesserungen ihrer technischen Eigenschaften und ihres Designs jederzeit geändert werden.</p> <p>Faro Barcelona behält sich das Recht vor, seine Modelle jederzeit und ohne vorherige Ankündigung vom Markt zu nehmen, ohne dass sich daraus ein Anrecht auf Beschwerden ableiten könnte.</p> <p>Die Bedingungen, Eigenschaften und Preise der Produkte in diesem Katalog gelten zum Datum der Drucklegung des Katalogs vorbehaltlich Druckfehler und können jederzeit geändert werden. Diese Preise gelten für den Direktverkauf an den Kunden.</p> <p>DIE MEHRWERTSTEUER IST NICHT IN DEN PREISEN EINGE SCHLOSSEN</p> <p>Nach vorheriger Kommunikation kann Lorefar die Rücklieferung von schadhafter Ware akzeptieren, jedoch niemals wegen beschädigten Glasteilen oder fehlenden Komponenten. In letzteren Fällen setzen Sie sich bitte zwecks schneller Zusendung der notwendigen Teile in Verbindung.</p> <p>Wir tauschen keine Waren in gutem Zustand um oder nehmen sie zurück. Bei ausdrücklicher Annahme durch Lorefar nach Erhalt und Überprüfung stellen wir Ihnen 20% des Preises für Wertverminderung und Handhabung der Ware in Rechnung.</p>	<p>De informatie over onze producten kan gewijzigd worden met als doel de technische eigenschappen of het design te verbeteren.</p> <p>Faro Barcelona behoudt zich het recht voor om aangetoonde modellen te schrappen of te wijzigen en zonder dat dit aanleiding tot een klacht vormt.</p> <p>De voorwaarden, eigenschappen en prijzen van de producten in deze catalogus zijn geldig op het moment van druk van de catalogus tenzij sprake is van een drukfout. Zij zijn onderhevig aan mogelijke wijzigingen. De getoonde prijzen betreffen verkoopprijs.</p> <p>BTW NIET BIJ DE PRIJS INBEGREPEN</p> <p>Lorefar aanvaardt uitsluitend defecte teruggezonden goederen nadat zij hierover van tevoren op de hoogte is gesteld. Dit geldt niet voor gebroken glas of het ontbreken van onderdelen. In deze gevallen wordt u verzocht met ons contact op te nemen zodat wij u zo snel mogelijk de gewenste onderdelen kunnen toezienden.</p> <p>Ruilen of terugsturen van goederen in correcte staat is niet toegestaan. In geval van uitdrukkelijke aanvaarding door Lorefar wordt bij ontvangst en controle een heffing van 20% voor waardevermindering en classificatie van de goederen toegepast.</p>	<p>Οι πληροφορίες σχετικά με τα προϊόντα μας ενδέχεται να τροποποιηθούν με στόχο τη βελτίωση των τεχνικών χαρακτηριστικών ή του σχεδίου.</p> <p>Η Faro Barcelona διατηρεί το δικαίωμα ακύρωσης της προποτήσης οποιουδήποτε μοντέλου χωρίς προηγούμενη προειδοποίηση και χωρίς αυτό να αποτελεί αιτία απάτης επιπτοφής χρημάτων.</p> <p>Ο φΠΑΔΕΝ ΣΥΜΠΕΡΙΛΑΜΒΑΝΕΤΑΙ ΣΤΗΝ ΤΙΜΗ Μετά από συνεννόηση με τη Lorefar γίνονται αποδεκτές επιπτοφές, μόνο αν προκειται για ελαττωματικά εμπορεύματα και όχι για θραύση κρυστάλλων ή απουσία κάποιου στοιχείου. Στις περιπτώσεις αυτές, παρακαλούμε να έρθετε σε επαφή μαζί μας για να σας στείλουμε επειγόντως τα απαραίμενα μέρη.</p>
<p>Информация относящаяся к нашей продукции может быть модифицирована с целью улучшить технические или внешние характеристики.</p> <p>Faro Barcelona сохраняет за собой право аннулировать или модифицировать любую модель без предупреждения и без того что это послужит причиной для жалоб.</p> <p>Условия, характеристики и цены на изделия, указанные в данном каталоге, действительны на дату его выпуска, за исключением опечаток в каталоге, и могут быть изменены. В каталоге указаны розничные цены.</p> <p>БЕЗ УЧЕТА НДС</p> <p>В соответствии с правилами, компания Lorefar принимает возврат изделий только при наличии дефектов, но ни в коем случае не при разбитии стекла или отсутствии какой-либо детали. В таком случае, пожалуйста, свяжитесь с нами, чтобы мы отправили вам необходимые детали. Товар в рабочем состоянии не подлежит обмену или возврату. В случае подтверждения компанией Lorefar наличия дефектов, после возврата и проверки, начисляется 20% стоимости с учетом амортизации и классификации товаров.</p>	<p>Technické informace uvedené v katalogu mohou být modifikovány za účelem zdokonalování vlastností svítidel nebo jejich designu.</p> <p>Producent Faro Barcelona si vyhrazuje právo konstrukčních změn nabízených modelů bez předcházejícího oznámení a tato skutečnost nemůže být považována jakékoli stížnosti či reklamace.</p> <p>Podmínky, technické specifikace a ceny produktů uvedené v katalogu jsou platné ke dni vydání katalogu. Producent si vyhrazuje právo konstrukčních změn nabízených modelů, pokud tyto nepovedou k zásadním změnám charakteru výrobků. Informace z tohoto katalogu postrádají platnost v den vydání katalogu nového.</p> <p>VŠECHNY CENY JSOU UVEDENY BEZ DPH.</p> <p>Zboží může být vráceno pouze po předchozím souhlasu od sPOLEČNOSTI PAXI, na základě poruchy nebo vady ovesnění nikdy na základě poškozeného skla nebo chybějícího dílu. V takových případech nás, prosím, kontaktujte, abychom Vám mohli požadované části svítidel urgently zaslát. Výměny nebo vracení zboží v dobrém technickém stavu je nepřijatelné.</p>	<p>Техническата информация, представена в нашият каталог, може да бъде променена с цел да подобри представянето или дизайна на продуктите.</p> <p>Фаро Барселона си запазва правото да отменя или променя всеки модел без предварително осведомяване и без това да се счита причина за оплаквания.</p> <p>Условията, техническите характеристики и цените на продуктите показвани в този каталог са ефективни към датата на отпечатването на каталога, с изключение на грешки при отпечатване и с обект на възможни промени.</p> <p>Цените в каталога са публичните цени.</p> <p>ЦЕНЫ НЕ ВКЛЮЧАВАЮТ ДДС.</p> <p>Върщане на закупена стока ще да бъде приета единствено след писмено осведомяване на ЛОРЕФАР на основание дефекти и в никакъв случай на основание счупено стъкло или липсващи части. В такива случаи моля свържете се с нас, за да ви изплатим липсващите части по спешност.</p> <p>Размяна или върщане на стока в добро състояние няма да бъде извършвана. В случай на спешно приемане от ЛОРЕФАР 20 % такса ще бъде наложена за приемане и проверка, за обезценяване и класификация на продуктите.</p>	<p>Informacje techniczne wyszczególnione w naszym katalogu mogą być modyfikowane w celu poprawienia właściwości lub wzornictwa produktów.</p> <p>Faro Barcelona ma prawo do anulowania i modyfikowania każdego z modeli bez uprzedniego informowania i nie przyjmuje skarg z tego tytułu.</p> <p>Warunki, opis techniczny oraz ceny artykułów , które pojawiają się w katalogu są aktualne do czasu przejęcia katalogu za wyjątkiem pomylek w druku, które podlegają ewentualnej zmianie. Ceny w katalogu są cenami publicznymi.</p> <p>CENY NIE ZAWIERAJĄ STAWKI VAT.</p> <p>Ewentualne zwroty mogą być zaakceptowane po uprzedniej zgódzie przez Lorefar na podstawie stwierdzenia, że są wadliwe, nigdy nie przyjmowana są zwroty artykułów, z powodu stłuczenia szkła czy brakujących części, w tym przypadku prosimy o kontakt w celu wysłania potrzebnych części w trybie natychmiastowym.</p> <p>Wymiany lub zwroty artykułów w dobrym stanie nie będą zaakceptowane. W przypadku wyraźnej akceptacji przez Lorefar, 20% opłaty może być poniesione na otrzymanie i sprawdzenie, w celu sklasyfikowania uszkodzenia artykułu.</p>

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
3L004	298	32029-9	185	32060	203	33394WP	191
3L003	298	32029WP	183	32060-10	205	33394WP-9	193
32000	187	32029WP-9	185	32060WP	203	33395	191
32000-9	189	32030	183	32060WP-10	205	33395-10	193
32000WP	187	32030-10	185	32100	191	33395D	195
32000WP-9	189	32030WP	183	32100-10	193	33395D-10	197
32001	187	32030WP-10	185	32100WP	191	33395DWP	195
32001-9	189	32033	203	32100WP-10	193	33395DWP-10	197
32001WP	187	32033-9	205	32101	191	33395WP	191
32001WP-9	189	32033WP	203	32101WP	191	33395WP-10	193
32002	187	32033WP-9	205	32110	191	33398	191
32002-10	189	32034	203	32110WP	191	33398-10	193
32002WP	187	32034-9	205	33001	87	33398D	195
32002WP-10	189	32034WP	203	33005	229	33398D-10	197
32003	187	32034WP-9	205	33111	85	33398DWP	195
32003-10	189	32035	203	33179	277	33398DWP-10	197
32003WP	187	32035-10	205	33183	277	33398WP	191
32003WP-10	189	32035WP	203	33186	277	33398WP-10	193
32004	187	32035WP-10	205	33346	145	33399	191
32004-10	189	32036	203	33346WP	145	33399-10	193
32004WP	187	32036-10	205	33349	55	33399D	195
32004WP-10	189	32036WP	203	33350DC	159	33399D-10	197
32005	187	32036WP-10	205	33350DCWP	159	33399DWP	195
32005-9	189	32037	203	33352	161	33399DWP-10	197
32005WP	187	32037-10	205	33352B	161	33399WP	191
32005WP-9	189	32037WP	203	33370DC	129	33399WP-10	193
32006	187	32037WP-10	205	33370DCWP	129	33414A	49
32006-10	189	32038	199	33373DC	129	33416	245
32006WP	187	32038-9	201	33373DCWP	129	33417	191
32006WP-10	189	32038WP	199	33374	203	33417-10	193
32020	183	32038WP-9	201	33374-9	205	33417WP	191
32020-9	185	32039	199	33374WP	203	33417WP-10	193
32020WP	183	32039-9	201	33374WP-9	205	33418	191
32020WP-9	185	32039WP	199	33381	187	33418-10	193
32025	183	32039WP-9	201	33381-9	189	33418WP	191
32025-9	185	32040	199	33381WP	187	33418WP-10	193
32025WP	183	32040-10	201	33381WP-9	189	33423	273
32025WP-9	185	32040WP	199	33382	183	33423-10	275
32026	183	32040WP-10	201	33382-9	185	33423WP	273
32026-10	185	32041	199	33382WP	183	33423WP-10	275
32026WP	183	32041-10	201	33382WP-9	185	33424	273
32026WP-10	185	32041WP	199	33393	199	33424-10	275
32027	183	32041WP-10	201	33393-9	201	33424WP	273
32027-10	185	32042	199	33393WP	199	33424WP-10	275
32027WP	183	32042-10	201	33393WP-9	201	33425	273
32027WP-10	185	32042WP	199	33394	191	33425-10	275
32028	183	32042WP-10	201	33394-9	193	33425WP	273
32028-10	185	32043	199	33394D	195	33425WP-10	275
32028WP	183	32043-10	201	33394D-9	197	33426	273
32028WP-10	185	32043WP	199	33394DWP	195	33426-9	275
32029	183	32043WP-10	201	33394DWP-9	197	33426WP	273

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
33426WP-9	275	33482WP-8	211	33552WP	77	33761	107
33427	273	33487	207	33553A	65	33761-23	109
33427-10	275	33487WP	207	33553WPA	65	33761-26	111
33427WP	273	33488	207	33560DC	131	33761WP	107
33427WP-10	275	33489	173	33560DCWP	131	33761WP-23	109
33428	273	33489-15	175	33561DC	129	33761WP-26	111
33428-10	275	33489WP	173	33561DCWP	129	33762	107
33428WP	273	33489WP-15	175	33562DC	129	33762-24	109
33428WP-10	275	33490	173	33562DCWP	129	33762-27	111
33429	273	33490-16	175	33603DC	235	33762WP	107
33429-10	275	33490WP	173	33603DCWP	235	33762WP-24	109
33429WP	273	33490WP-16	175	33608	221	33762WP-27	111
33429WP-10	275	33494	47	33695	231	33770	143
33430	57	33494WP	47	33699	231	33770WP	143
33430WP	57	33495	47	33701	157	33782	91
33432	57	33495WP	47	33702	157	33803	125
33432WP	57	33496	43	33703	253	33803WP	125
33446	119	33504DC	59	33712-12	225	33804	121
33446WP	119	33504DCWP	59	33713	223	33804WP	121
33447	119	33505DC	61	33713-13	225	33805	269
33447WP	119	33505DCWP	61	33715	281	33805-1TW	271
33451	181	33508DC	233	33718	71	33805WP	269
33451WP	181	33508DCWP	233	33718DC	71	33805WP-1TW	271
33460	137	33509DC	233	33718DCWP	71	33806	269
33461A	49	33509DCWP	233	33719DC	73	33806-1TW	271
33462A	49	33511	79	33719DCWP	73	33806WP	269
33463DC	61	33511WP	79	33721	133	33806WP-1TW	271
33463DCWP	61	33512A	51	33721WP	133	33809	103
33464DC	59	33512A-1	53	33722	135	33809-1TW	105
33464DCWP	59	33512WPA	51	33722WP	135	33809WP	103
33465A	49	33512WPA-1	53	33724	139	33809WP-1TW	105
33466A	63	33514	163	33724WP	139	33810	103
33470	147	33514WP	163	33725	93	33810-1TW	105
33471N	149	33516DC	129	33726	93	33810WP	103
33471N-3	151	33516DCWP	129	33727DC	73	33810WP-1TW	105
33472N	153	33517DC	233	33727DCWP	73	33814	165
33472N-6	155	33517DCWP	233	33728	71	33814-20	167
33478	207	33518DC	131	33728DC	71	33814WP	165
33478WP	207	33518DCWP	131	33728DCWP	71	33814WP-20	167
33479	207	33519	79	33729	123	33815	165
33480	173	33519WP	79	33729WP	123	33815-21	167
33480-14	175	33524	127	33750DC	141	33815WP	165
33480WP	173	33524WP	127	33750DCWP	141	33815WP-21	167
33480WP-14	175	33525	279	33756	227	33816	165
33481	209	33548	89	33756WP	227	33816-20	167
33481-7	211	33548WP	89	33760	107	33816WP	165
33481WP	209	33549	75	33760-22	109	33816WP-20	167
33481WP-7	211	33549WP	75	33760-25	111	33817	165
33482	209	33551	77	33760WP	107	33817-21	167
33482-8	211	33551WP	77	33760WP-22	109	33817WP	165
33482WP	209	33552	77	33760WP-25	111	33817WP-21	167

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
33820	257	33834WP-1TW	263	34278WP-11L	251	34291WP	95
33820-1TW	259	33835	261	34279	81	34291WP-1TW	97
33820WP	257	33835-1TW	263	34279-11L	83	34292	67
33820WP-1TW	259	33835WP	261	34279WP	81	34292-1TW	69
33821	257	33835WP-1TW	263	34279WP-11L	83	34292WP	67
33821-1TW	259	33928	299	34280	213	34292WP-1TW	69
33821WP	257	33929	299	34280-11L	215	34293	67
33821WP-1TW	259	33937	299	34280WP	213	34293-1TW	69
33822	257	33974	299	34280WP-11L	215	34293WP	67
33822-1TW	259	34000	49	34281	249	34293WP-1TW	69
33822WP	257	34001	49	34281-11L	251	34295	237
33822WP-1TW	259	34002	49	34281WP	249	34295-1TW	239
33823	257	34003	63	34281WP-11L	251	34295WP	237
33823-1TW	259	34004	63	34282	81	34295WP-1TW	239
33823WP	257	34005	63	34282-11L	83	34296	237
33823WP-1TW	259	34006	49	34282WP	81	34296-1TW	239
33824	265	34007	49	34282WP-11L	83	34296WP	237
33824-1TW	267	34008	49	34283	213	34296WP-1TW	239
33824WP	265	34009	49	34283-11L	215	34297	99
33824WP-1TW	267	34010	49	34283WP	213	34297-1TW	101
33825	265	34200A	45	34283WP-11L	215	34297WP	99
33825-1TW	267	34200WPA	45	34284	249	34297WP-1TW	101
33825WP	265	34201A	45	34284-11L	251	34298	99
33825WP-1TW	267	34201WPA	45	34284WP	249	34298-1TW	101
33828	169	34250A	41	34284WP-11L	251	34298WP	99
33828-1TW	171	34260	115	34285	241	34298WP-1TW	101
33828WP	169	34261	115	34285-1TW	243	34300	247
33828WP-1TW	171	34265	113	34285WP	241	34300WP	247
33829	169	34270	255	34285WP-1TW	243	34301	177
33829-1TW	171	34270WP	255	34286	95	34301-11L	179
33829WP	169	34271	255	34286-1TW	97	34301WP	177
33829WP-1TW	171	34271WP	255	34286WP	95	34301WP-11L	179
33830	169	34272	217	34286WP-1TW	97		
33830-1TW	171	34272WP	217	34287	67		
33830WP	169	34273	217	34287-1TW	69		
33830WP-1TW	171	34273WP	217	34287WP	67		
33831	169	34274	219	34287WP-1TW	69		
33831-1TW	171	34274WP	219	34288	241		
33831WP	169	34275	219	34288-1TW	243		
33831WP-1TW	171	34275WP	219	34288WP	241		
33832	261	34276	81	34288WP-1TW	243		
33832-1TW	263	34276-11L	83	34289	241		
33832WP	261	34276WP	81	34289-1TW	243		
33832WP-1TW	263	34276WP-11L	83	34289WP	241		
33833	261	34277	213	34289WP-1TW	243		
33833-1TW	263	34277-11L	215	34290	95		
33833WP	261	34277WP	213	34290-1TW	97		
33833WP-1TW	263	34277WP-11L	215	34290WP	95		
33834	261	34278	249	34290WP-1TW	97		
33834-1TW	263	34278-11L	251	34291	95		
33834WP	261	34278WP	249	34291-1TW	97		

Alo	ø1520	71
Alo	ø1520	<i>with light</i>
Amelia	ø1320	107
Amelia Cone	ø1320	<i>with light</i>
Amelia Ball	ø1320	<i>with light</i>
Andros	ø2130	49
Aoba	ø1800	55
Attos	ø2130	47
Barth	ø1320	115
Century	ø1650	65
Chicago	ø915	253
Cies	ø2100	51
Cies	ø2100	<i>with light</i>
Cocos	ø1370	89
Cooper	ø1280	181
Cruiser	ø1600	67
Cruiser	ø1600	<i>with light</i>
Cruiser	ø1320	95
Cruiser	ø1320	<i>with light</i>
Cruiser	ø1060	241
Cruiser	ø1060	<i>with light</i>
Cuba	ø1060	161
Deco Fan	ø1280	195
Deco Fan	ø1280	<i>with light</i>
Easy	ø1050	245
Eco indus	ø1200	229
Eterfan	ø1280	187
Eterfan	ø1280	<i>with light</i>
Fraser	ø1200	227
Gotland	ø1320	119
Hey	ø900	265
Hey	ø900	<i>with light</i>
Heywood	ø1320	103
Heywood	ø1320	<i>with light</i>
Heywood	ø1320	269
Heywood	ø1320	<i>with light</i>
Hvar	ø914	247
Hydra	ø1330	93
Icaria	ø1320	157
Ice	ø1320	137
Indus	ø1400	87
Izaro	ø1300	163
Just Fan XL	ø	57
Just Fan M	ø1280	191
Just Fan M	ø1280	<i>with light</i>
Just Fan S	ø810	273
Just Fan S	ø810	<i>with light</i>
Kauai	ø2400	45
Keiki	ø2400	281
Khios	ø3050	41
Klim	ø1500	81
Klim	ø1500	<i>with light</i>
Klim	ø1250	213
Klim	ø1250	<i>with light</i>
Klim	ø925	249
Klim	ø925	<i>with light</i>
Lantau	ø1680	59
Lantau	ø1680	<i>with light</i>
Lantau	ø1320	129
Lantau	ø1320	<i>with light</i>
Luzon	ø1320	141
Mallorca	ø1320	159
Malvinas	ø1400	85
Manhattan	ø2440	43
Marine	ø1250	219
Meno	ø1350	91
Milos	ø1320	117
Mini Eterfan	ø1280	183
Mini Eterfan	ø1280	<i>with light</i>
Mini Icaria	ø1070	231
Mini Lantau	ø1070	233
Mini Mallorca	ø1060	235
Mini Punt	ø900	257
Mini Punt	ø900	<i>with light</i>
Mini Punt Tub	ø900	261
Mini Punt Tub	ø900	<i>with light</i>
Mini Tube	ø1280	199
Mini Tube	ø1280	<i>with light</i>
Morea	ø1520	79
Nassau	ø1280	207
Nias	ø1320	153
Nuu	ø1320	133
Nuu	ø1320	<i>with light</i>
Palao	ø810	277
Palk	ø1320	147
Palma	ø1290	<i>with light</i>
Palma	ø1290	179

TRUE BEAUTY
RESIDES
IN SIMPLICITY.
IN EVERY SMALL
MOMENT WE
DISCOVER
THE EXTRAORDINARY.