

Latest collections  
and upgrades  
2023

 **Fabbian**



 Fabbian











:Fabbian

[www.fabbian.com](http://www.fabbian.com)

:Fabbian

CONTROLLARE LA MERCE ALLA  
CONSEGNA E VERIFICARE  
RESPONSABILITÀ IN EVENTUALI DANNI

ian :F

Fabbian











Due punti,  
va in scena  
la luce.

Two points,  
the light  
comes on.





Latest collections	12	Comet
	18	Etnia
	24	Làmpara
	30	Lancetta
	36	Plana
	42	Rio
and upgrades	48	Acustica
	56	Akoya
	62	Bungee
	66	Dome
	72	Light Glide
	78	Metro
	84	Olympic
	88	Puppy
	94	Turny
	100	XY&Z

# Comet F67

Signorotto  
+Partners  
2023





Family

## Wall

Ispirata al fenomeno astronomico di cui porta il nome, Comet è costituita da due elementi: il punto luce che evoca il nucleo di una cometa e il paralume allungato che ricorda la coda luminosa di uno dei corpi celesti più caratteristici e affascinanti. La luce, così direzionata, forma una delicata scia e dona all'ambiente un effetto luminoso soffuso e avvolgente. È ideale per ambienti pubblici come negozi o sale di attesa ma anche per ambienti privati come camere di hotel o soggiorni dal design minimale.

Inspired by the astronomical phenomenon from which it takes its name, Comet consists of two elements: the light point that evokes the nucleus of a comet and the elongated lampshade that recalls the luminous tail of this most characteristic and fascinating celestial body. When the light is directed in this way, it forms a delicate wake that gives the space a soft, enveloping luminous effect that makes it ideal for public spaces like shops or waiting rooms but also private spaces like hotel bedrooms or rooms of minimalist design.







La collezione Comet comprende una applique. Il diffusore è una sfera di vetro soffiato che viene avvolta da un paralume a U di alluminio verniciato antracite, bianco, bronzo, oro regale o Corten. La sorgente luminosa è a lampadina G9 LED ad alta efficienza e dimmerabile a taglio di fase.

The Comet range consists of a wall fitting. The diffuser is a sphere of blown glass wrapped by a U-shaped aluminium lampshade painted in the colours anthracite, white, bronze, royal gold, or Corten. The light source is a high-efficiency and dimmable phase-cut G9 LED bulb.

Dimension	L 40cm x h. 9,7cm
Materials	Glass - Aluminium
Light Source	G9 LED 1x4,5W
Dimming	Phase cut
Finishes	White, Anthracite, Corten, Bronze, Royal gold

→ Comet  
→ Wall



# Etnia F68

MinelliFossati  
design studio  
2023





Family

## Pendant

Etnia riflette sul concetto di comunità e affinità, è infatti un sistema composto da un elemento lineare ed essenziale, a luce diretta e indiretta, e da pannelli intercambiabili sospesi tra due profili di alluminio. I pannelli di Etnia sono foderati con tessuti fonoassorbente di diversi colori e sono essere realizzati in finiture personalizzate. Colori e texture creano un'interazione con la luce dandone dinamicità e portando a definire una perfetta sintesi tra il mondo tecnico e quello decorativo.

As a reflection on the concepts of community and affinity, the Etnia system consists of a very simple linear element with direct and indirect light and interchangeable panels, suspended between a pair of aluminium profiles. The panels are lined with sound-absorbing fabrics in various colours and are available with customised finishes. These colours and textures create an interaction with the light, giving it dynamism and helping to define a perfect synthesis between the technical world and the decorative world.

La collezione Etnia è una sospensione per interno con proprietà di assorbimento acustico che si compone da pannelli realizzati in PET riciclato rivestiti in tessuto colorato e da una struttura in alluminio anodizzato nero con diffusore in PMMA (Polimetilmetacrilato) opalino superiore e diffusore in PMMA micro-prismatizzato inferiore. La sorgente LED è disponibile in versione ON OFF, oppure con il doppio controllo del flusso uplight e downlight con sistemi PUSH 1..10V, PUSH 1..10V DALI o taglio di fase. L'alimentatore è integrato e tutte le versioni sono ad alta efficienza e ripple free.

Etnia is a collection of indoor pendant lamps with sound absorbing properties, consisting of panels made from recycled PET covered in coloured fabric. The black anodised aluminium structure has an upper diffuser in opaline PMMA (Polymethylmethacrylate) and a lower diffuser in micro-prismated PMMA. The LED source is available in an ON OFF version, or with double control of the uplight and downlight flows with PUSH 1..10V, PUSH 1..10V DALI, or phase cut systems. The power supply is integrated, and all the versions are high efficiency and ripple free.

Dimension	L 90cm or L 150cm x h. 46cm
Materials	Recycled PET – Aluminium – PMMA
Light Source	LED 2x35W (L 900mm), LED 2x58W (L 1500mm) – 2700K-3000K-4000K – CRI 90+
Dimming	Push 1..10V, Push 1..10V DALI or Phase cut
Finishes	Sand, Beige, Coral, Grey, Green, Jeans

Etnia  
→ Pendant









# Làmpara F69

RSVP/design  
2023





Family

## Table

Da sempre l'essenza di Fabbian è il vetro e, con la collezione L'àmpara, l'obiettivo è esaltarne il valore, la bellezza e l'autenticità. Il vetro soffiato in particolare modo è la risultante di una lavorazione artigianale che rende il prodotto differente l'uno dall'altro anche solo per piccoli dettagli: questa diversità rende ogni lampada unica ed esclusiva. In definitiva, L'àmpara è una piccola opera d'arte capace di regalare all'ambiente un tocco di originalità e di eleganza.

Glass has always been the essence of Fabbian, and with the L'àmpara collection the aim is to enhance its value, beauty, and authenticity. Blown glass in particular results from an artisan process that makes each piece different from the others even if only in small details: a diversity that makes each lamp unique and exclusive. Fundamentally, L'àmpara is a small-scale work of art with the ability to add a touch of originality and elegance to any space.





La collezione L'àmpara è costituita da una lampada da tavolo in una dimensione. Il diffusore è in vetro soffiato spianato a mano dai mastri vetrai, la base della lampada è in alluminio anodizzato nero ed è fissata al vetro tramite tre grani che ne aumentano la stabilità e la solidità. La sorgente luminosa è a LED ad alta efficienza e dimmerabile PUSH.

L'àmpara is a range of one-dimensional table lamps. The diffuser is made from hand-blown glass that is then flattened by master glassmakers; the base is in black anodised aluminium, fixed to the glass with three grains that increase its stability and solidity. The light source is a high efficiency PUSH dimmable LED.

Dimension	29cm x h. 39,5cm
Materials	Glass - Aluminium
Light Source	LED 12W - 2700K-3000K - CRI 80+
Dimming	PUSH
Finishes	Transparent, Green, Amber, Smoked

→ L'àmpara  
→ Table



# Lancetta F70

Mario Alessiani  
2023







Family

## Wall

Lancetta è una collezione con due vite: da spenta è un oggetto che convive con grande minimalismo e rigore geometrico negli ambienti in cui è posta per poi sorprendere, quando viene accesa, aggiungendo un fascio di luce circolare proiettato a muro che ne completa la forma. Lancetta nasce infatti dalla volontà di valorizzare il minimalismo della struttura con un effetto luminoso deciso e sorprendente. Il design minimalista della lampada e la sua piccola dimensione, consentono di utilizzarla in molteplici contesti pubblici e privati, in particolar modo nei corridoi, ingressi o lunghe corsie. Inoltre, il design pulito e semplice si adatta a diversi stili di arredamento, dall'ambiente moderno al classico contemporaneo.


Lancetta is a collection with two lives: when it is off, it is an object that coexists with the spaces where it is placed, with great minimalism and geometric rigour. When it is turned on, it gives a surprise by adding a circular pool of light that it projects on the wall, completing the shape. In fact, Lancetta was born from the desire to enhance the minimalism of its structure with a decisive, surprising luminous effect. The minimalist design of this lamp, and its small size, mean it can be used in many different public and private settings, particularly corridors, entrances, or long passages. Moreover its clean, simple design adapts to different styles of interior, from modern to contemporary classic.

La collezione Lancetta è costituita da una applique in diverse finiture: bianco, antracite, Corten, bronzo e oro regale. Lancetta è composta da due parti principali: la struttura in alluminio a forma di L e la fonte luminosa installata sulla parte superiore della struttura, l'ottica è stata progettata ad hoc per poter ottenere un cerchio perfetto sulla parete. La sorgente luminosa è a LED ad alta efficienza.

The Lancetta collection consists of a wall lamp in different finishes: white, anthracite, Corten, bronze, and royal gold. The lamp consists of two main parts: the L-shaped aluminium structure and the light source integrated into the upper part; the optics are designed specifically to cast a perfect circle on the wall. The light source is high efficiency LED.

Dimension	L 4cm x h. 18,5cm x 10cm
Materials	Aluminium
Light Source	LED 1x7W - 2700K-3000K - CRI 80+
Dimming	ON/OFF
Finishes	White, Anthracite, Corten, Bronze, Royal gold

→ **Lancetta**  
**Wall**








# Plana F71

Bellavista  
& Piccini  
2023





Family

## Table

La ricerca della semplicità ci conduce ad indagare, spesso attraverso processi complessi, tutto ciò che ci circonda. La collezione Plana nasce dalla fascinazione della geometria piana e dei poligoni. Forme pure, riconoscibili: quadrato, rettangolo e cerchio concepiti in vetro e sostenuti da una base che protegge e conserva la sorgente luminosa invisibile. La luce non è diretta ma lambisce la lastra e si trasmette a contatto con il bordo. Una modalità inedita e inusuale di illuminare che crea effetti suggestivi e inaspettati.

Our search for simplicity leads us, often by way of complex processes, to investigate everything around us. The Plana collection was born from a fascination with flat geometry and polygons. Shapes that are pure and recognisable: a glass square, rectangle, and circle supported by a base that protects and preserves the invisible light source. The light is not direct; it brushes across the plate of glass and is only transmitted where it comes into contact with the edge. A new and unusual mode of lighting that creates evocative and unexpected effects.







La collezione Plana è composta da tre lampade da tavolo. Plana è realizzata in vetro colato e martellato da un lato nella forma di quadrato, rettangolo o cerchio, ha poi una base in cemento con un perno in PMMA sabbiato che la fissa al vetro. La sorgente luminosa è a LED ad alta efficienza e dimmerabile PUSH.

The Plana collection consists of three table lamps. They consist of a square, rectangle, or circle of cast glass hammered on one side, and a concrete base with a sandblasted PMMA pin that fixes it to the glass. The light source is a high efficiency PUSH dimmable LED.

Dimension	Ø35cm, 30cm x 30cm, 25cm x 40cm
Materials	Glass - Concrete
Light Source	LED 1x9W - 2700K-3000K - CRI 80+
Dimming	PUSH
Finishes	Transparent

→ Plana  
→ Table



# Riò F72

Filippo  
Protasoni  
2023





Family

## Floor

Come spesso accade, è dalla natura che trae ispirazione Rìo: un lungo fiume che sfocia verso il mare aperto. Rìo si costituisce infatti da pochi elementi essenziali: la struttura e il cavo di alimentazione rievocano il corso d'acqua che cerca il mare, la fonte luminosa rappresenta il nuovo inizio. La luce, direzionata verso l'alto, illumina in maniera uniforme e avvolgente. Rìo è ideale per impreziosire i locali con una luce d'ambiente, perfetta per studi medici, sale d'attesa, aree lounge e ambienti privati contemporanei.

Taking its inspiration from nature as we often do, Rìo is a long river that flows towards the open sea. In fact, the Rìo lamp consists of just a few essential elements; the structure and the power cable evoke the watercourse as it searches for the sea, and the light source represents the new beginning. The light is directed upwards and illuminates in an even, enveloping way. Rìo is ideal for ambient lighting that embellishes a space and is perfect for medical practices, waiting rooms, lounge areas, and contemporary private spaces.






La collezione Rìo comprende una lampada da terra. La struttura è in ferro e alluminio verniciati nelle finiture bianco, antracite o Corten, lungo la quale corre un cavo elettrico rivestito in tessuto disponibile in diverse varianti colore. Il diffusore è in PMMA opalino e la sorgente luminosa è a LED ad alta efficienza con alimentatore integrato e dimmerabile PUSH.

The Rìo collection consists of a floor lamp. The structure is in steel and aluminium painted white, anthracite, or Corten with the power cable covered in fabric, running along the structure. The fabric is available in different colour variants. The diffuser is made from opal PMMA and the light source is high-efficiency LED with integrated power supply and dimmable PUSH.

Dimension	Ø20cm x h. 182cm
Materials	Aluminium
Light Source	LED 1x25W - 2700K-3000K - CRI 80+
Dimming	PUSH
Finishes	White, Anthracite, Corten

Rìo  
→ Floor





# Acustica F58

Gio Minelli &  
Marco Fossati  
2021





Family

Pendant 60  
Pendant 90  
Pendant 120  
Wall 60  
Wall 90

Ispirato ad un piatto della batteria, il grande e sottile paralume di Acustica ne ribalta il concetto, assorbendo le onde sonore ambientali e creando un elevato comfort acustico.

La sua posizione naturalmente inclinata e la leggerezza del paralume, permette di avere composizioni di lampade dinamiche e creative. La fonte luminosa è centrale e fissa, Acustica è disponibile in più varianti colore. È ideale per ambienti pubblici come ristoranti, uffici di lusso ma anche ampi spazi di attesa.

The wide, slim shape of the Acustica lampshade is inspired by the cymbal of a drum kit, but reverses the musical concept by absorbing sound from the space, to create a high level of acoustic comfort. Its naturally inclined angle, and its lightness, make possible dynamic and creative compositions of multiple lamps, whilst the light source itself remains central and fixed. Acustica is available in a range of colour variations, and is ideal for use in public spaces such as restaurants and luxury offices, as well as large waiting areas.

La collezione Acustica è costituita da tre sospensioni per interno con proprietà di assorbimento acustico, di diametro da 60 cm, 90 cm o 120 cm, e da due applique disponibili in diametro da 60 cm e 90 cm che mantengono invariate tutte le caratteristiche tecniche. La calotta è realizzata in PET riciclato, con struttura in alluminio anodizzato nero e diffusore in PMMA (Polimetilmetacrilato) opalino. La sorgente LED è disponibile dimmerabile 1-10V, DALI – PUSH o a taglio di fase con alimentatore integrato. Tutte le versioni sono ad alta efficienza e ripple free.

The Acustica collection consists of three indoor pendant lamps with sound-absorbing properties, in diameters of 60 cm, 90 cm or 120 cm, and it is also available in two wall lamps in the diameters of 60 cm and 90 cm with all the same technical characteristics. The shell is made from recycled PET, the structure is black anodised aluminium, and the diffuser is opal PMMA (polymethylmethacrylate). The LED source is available as 1-10V dimmable, DALI/PUSH, or phase cut, with an integrated power supply. Both versions are highly efficient and flicker-free.

Dimension	Ø60cm, Ø90cm or Ø120cm
Materials	Recycled PET – Aluminum – PMMA
Light Source	LED 1x20W – 2700K/3000K – CRI 90+
Dimming	1..10V, DALI-PUSH or PHASE CUT 30%-100%
Finishes	Ocean, Coral, Concrete, Lawn green, Honey

→ Acustica  
→ Pendant







Dimension Ø60cm or Ø90cm  
Materials Recycled PET – Aluminum – PMMA  
Light Source LED 1x37W (Ø60cm)  
or LED 1x72W (Ø90cm) –  
2700K/3000K – CRI 90+  
Dimming ON/OFF or DALI PUSH 1..10V  
Finishes Ocean, Coral, Concrete, Lawn green,  
Honey

## → Acustica Wall







# Akoya F61

Filippo  
Protasoni  
2021





Family

Pendant 30  
Pendant 60  
Wall 30

Akoya nasce dall'evoluzione geometrica della circonferenza, che prima si fa superficie bidimensionale – il cerchio, e poi volume tridimensionale – la sfera. Dall'interazione di queste due geometrie si sviluppa l'immagine di una conchiglia che custodisce una pregiata perla luminosa al suo interno. Proprio come le perle, simbolo di perfezione e conosciute per il loro notevole grado di lucentezza, anche la collezione di lampade Akoya dimostra la sua naturale semplicità e la capacità di dialogare con il contesto architettonico in cui si trovano.

Akoya was born from the geometric evolution of the circumference, which first became a two-dimensional surface – the circle – and then a threedimensional volume – the sphere. The interaction of these two geometries gave rise to the image of a shell housing a precious luminous pearl inside. Just like pearls, a symbol of perfection and known for their remarkable lustre, the Akoya collection also showcases its natural simplicity and ability to reflect its architectural environment.

La collezione Akoya comprende una applique di diametro 30cm e due sospensioni da interno di diametro 30cm e 60cm. È realizzata da due dischi metallici (disponibili nelle finiture bianco, antracite, corten e bronzo) che contengono un diffusore in vetro soffiato. La sorgente luminosa è a LED ad alta efficienza con alimentatore integrato e dimmerabile 1..10V, DALI o ON/OFF.

The Akoya collection comprises a indoor wall lamps in diameter of 30cm and two pendant lamps in diameters of 30cm and 60cm. It is made of two metal discs (available in white, anthracite, corten and bronze finishes) containing a blown glass diffuser. The light source is a high-efficiency LED with integrated power supply and dimmable 1..10V, DALI or ON/OFF.

Dimension	Ø30cm
Materials	Glass - Metal
Light Source	LED 1x7W - 2700K/3000K - CRI90
Dimming	1..10V, DALI or ON/OFF
Finishes	White, Anthracite, Corten, Bronze

Dimension	Ø30cm or Ø60cm
Materials	Glass - Metal
Light Source	LED 1x7W (Ø30cm) or 1x20W (Ø60cm) - 2700K/3000K - CRI90
Dimming	1..10V, DALI or ON/OFF
Finishes	White, Anthracite, Corten, Bronze

Akoya  
 → Wall 30  
 → Pendant 60










# Bungee F64

Renato  
Montagner  
2022







Family

## Floor to ceiling

Bungee torna a fare parte delle nostre collezioni permanenti dopo vent'anni dal suo debutto. Un restyle che la riporta all'attualità, una lampada terra-cielo che saprà valorizzare ogni ambiente con la sua presenza. I miglioramenti sono visibili fin da subito: la corda ora è tessile e disponibile in più varianti colore, la base è in cemento e si possono gestire fino a tre punti luce. Bungee si ripresenta quindi come un essenziale elemento d'arredo, caratterizzante anche da spento.

Twenty years since it first made its debut, Bungee returns to our permanent collections with a restyling that brings it back up to date: a floor-to-ceiling light fitting whose presence will enhance any space. The improvements are immediately obvious: the cable is now made from fabric and comes in a range of colours; the base is made of concrete and can take up to three lamps. With these improvements, Bungee once again re-introduces itself as an essential element for furnishing interiors that has a strong presence even when it is switched off.

La collezione Bungee è costituita da una terra-cielo per interno. Bungee è composta da un cavo tessile con attacco a soffitto e alimentazione a terra. Il corpo illuminante è scorrevole, ruotante e dotato di un anello in alluminio con molle d'acciaio, che consentono di orientare a piacere il fascio di luce. La sorgente luminosa è un LED integrato ed è disponibile dimmerabile PUSH.

The Bungee Collection is a full-height floor-to-ceiling lamp for indoor use. The light fittings are supported on a fabric cable that is fixed to the ceiling. The power supply is at floor level. The body of the fitting can slide up and down and rotate, and has an aluminium ring with steel springs that enable the beam of light to be directed as desired. The light source is an integrated LED and is available with a dimmer PUSH.

Dimension	Ø12,5cm x h. max 300cm
Materials	Aluminum - Steel
Light Source	LED 1x7W - 2700K/3000K - CRI90
Dimming	PUSH
Finishes	Black, Red, Patterned cable

**Bungee**  
→ Floor-to-ceiling





# Dome F62

Alessandro  
Di Prisco  
2022





Family

## Pendant

Ispirato agli elementi architettonici, Dome è un sistema di illuminazione modulare a sospensione in cui ogni corpo lampada è collegato ad un altro mediante un arco così da creare una serie di volte che insieme alla luce disegnano lo spazio intorno. Grazie alla sua componibilità e alla possibilità di aggregare infiniti moduli, il sistema Dome risulta molto flessibile e adatto ad ogni esigenza, può illuminare spazi molto ampi restituendo delle vere e proprie architetture di luce dal forte impatto visivo.

Inspired by architectural elements, Dome is a modular suspension lighting system in which the body of each lamp is connected to the others by an arch, creating a series of vaults which, together with the light itself, design the surrounding space. Thanks to its modularity and the fact that an infinite number of modules can be aggregated together, Dome is a highly flexible lighting system that is suitable for every requirement, and can be used to light very large spaces, creating true architectures of light with a strong visual impact.





La collezione Dome è costituita da un punto luce per interno e da un arco di 1 metro realizzati in alluminio e ferro verniciati nero oppure oro. La sorgente LED è disponibile dimmerabile DALI PUSH 1..10V con alimentatore integrato. Tutte le versioni sono ad alta efficienza.

The Dome collection consists of an indoor light point and a 1 meter arc made of black or gold painted aluminum and iron. The LED source is available as DALI PUSH 1..10V dimmable, with an integrated power supply. Both versions are highly efficient.

Dimension	Ø5,5cm x h. 13cm
Materials	Aluminum - Iron
Light Source	LED 1x7W - 2700K/3000K - CRI90
Dimming	DALI PUSH 1..10V
Finishes	Black, Gold

Dome  
→ Pendant





# Light Glade F57

Cory Grosser  
2021





Family

## Pendant

Light Glide è una lampada a sospensione dal design esclusivo. A prima vista, sembra essere un apparecchio lineare di base ma una funzione scorrevole consente di espandere la luce e raddoppiarne le dimensioni. Ciò consente di modulare la quantità della luce in base alle proprie preferenze personali o in risposta ai mobili sottostanti. Light Glide combina il carattere di un apparecchio architettonico con l'espressione di uno decorativo e raggiungendo quello che il designer chiama "felice minimalismo". È un prodotto semplice con una rivelazione sorprendente e deliziosa.

Light Glide is a pendant lamp of exclusive design. At first glance it looks like a standard strip fitting, but a slide function enables it to be doubled in size to illuminate a wider area so that the amount of light can be modulated to suit the furniture, or the personal taste of the user. By combining the character of an architectural luminaire with the expressiveness of a decorative light fitting, Light Glide achieves what its designer calls a "happy minimalism": a straightforward product that comes with a pleasing hidden surprise.





Idealmente posizionata in una sala da pranzo o sopra un tavolo da conferenza, può anche essere utilizzata in multipli per creare interessanti composizioni luminose. Inoltre l'UGR inferiore a 19 la rende versatile per l'installazione in uffici e zone dove il controllo dell'abbagliamento risulta di fondamentale importanza.

Light Glide è una sospensione per interno disponibile in alluminio anodizzato nero o verniciato bianco. I diffusori sono in PMMA (Polimetilmetacrilato) opalino e prismaticizzato. La sorgente LED è disponibile in versione ON OFF, oppure con il doppio controllo del flusso uplight e downlight con sistemi PUSH, PUSH 1..10V, PUSH 1..10V DALI o taglio di fase. L'alimentatore è integrato e tutte le versioni sono ad alta efficienza e ripple free.

The ideal setting would be a dining room or above a meeting room table. Multiple fittings can be combined to create interesting compositions of light. Its UGR of less than 19 means that Light Glide is versatile and is also suitable for office lighting, or in any situation where it is very important to minimise glare. Light Glide is an indoor pendant lamp in black anodised or white painted aluminium. The diffusers are opal and prismatic PMMA (polymethylmethacrylate). The LED source is available in either an ON/OFF version, or with double control of the uplight and downlight flux by means of 1..10V PUSH/PUSH, 1..10V DALI/PUSH, or phase-cut dimming. The power supply is integrated and both versions are high efficiency and flicker-free.

Dimension	L 117,5cm x h. 3,8cm
Materials	Aluminium - PMMA
Light Source	LED 1x53W or 1x149W - 3000K/4000K - CRI 90+
Dimming	ON/OFF, PUSH 1..10V, PUSH 1..10V DALI
Finishes	White, Black

→ Light Glide  
Pendant



# Metro F49

Technical Design  
2021







Family

## Pendant

Metro è un segno grafico luminoso, un concetto semplice che ora aggiunge alla famiglia un elemento: una linea dritta, un nastro metallico essenziale inserito all'interno di un tubolare in silicone ottico che dà vita a più situazioni. Alla base del progetto c'è l'obiettivo di rispondere efficacemente a uno dei problemi più diffusi nell'illuminazione di ambienti moderni e tradizionali: dare luce a spazi ampi caratterizzati da soffitti alti, travati, a volta o dipinti, spesso privi di punti luce. Metro risolve queste esigenze e offre molte altre possibilità con un impatto visivo minimo ed elegante al tempo stesso.

Metro is an illuminated graphical sign, a straightforward concept for a collection, now including a wall-mounted light fitting that will bring vitality to a range of situations: a straight line that takes the form of a minimalist metal strip, mounted inside an optical silicone tube. The starting point for the design was the need to address a problem that is very commonly encountered in both modern and traditional spaces: how to light large, high spaces that may have beams, vaults, or painted ceilings and where there are often no lighting points. Metro resolves these issues with a minimal, elegant visual impact as well as offering numerous other possibilities.





La nuova Metro con tubo in silicone è disponibile nella lunghezza di 6m, che l'utente può accorciare in base alle proprie esigenze, in finitura acciaio inox. La sorgente luminosa a LED, collocata lungo tutto il nastro, illumina l'ambiente omogeneamente.

The new Metro with the silicon tube is available in a 6m length, which the user can cut shorter if required, and has a stainless steel finish. The LED light source runs for its full length so that the space is evenly illuminated.

Dimension	h. 626cm
Materials	Stainless steel - Silicon
Light Source	LED 1x116W - 2700K/3000K - CRI 90+
Dimming	ON/OFF, PUSH 1..10V, PUSH 1..10V DALI
Finishes	Polished stainless steel

Metro  
→ Pendant



# Olympic F45

Lorenzo  
Truant  
2021





Un anello di luce ha il fascino olimpico di una forma aerea e conchiusa, a sé bastante. Un singolo anello permette di illuminare gli spazi proiettando la sua luce nello spazio come se agisse una forza centrifuga.

L'aggiornamento della collezione Olympic aggiunge un nuovo elemento luminoso da tavolo, ideale per ambienti moderni e in stile classico contemporaneo.

Family

## Table

An Olympic ring of light: the fascination of an ethereal shape that is complete in itself, illuminating a room with a single ring of light projected into the space, as though activated by a centrifugal force. The new table lamp is part of the updated Olympic collection. It is ideal for modern or contemporary classic interiors.

La lampada da tavolo Olympic è costituita da un diffusore circolare in alluminio verniciato bianco e anodizzato bronzo dove la sorgente luminosa a LED è collocata sulla circonferenza esterna. La base è in compound a base di cemento antigraffio e lavabile. Il flusso luminoso è regolabile dal dimmer integrato e consente pertanto di creare la giusta atmosfera per ogni situazione.

The Olympic table lamp consists of a circular aluminium diffuser, painted white and bronze anodised with the LED light source mounted on its outer circumference. The base is made from a cement-based scratch-resistant washable compound. The light output can be adjusted using an integrated dimmer, enabling the appropriate mood to be created for every situation.

Dimension	Ø62,6cm x h. 63,8cm
Materials	Aluminium - Concrete
Light Source	LED 1x40W - 2700K/3000K - CRI90+
Dimming	SLIDE
Finishes	White, Bronze

Olympic  
→ Table







# Puppy F62

Alberto  
Ghirardello  
2021





Puppy è una lampada di piccole dimensioni e dal look essenziale. È l'unione di due elementi che si completano in una sinuosa armonia e donano alla lampada delle sembianze astratte che richiamano quelle di una marionetta. Puppy è ideale per ambienti in stile classico contemporaneo.

Puppy is a small lamp with an essential look. It is the union of two elements that complement each other in a sinuous harmony and they give the lamp abstract features that resemble those of a puppet. It is ideal for contemporary classic interiors.

Family

Table  
Pendant

La collezione Puppy comprende una lampada da tavolo e una sospensione da interni. Puppy è realizzata da una base in ceramica artigianale di Nove (Vicenza, Italia) e ha un diffusore in vetro soffiato incamiciato bianco. L'elettrificazione è a tensione di rete per lampadine LED.

The Puppy collection comprises a indoor table and pendant lamp. Puppy is made from a handcrafted ceramic base from Nove (Vicenza, Italy) and has a white blown glass diffuser. The LED bulb lamp electrification is mains voltage.

Dimension	Ø14cm x h. 25cm
Materials	Glass - Ceramic
Light Source	E14 (max 10W LED)
Finishes	Black

→ **Puppy**  
**Table**





Dimension Ø14cm x h. 25cm  
Materials Glass - Ceramic  
Light Source E14 (max 10W LED)  
Finishes Black

## → Puppy Pendant





# Turny F59

Emo Design  
2021







Turny, disegnata da Emo Design, è una lampada portatile e ricaricabile pensata per il contract.

Nata dall'idea dei designer di rendere iconico il concetto della torcia, si è evoluta in un oggetto che si adatta ad ambienti trasversali, per soddisfare soprattutto le esigenze di hotel e ristoranti. Il grado di protezione IP54 ne permette l'utilizzo non solo in ambienti interni ma anche esterni come patio, giardini e terrazze.

Family

Table

The Turny portable rechargeable lamp by Emo Design is intended for contract interiors.

The design concept is based on the idea of a flashlight and transforms it into an iconic object that adapts to various settings, primarily in hotels and restaurants. Its IP54 protection means that it can also be used outdoors on patios and terraces, or in gardens.





WE  
CO  
WORK

La forma svasata con cui è stata concepita permette, come per gioco, di renderla funzionante anche se capovolta. L'interazione con Turny è altresì incentivata dalle modalità di accensione, spegnimento e modifica dell'intensità luminosa che avvengono attraverso un semplice tocco. L'autonomia è di 6 ore al 100% e di 11 ore al 50%.

Turny è una lampada da tavolo disponibile in ABS bianco, grigio antracite, beige sabbia, verde reseda, rosso porpora, blu Amalfi o rosa antico. La lampada funziona con un sistema a batteria con LED ad alta efficienza e dimmerabile touch.

The concave shape means that it can be handled almost like a toy; it works even when it is turned upside down. Users are encouraged to interact with it by playing at switching it on and off, or to modify the light intensity by simply touching the lamp. Autonomy: 6 hours at 100% and 11 hours at 50%.

The Turny table lamp is available in white ABS, anthracite grey, sand beige, reseda green, purple red, Amalfi blue, or dusty pink. It is powered by a high efficiency battery and has touch-dimmable LEDs.

Dimension	Ø9cm x h. 18cm
Materials	Aluminum – Iron
Light Source	LED 1x2.5W – 3000K – 225lm – Cri 80+
Dimming	TOUCH
Finishes	White, Purple red, Dusty pink, Sand beige, Anthracite, Reseda green, Amalfi blue

→ Turny  
Table



# XY&Z F63

Gensler  
2022





Family

## Pendant

Ispirato dalla capacità della natura di moltiplicarsi da un singolo seme, XY&Z incoraggia il propagarsi della luce da un unico punto a molti elementi diversi: XY&Z è una conversazione tridimensionale tra arte, design, tecnologia e bellezza. Progettato per lo spazio interno commerciale unico, XY&Z è una fonte di illuminazione decorativa e funzionale ideale nell'ambiente open space e in spazi di ritrovo come ospitalità, ristoranti, aree di servizi e spazi di vendita al dettaglio di boutique per creare un'esperienza di design sublime.

Inspired by nature's ability to multiply from a single seed, XY&Z encourages a propagation of light from a single point to many varied elements: XY&Z is a 3 dimensional conversation between artistry, design, technology, and beauty. Designed for the unique commercial interiors space, XY&Z is an ideal decorative and functional lighting source in the open space and for gathering spaces such as hospitality, restaurant, amenities areas, and boutique retail spaces to create a sublime design experience.







Il punto luce è realizzato in vetro soffiato ed è sospeso a diverse altezze. Il vetro interno è disponibile nei colori liquirizia, prugna, petrolio, bronzo e ha una scelta tra quattro texture: slick, rigadin, baloton, aqua. Il vetro esterno è trasparente. I rosoni sono disponibili in bianco o nero e si possono connettere da uno a quattro punti luce ad ognuno. L'elettrificazione è per lampadine E14, i punti luce possono essere dimmerati a taglio di fase.

The spotlight is made of blown glass and is suspendable at varying heights. The internal glass is available in licorice, plum, petroleum, bronze finishes and has a choice of four textures: slick, rigadin, baloton, aqua. The outside glass is clear. The canopies are available in white or black and can be connected from one to four light points to each one. The lamp is suitable for use with E14 bulbs and can be dimmed with phase cut.

Dimension	Ø13cm x h. 20cm
Materials	Glass - Aluminum
Light Source	E14 (max 10W LED)
Dimming	PHASE CUT 30%-100%
Finishes	Transparent, Licorice, Plum, Petroleum, Bronze

XY&Z  
→ Pendant








Informazioni  
tecniche

Technical  
information

Pendant




LED 100-277V - 1x20W 2700K or 3000K (4000K by request) 1604lm, CRI 90+ Dimm. 1.10V  IP40 Net weight: 3,00 kg Included: LED, Dimmable electronic driver	F58 A71 06	Ocean	3000K
	F58 A71 32	Coral	3000K
	F58 A71 37	Concrete	3000K
	F58 A71 43	Lawn green	3000K
	F58 A71 47	Honey	3000K
	F58 A72 06	Ocean	2700K
	F58 A72 32	Coral	2700K
	F58 A72 37	Concrete	2700K
	F58 A72 43	Lawn green	2700K
	F58 A72 47	Honey	2700K

LED 220-240V - 1x20W 2700K or 3000K (4000K by request) 1604lm, CRI 90+ Dimm. DALI+PUSH  IP40 Net weight: 3,00 kg Included: LED, Dimmable electronic driver	F58 A81 06	Ocean	3000K
	F58 A81 32	Coral	3000K
	F58 A81 37	Concrete	3000K
	F58 A81 43	Lawn green	3000K
	F58 A81 47	Honey	3000K
	F58 A82 06	Ocean	2700K
	F58 A82 32	Coral	2700K
	F58 A82 37	Concrete	2700K
	F58 A82 43	Lawn green	2700K
	F58 A82 47	Honey	2700K

LED 220-240V - 1x20W 2700K or 3000K (4000K by request) 1604lm, CRI 90+ Dimm. Phase cut 30%-100%  IP40 Net weight: 3,00 kg Included: LED, Dimmable electronic driver	F58 A91 06	Ocean	3000K
	F58 A91 32	Coral	3000K
	F58 A91 37	Concrete	3000K
	F58 A91 43	Lawn green	3000K
	F58 A91 47	Honey	3000K
	F58 A92 06	Ocean	2700K
	F58 A92 32	Coral	2700K
	F58 A92 37	Concrete	2700K
	F58 A92 43	Lawn green	2700K
	F58 A92 47	Honey	2700K

Pendant




LED 100-277V - 1x20W 2700K or 3000K (4000K by request) 1604lm, CRI 90+ Dimm. 1.10V  IP40 Net weight: 4,00 kg Included: LED, Dimmable electronic driver	F58 A11 06	Ocean	3000K
	F58 A11 32	Coral	3000K
	F58 A11 37	Concrete	3000K
	F58 A11 43	Lawn green	3000K
	F58 A11 47	Honey	3000K
	F58 A12 06	Ocean	2700K
	F58 A12 32	Coral	2700K
	F58 A12 37	Concrete	2700K
	F58 A12 43	Lawn green	2700K
	F58 A12 47	Honey	2700K

LED 220-240V - 1x20W 2700K or 3000K (4000K by request) 1604lm, CRI 90+ Dimm. DALI+PUSH  IP40 Net weight: 4,00 kg Included: LED, Dimmable electronic driver	F58 A21 06	Ocean	3000K
	F58 A21 32	Coral	3000K
	F58 A21 37	Concrete	3000K
	F58 A21 43	Lawn green	3000K
	F58 A21 47	Honey	3000K
	F58 A22 06	Ocean	2700K
	F58 A22 32	Coral	2700K
	F58 A22 37	Concrete	2700K
	F58 A22 43	Lawn green	2700K
	F58 A22 47	Honey	2700K


LED 220-240V - 1x20W 2700K or 3000K (4000K by request) 1604lm, CRI 90+ Dimm. Phase cut 30%-100%  IP40 Net weight: 4,00 kg Included: LED, Dimmable electronic driver	F58 A51 06	Ocean	3000K
	F58 A51 32	Coral	3000K
	F58 A51 37	Concrete	3000K
	F58 A51 43	Lawn green	3000K
	F58 A51 47	Honey	3000K
	F58 A52 06	Ocean	2700K
	F58 A52 32	Coral	2700K
	F58 A52 37	Concrete	2700K
	F58 A52 43	Lawn green	2700K
	F58 A52 47	Honey	2700K

Pendant



LED 100-277V – 1x20W 2700K or 3000K (4000K by request) 1604lm, CRI 90+ Dimm. 1.10V  IP40 Net weight: 6,00 kg Included: LED, Dimmable electronic driver	F58 A31 06	Ocean	3000K
	F58 A31 32	Coral	3000K
	F58 A31 37	Concrete	3000K
	F58 A31 43	Lawn green	3000K
	F58 A31 47	Honey	3000K
	F58 A32 06	Ocean	2700K
	F58 A32 32	Coral	2700K
	F58 A32 37	Concrete	2700K
	F58 A32 43	Lawn green	2700K
	F58 A32 47	Honey	2700K
LED 220-240V – 1x20W 2700K or 3000K (4000K by request) 1604lm, CRI 90+ Dimm. DALI-PUSH  IP40 Net weight: 6,00 kg Included: LED, Dimmable electronic driver	F58 A41 06	Ocean	3000K
	F58 A41 32	Coral	3000K
	F58 A41 37	Concrete	3000K
	F58 A41 43	Lawn green	3000K
	F58 A41 47	Honey	3000K
	F58 A42 06	Ocean	2700K
	F58 A42 32	Coral	2700K
	F58 A42 37	Concrete	2700K
	F58 A42 43	Lawn green	2700K
	F58 A42 47	Honey	2700K
LED 220-240V – 1x20W 2700K or 3000K (4000K by request) 1604lm, CRI 90+ Dimm. Phase cut 30%-100%  IP40 Net weight: 6,00 kg Included: LED, Dimmable electronic driver	F58 A61 06	Ocean	3000K
	F58 A61 32	Coral	3000K
	F58 A61 37	Concrete	3000K
	F58 A61 43	Lawn green	3000K
	F58 A61 47	Honey	3000K
	F58 A62 06	Ocean	2700K
	F58 A62 32	Coral	2700K
	F58 A62 37	Concrete	2700K
	F58 A62 43	Lawn green	2700K
	F58 A62 47	Honey	2700K


Catalogue



Upon request

More than 50 finishes available upon request.

Wall-ceiling



LED 220-240V - 1x37W  
2700K or 3000K (4000K by request)  
1725lm, CRI 90+  
Dimm. ON/OFF

IP40  
Net weight: 6,00 kg  
Included: LED, Electronic driver


F58 G01 06	Ocean	3000K
F58 G01 32	Coral	3000K
F58 G01 37	Concrete	3000K
F58 G01 43	Lawn green	3000K
F58 G01 47	Honey	3000K
F58 G02 06	Ocean	2700K
F58 G02 32	Coral	2700K
F58 G02 37	Concrete	2700K
F58 G02 43	Lawn green	2700K
F58 G02 47	Honey	2700K

LED 220-240V - 1x37W  
2700K or 3000K (4000K by request)  
1725lm, CRI 90+  
Dimm. DALI PUSH 1.10V

IP40  
Net weight: 6,00 kg  
Included: LED, Dimmable electronic driver

F58 G11 06	Ocean	3000K
F58 G11 32	Coral	3000K
F58 G11 37	Concrete	3000K
F58 G11 43	Lawn green	3000K
F58 G11 47	Honey	3000K
F58 G12 06	Ocean	2700K
F58 G12 32	Coral	2700K
F58 G12 37	Concrete	2700K
F58 G12 43	Lawn green	2700K
F58 G12 47	Honey	2700K

Wall-ceiling



LED 100-277V - 1x20W  
2700K or 3000K (4000K by request)  
1604lm, CRI 90+  
Dimm. 1.10V

IP40  
Net weight: 9,00 kg  
Included: LED, Dimmable electronic driver


F58 G21 06	Ocean	3000K
F58 G21 32	Coral	3000K
F58 G21 37	Concrete	3000K
F58 G21 43	Lawn green	3000K
F58 G21 47	Honey	3000K
F58 G22 06	Ocean	2700K
F58 G22 32	Coral	2700K
F58 G22 37	Concrete	2700K
F58 G22 43	Lawn green	2700K
F58 G22 47	Honey	2700K

LED 220-240V - 1x20W  
2700K or 3000K (4000K by request)  
1604lm, CRI 90+  
Dimm. DALI+PUSH

IP40  
Net weight: 9,00 kg  
Included: LED, Dimmable electronic driver

F58 G31 06	Ocean	3000K
F58 G31 32	Coral	3000K
F58 G31 37	Concrete	3000K
F58 G31 43	Lawn green	3000K
F58 G31 47	Honey	3000K
F58 G32 06	Ocean	2700K
F58 G32 32	Coral	2700K
F58 G32 37	Concrete	2700K
F58 G32 43	Lawn green	2700K
F58 G32 47	Honey	2700K

Catalogue




Upon request

More than 50 finishes available upon request.



## Pendant




LED 220-240V - 1x7W 2700K or 3000K (4000K by request) 622lm, CRI 90+ Dimm. 1.10V	F61 A11 01 F61 A11 21 F61 A11 25 F61 A11 76 F61 A12 01 F61 A12 21 F61 A12 25 F61 A12 76	White Anthracite Corten Bronze White Anthracite Corten Bronze	3000K 3000K 3000K 3000K 2700K 2700K 2700K 2700K
IP40 Net weight: 3,38 kg Included: LED, Dimmable electronic driver			

LED 220-240V - 1x7W 2700K or 3000K (4000K by request) 622lm, CRI 90+ Dimm. DALI	F61 A21 01 F61 A21 21 F61 A21 25 F61 A21 76 F61 A22 01 F61 A22 21 F61 A22 25 F61 A22 76	White Anthracite Corten Bronze White Anthracite Corten Bronze	3000K 3000K 3000K 3000K 2700K 2700K 2700K 2700K
IP40 Net weight: 3,38 kg Included: LED, Dimmable electronic driver			

LED 220-240V - 1x7W 2700K or 3000K (4000K by request) 622lm, CRI 90+ Dimm. ON/OFF	F61 A31 01 F61 A31 21 F61 A31 25 F61 A31 76 F61 A32 01 F61 A32 21 F61 A32 25 F61 A32 76	White Anthracite Corten Bronze White Anthracite Corten Bronze	3000K 3000K 3000K 3000K 2700K 2700K 2700K 2700K
IP40 Net weight: 3,38 kg Included: LED, Electronic driver			

## Pendant




LED 220-240V - 1x7W 2700K or 3000K (4000K by request) 622lm, CRI 90+ Dimm. 1.10V	F61 A61 01 F61 A61 21 F61 A61 25 F61 A61 76 F61 A62 01 F61 A62 21 F61 A62 25 F61 A62 76	White Anthracite Corten Bronze White Anthracite Corten Bronze	3000K 3000K 3000K 3000K 2700K 2700K 2700K 2700K
IP40 Net weight: 12,00 kg Included: LED, Dimmable electronic driver			

LED 220-240V - 1x7W 2700K or 3000K (4000K by request) 622lm, CRI 90+ Dimm. DALI	F61 A71 01 F61 A71 21 F61 A71 25 F61 A71 76 F61 A72 01 F61 A72 21 F61 A72 25 F61 A72 76	White Anthracite Corten Bronze White Anthracite Corten Bronze	3000K 3000K 3000K 3000K 2700K 2700K 2700K 2700K
IP40 Net weight: 12,00 kg Included: LED, Dimmable electronic driver			

LED 220-240V - 1x7W 2700K or 3000K (4000K by request) 622lm, CRI 90+ Dimm. ON/OFF	F61 A81 01 F61 A81 21 F61 A81 25 F61 A81 76 F61 A82 01 F61 A82 21 F61 A82 25 F61 A82 76	White Anthracite Corten Bronze White Anthracite Corten Bronze	3000K 3000K 3000K 3000K 2700K 2700K 2700K 2700K
IP40 Net weight: 12,00 kg Included: LED, Electronic driver			

Wall



LED 220-240V - 1x7W  
2700K or 3000K (4000K by request)  
622lm, CRI 90+  
Dimm. 1.10V

IP20  
Net weight: 3,38 kg  
Included: LED, Dimmable electronic driver

F61 D11 01	White	3000K
F61 D11 21	Anthracite	3000K
F61 D11 25	Corten	3000K
F61 D11 76	Bronze	3000K
F61 D12 01	White	2700K
F61 D12 21	Anthracite	2700K
F61 D12 25	Corten	2700K
F61 D12 76	Bronze	2700K

LED 220-240V - 1x7W  
2700K or 3000K (4000K by request)  
622lm, CRI 90+  
Dimm. DALI

IP20  
Net weight: 3,38 kg  
Included: LED, Dimmable electronic driver


F61 D21 01	White	3000K
F61 D21 21	Anthracite	3000K
F61 D21 25	Corten	3000K
F61 D21 76	Bronze	3000K
F61 D22 01	White	2700K
F61 D22 21	Anthracite	2700K
F61 D22 25	Corten	2700K
F61 D22 76	Bronze	2700K

LED 220-240V - 1x7W  
2700K or 3000K (4000K by request)  
622lm, CRI 90+  
Dimm. ON/OFF

IP20  
Net weight: 3,38 kg  
Included: LED, Electronic driver

F61 D31 01	White	3000K
F61 D31 21	Anthracite	3000K
F61 D31 25	Corten	3000K
F61 D31 76	Bronze	3000K
F61 D32 01	White	2700K
F61 D32 21	Anthracite	2700K
F61 D32 25	Corten	2700K
F61 D32 76	Bronze	2700K

Catalogue



01 White

21 Anthracite


25 Corten

76 Bronze

Upon request

Other finishes available upon request.

Wall




LED 110-240V - 1x6W  
2700K or 3000K (4000K by request)  
920lm, CRI 90  
Dimm. PUSH

IP20  
Net weight: 2,80 kg  
Included: 1 spot with 2,5m of electric cable, LED, Dimmable electronic driver

Note: Max. 3 spots, Concrete base

F64 C11 S02 02	Black cord	3000K - 24° (narrow beam)
F64 C11 L02 02	Black cord	3000K - 60° (wide beam)
F64 C11 S02 03	Red cord	3000K - 24° (narrow beam)
F64 C11 L02 03	Red cord	3000K - 60° (wide beam)
F64 C11 S02 99	Patterned cord	3000K - 24° (narrow beam)
F64 C11 L02 99	Patterned cord	3000K - 60° (wide beam)
F64 C12 S02 02	Black cord	2700K - 24° (narrow beam)
F64 C12 L02 02	Black cord	2700K - 60° (wide beam)
F64 C12 S02 03	Red cord	2700K - 24° (narrow beam)
F64 C12 L02 03	Red cord	2700K - 60° (wide beam)
F64 C12 S02 99	Patterned cord	2700K - 24° (narrow beam)
F64 C12 L02 99	Patterned cord	2700K - 60° (wide beam)

Additional spot



LED 24Vdc - 1x6W  
2700K or 3000K (4000K by request)  
622lm, CRI 90

IP20  
Net weight: 0,30 kg  
Included: 1 spot with 2,5m of electric cable, LED

F64 KX1 S 02	Black	3000K - 24° (narrow beam)
F64 KX1 L 02	Black	3000K - 60° (wide beam)
F64 KX2 S 02	Black	2700K - 24° (narrow beam)
F64 KX2 L 02	Black	2700K - 60° (wide beam)

LED 24Vdc - 1x6W  
2700K or 3000K (4000K by request)  
622lm, CRI 90

IP20  
Net weight: 0,30 kg  
Included: 1 spot with 1,5m of electric cable, LED

F64 KX3 S 02	Black	3000K - 24° (narrow beam)
F64 KX3 L 02	Black	3000K - 60° (wide beam)
F64 KX4 S 02	Black	2700K - 24° (narrow beam)
F64 KX4 L 02	Black	2700K - 60° (wide beam)

Catalogue



02 Black cord




03 Red cord




99 Patterned cord

Wall



G9 220-240V - 1x4,5W LED  
Dimm. Phase cut 30%-100%

IP40   
Net weight: 1,30 kg  
Not included: bulb

F67 D01 01	White
F67 D01 12	Royal gold
F67 D01 21	Anthracite
F67 D01 76	Bronze

Catalogue




01 White    12 Royal gold    21 Anthracite    76 Bronze

Upon request

Other finishes available upon request.

Pendant




LED 230Vac - 3x7W  
 2700K or 3000K (4000K by request)  
 3x920lm, CRI 90  
 Dimm. DALI PUSH 1..10V

IP20  
 Net weight: 3,45 kg  
 Included: 3 spots with integrated  
 LED, 3 arches, canopy with dimmable  
 electronic driver

F65 A11 ST 02	Black	3000K - 15° (narrow beam)
F65 A11 LT 02	Black	3000K - 45° (wide beam)
F65 A11 ST 12	Gold	3000K - 15° (narrow beam)
F65 A11 LT 12	Gold	3000K - 45° (wide beam)
F65 A12 ST 02	Black	2700K - 15° (narrow beam)
F65 A12 LT 02	Black	2700K - 45° (wide beam)
F65 A12 ST 12	Gold	2700K - 15° (narrow beam)
F65 A12 LT 12	Gold	2700K - 45° (wide beam)

Pendant




LED 230Vac - 4x7W  
 2700K or 3000K (4000K by request)  
 4x920lm, CRI 90  
 Dimm. DALI PUSH 1..10V

IP20  
 Net weight: 4,30 kg  
 Included: 4 spots with integrated  
 LED, 4 arches, canopy with dimmable  
 electronic driver

F65 A11 SQ 02	Black	3000K - 15° (narrow beam)
F65 A11 LQ 02	Black	3000K - 45° (wide beam)
F65 A11 SQ 12	Gold	3000K - 15° (narrow beam)
F65 A11 LQ 12	Gold	3000K - 45° (wide beam)
F65 A12 SQ 02	Black	2700K - 15° (narrow beam)
F65 A12 LQ 02	Black	2700K - 45° (wide beam)
F65 A12 SQ 12	Gold	2700K - 15° (narrow beam)
F65 A12 LQ 12	Gold	2700K - 45° (wide beam)

Pendant




LED 230Vac – 6x7W  
 2700K or 3000K (4000K by request)  
 6x920lm, CRI 90  
 Dimm. DALI PUSH 1..10V

IP20  
 Net weight: 6,60 kg  
 Included: 6 spots with integrated  
 LED, 7 arches, canopy with dimmable  
 electronic driver

F65 A11 SR 02	Black	3000K – 15° (narrow beam)
F65 A11 LR 02	Black	3000K – 45° (wide beam)
F65 A11 SR 12	Gold	3000K – 15° (narrow beam)
F65 A11 LR 12	Gold	3000K – 45° (wide beam)
F65 A12 SR 02	Black	2700K – 15° (narrow beam)
F65 A12 LR 02	Black	2700K – 45° (wide beam)
F65 A12 SR 12	Gold	2700K – 15° (narrow beam)
F65 A12 LR 12	Gold	2700K – 45° (wide beam)


Catalogue



Upon request

Other finishes available upon request.


Spot



LED 24Vdc - 1x7W  
 2700K or 3000K (4000K by request)  
 920lm, CRI 90  
 Dimmable  
 IP20  
 Net weight: 0,70 kg  
 Included: LED

F65 L11 SR 02	Black	3000K - 15° (narrow beam)
F65 L11 LR 02	Black	3000K - 45° (wide beam)
F65 L11 SR 12	Gold	3000K - 15° (narrow beam)
F65 L11 LR 12	Gold	3000K - 45° (wide beam)
F65 L12 SR 02	Black	2700K - 15° (narrow beam)
F65 L12 LR 02	Black	2700K - 45° (wide beam)
F65 L12 SR 12	Gold	2700K - 15° (narrow beam)
F65 L12 LR 12	Gold	2700K - 45° (wide beam)


Arch



IP20  
 Net weight: 0,15 kg  
 Not included: Spots

F65 K00 02	Black
F65 K00 02	Gold


Canopy



LED 230Vac  
 Dimm. DALI PUSH 1.10V  
 IP20  
 Net weight: 0,90 kg  
 Included: Dimmable electronic driver  
 Not included: Spots

F65 M01 02	Black	Max. 4 spots
F65 M01 02	Gold	Max. 4 spots


Canopy



LED 230Vac  
 Dimm. DALI PUSH 1.10V  
 IP20  
 Net weight: 1,50 kg  
 Included: Dimmable electronic driver  
 Not included: Spots

F65 M02 02	Black	Max. 6 spots
F65 M02 02	Gold	Max. 6 spots

Pendant




LED 110-230V - 2x38W  
 2700K or 3000K or 4000K  
 3690lm up, 4480lm down, CRI 90+  
 Dimm. ON/OFF

IP40  
 Net weight: 4,50 kg  
 Included: LED

F68 A01 03	Strawberry red	3000K
F68 A01 36	Mustard	3000K
F68 A01 16	Sand beige	3000K
F68 A01 31	Blue jeans	3000K
F68 A01 43	Reseda green	3000K
F68 A01 75	Light grey	3000K
F68 A02 03	Strawberry red	2700K
F68 A02 36	Mustard	2700K
F68 A02 16	Sand beige	2700K
F68 A02 31	Blue jeans	2700K
F68 A02 43	Reseda green	2700K
F68 A02 75	Light grey	2700K
F68 A03 03	Strawberry red	4000K
F68 A03 36	Mustard	4000K
F68 A03 16	Sand beige	4000K
F68 A03 31	Blue jeans	4000K
F68 A03 43	Reseda green	4000K
F68 A03 75	Light grey	4000K

Catalogue




Upon request

More than 30 finishes available upon request.



Pendant



LED 110-230V - 2x38W  
2700K or 3000K or 4000K  
3690lm up, 4480lm down, CRI 90+  
Dimm. PUSH 1.10V

IP40  
Net weight: 4,50 kg  
Included: LED, Dimmable electronic driver

F68 A11 03	Strawberry red	3000K
F68 A11 36	Mustard	3000K
F68 A11 16	Sand beige	3000K
F68 A11 31	Blue jeans	3000K
F68 A11 43	Reseda green	3000K
F68 A11 75	Light grey	3000K
F68 A12 03	Strawberry red	2700K
F68 A12 36	Mustard	2700K
F68 A12 16	Sand beige	2700K
F68 A12 31	Blue jeans	2700K
F68 A12 43	Reseda green	2700K
F68 A12 75	Light grey	2700K
F68 A13 03	Strawberry red	4000K
F68 A13 36	Mustard	4000K
F68 A13 16	Sand beige	4000K
F68 A13 31	Blue jeans	4000K
F68 A13 43	Reseda green	4000K
F68 A13 75	Light grey	4000K

LED 110-230V - 2x38W  
2700K or 3000K or 4000K  
3690lm up, 4480lm down, CRI 90+  
Dimm. PUSH 1.10V DALI

IP40  
Net weight: 4,50 kg  
Included: LED, Dimmable electronic driver


F68 A21 03	Strawberry red	3000K
F68 A21 36	Mustard	3000K
F68 A21 16	Sand beige	3000K
F68 A21 31	Blue jeans	3000K
F68 A21 43	Reseda green	3000K
F68 A21 75	Light grey	3000K
F68 A22 03	Strawberry red	2700K
F68 A22 36	Mustard	2700K
F68 A22 16	Sand beige	2700K
F68 A22 31	Blue jeans	2700K
F68 A22 43	Reseda green	2700K
F68 A22 75	Light grey	2700K
F68 A23 03	Strawberry red	4000K
F68 A23 36	Mustard	4000K
F68 A23 16	Sand beige	4000K
F68 A23 31	Blue jeans	4000K
F68 A23 43	Reseda green	4000K
F68 A23 75	Light grey	4000K

LED 110-230V - 2x38W  
2700K or 3000K or 4000K  
3690lm up, 4480lm down, CRI 90+  
Dimm. Phase cut 30%-100%

IP40  
Net weight: 4,50 kg  
Included: LED, Dimmable electronic driver

F68 A31 03	Strawberry red	3000K
F68 A31 36	Mustard	3000K
F68 A31 16	Sand beige	3000K
F68 A31 31	Blue jeans	3000K
F68 A31 43	Reseda green	3000K
F68 A31 75	Light grey	3000K
F68 A32 03	Strawberry red	2700K
F68 A32 36	Mustard	2700K
F68 A32 16	Sand beige	2700K
F68 A32 31	Blue jeans	2700K
F68 A32 43	Reseda green	2700K
F68 A32 75	Light grey	2700K
F68 A33 03	Strawberry red	4000K
F68 A33 36	Mustard	4000K
F68 A33 16	Sand beige	4000K
F68 A33 31	Blue jeans	4000K
F68 A33 43	Reseda green	4000K
F68 A33 75	Light grey	4000K

Pendant




LED 110-230V - 2x64W  
 2700K or 3000K or 4000K  
 6150lm up, 7460lm down, CRI 90+  
 Dimm. ON/OFF

IP40  
 Net weight: 6,50 kg  
 Included: LED

F68 A51 03	Strawberry red	3000K
F68 A51 36	Mustard	3000K
F68 A51 16	Sand beige	3000K
F68 A51 31	Blue jeans	3000K
F68 A51 43	Reseda green	3000K
F68 A51 75	Light grey	3000K
F68 A52 03	Strawberry red	2700K
F68 A52 36	Mustard	2700K
F68 A52 16	Sand beige	2700K
F68 A52 31	Blue jeans	2700K
F68 A52 43	Reseda green	2700K
F68 A52 75	Light grey	2700K
F68 A53 03	Strawberry red	4000K
F68 A53 36	Mustard	4000K
F68 A53 16	Sand beige	4000K
F68 A53 31	Blue jeans	4000K
F68 A53 43	Reseda green	4000K
F68 A53 75	Light grey	4000K


Catalogue



Upon request

More than 30 finishes available upon request.

Pendant



LED 110-230V - 2x64W  
2700K or 3000K or 4000K  
6150lm up, 7460lm down, CRI 90+  
Dimm. PUSH 1.10V

IP40  
Net weight: 6,50 kg  
Included: LED, Dimmable electronic driver

F68 A61 03	Strawberry red	3000K
F68 A61 36	Mustard	3000K
F68 A61 16	Sand beige	3000K
F68 A61 31	Blue jeans	3000K
F68 A61 43	Reseda green	3000K
F68 A61 75	Light grey	3000K
F68 A62 03	Strawberry red	2700K
F68 A62 36	Mustard	2700K
F68 A62 16	Sand beige	2700K
F68 A62 31	Blue jeans	2700K
F68 A62 43	Reseda green	2700K
F68 A62 75	Light grey	2700K
F68 A63 03	Strawberry red	4000K
F68 A63 36	Mustard	4000K
F68 A63 16	Sand beige	4000K
F68 A63 31	Blue jeans	4000K
F68 A63 43	Reseda green	4000K
F68 A63 75	Light grey	4000K

LED 110-230V - 2x64W  
2700K or 3000K or 4000K  
6150lm up, 7460lm down, CRI 90+  
Dimm. PUSH 1.10V DALI

IP40  
Net weight: 6,50 kg  
Included: LED, Dimmable electronic driver


F68 A71 03	Strawberry red	3000K
F68 A71 36	Mustard	3000K
F68 A71 16	Sand beige	3000K
F68 A71 31	Blue jeans	3000K
F68 A71 43	Reseda green	3000K
F68 A71 75	Light grey	3000K
F68 A72 03	Strawberry red	2700K
F68 A72 36	Mustard	2700K
F68 A72 16	Sand beige	2700K
F68 A72 31	Blue jeans	2700K
F68 A72 43	Reseda green	2700K
F68 A72 75	Light grey	2700K
F68 A73 03	Strawberry red	4000K
F68 A73 36	Mustard	4000K
F68 A73 16	Sand beige	4000K
F68 A73 31	Blue jeans	4000K
F68 A73 43	Reseda green	4000K
F68 A73 75	Light grey	4000K

LED 110-230V - 2x64W  
2700K or 3000K or 4000K  
6150lm up, 7460lm down, CRI 90+  
Dimm. Phase cut 30%-100%


IP40  
Net weight: 6,50 kg  
Included: LED, Dimmable electronic driver

F68 A81 03	Strawberry red	3000K
F68 A81 36	Mustard	3000K
F68 A81 16	Sand beige	3000K
F68 A81 31	Blue jeans	3000K
F68 A81 43	Reseda green	3000K
F68 A81 75	Light grey	3000K
F68 A82 03	Strawberry red	2700K
F68 A82 36	Mustard	2700K
F68 A82 16	Sand beige	2700K
F68 A82 31	Blue jeans	2700K
F68 A82 43	Reseda green	2700K
F68 A82 75	Light grey	2700K
F68 A83 03	Strawberry red	4000K
F68 A83 36	Mustard	4000K
F68 A83 16	Sand beige	4000K
F68 A83 31	Blue jeans	4000K
F68 A83 43	Reseda green	4000K
F68 A83 75	Light grey	4000K

Table




LED 220-240V - 1x12W  
2700K or 3000K  
1200lm, CRI 80+  
Dimm. PUSH

IP40   
Net weight: 4,70 kg  
Included: LED

F69 B01 00	Transparent	3000K
F69 B01 43	Green	3000K
F69 B01 47	Amber	3000K
F69 B01 58	Smoked	3000K
F69 B02 00	Transparent	2700K
F69 B02 43	Green	2700K
F69 B02 47	Amber	2700K
F69 B02 58	Smoked	2700K

Catalogue




00 Transparent

43 Green

47 Amber

58 Smoked

Wall



LED 220-240V - 1x7W  
 2700K or 3000K  
 690lm, CRI 80+  
 Dimm. ON/OFF

IP20  
 Net weight: 0,30 kg  
 Included: LED

F70 D01 01	White	3000K
F70 D01 12	Royal gold	3000K
F70 D01 21	Anthracite	3000K
F70 D01 76	Bronze	3000K
F70 D02 01	White	2700K
F70 D02 12	Royal gold	2700K
F70 D02 21	Anthracite	2700K
F70 D02 76	Bronze	2700K


Catalogue



Upon request

Other finishes available upon request.

## Pendant




LED 110-230V – 1x53W  
 3000K or 4000K  
 1336lm up, 1969lm down, CRI 90+  
 Dimm. ON/OFF

F57 A51 01	White	3000K
F57 A51 02	Black	3000K
F57 A53 01	White	4000K
F57 A53 02	Black	4000K

IP40  
 Net weight: 2,80 kg  
 Included: LED, Driver

## Pendant



LED 110-230V – 1x149W  
 3000K or 4000K  
 4100lm up, 5909lm down, CRI 90+  
 Dimm. ON/OFF

F57 A01 01	White	3000K
F57 A01 02	Black	3000K
F57 A03 01	White	4000K
F57 A03 02	Black	4000K

IP40  
 Net weight: 7,70 kg  
 Included: LED, Driver

LED 110-230V – 1x149W  
 3000K or 4000K  
 5909lm up, 5909lm down, CRI 90+  
 Dimm. PUSH 1.10V (up/down independent)

F57 A11 01	White	3000K
F57 A11 02	Black	3000K
F57 A13 01	White	4000K
F57 A13 02	Black	4000K

IP40  
 Net weight: 7,70 kg  
 Included: LED, Dimm. electronic driver

LED 220-240V – 1x149W  
 3000K or 4000K  
 5909lm up, 5909lm down, CRI 90+  
 Dimm. PUSH 1.10V DALI (up/down independent)

F57 A21 01	White	3000K
F57 A21 02	Black	3000K
F57 A23 01	White	4000K
F57 A23 02	Black	4000K


IP40  
 Net weight: 7,70 kg  
 Included: LED, Dimm. electronic driver

LED 220-240V – 1x149W  
 3000K or 4000K  
 5909lm up, 5909lm down, CRI 90+  
 Dimm. Phase cut 30%-100% (up/down independent)

F57 A31 01	White	3000K
F57 A31 02	Black	3000K
F57 A33 01	White	4000K
F57 A33 02	Black	4000K

IP40  
 Net weight: 7,70 kg  
 Included: LED, Dimm. electronic driver


## Catalogue



Upon request

Other finishes available upon request.

Pendant




LED 24V - 1x116W  
2700K or 3000K  
1632lm/m, CRI 90+  
Dimm. ON/OFF

F49 G21 35	Polished stainless steel	3000K
F49 G22 35	Polished stainless steel	2700K

IP40  
Net weight: 1,50 kg  
Included: LED strip, 2 wall attachments,  
2 metal covers, 6m metal strip, silicone  
cover

The strip can be cut to measure.


Accessory



Net weight: 1,20 kg  
Included: 2 wall attachments, 2 metal  
covers

F49 Z08 35	Polished stainless steel
------------	--------------------------


Driver



1.10V dimmable driver 240W 24Vdc  
Net weight: 1,30 kg

F49 Z03
---------


Driver



No dimmable driver 150W 24Vdc  
Net weight: 0,90 kg


F49 Z02
---------

Catalogue




35 Polished stainless steel

Table



LED 220-240V - 1x40W  
 2700K or 3000K  
 13260lm, CRI 90+  
 Dimm. SLIDE


IP40 

Net weight: 4,42 kg  
 Included: LED, Dimmable electronic driver

F45 B01 01	White	3000K
F45 B01 76	Bronze	3000K
F45 B02 01	White	2700K
F45 B02 76	Bronze	2700K

Catalogue


Upon request



01 White      76 Bronze

Other finishes available upon request.



Table	LED 220-240V - 1x9W	F71 B01 00	Transparent	3000K
	2700K or 3000K	F71 B02 00	Transparent	2700K
	590lm, CRI 80+			
	Dimm. PUSH			
	IP40 			
	Net weight: 7,60 kg			
	Included: LED			
	Note: Concrete base			







Table	LED 220-240V - 1x9W	F71 B11 00	Transparent	3000K
	2700K or 3000K	F71 B12 00	Transparent	2700K
	590lm, CRI 80+			
	Dimm. PUSH			
	IP40 			
	Net weight: 7,40 kg			
	Included: LED			
	Note: Concrete base			




Catalogue



00 Transparent

Pendant




E14 220-240V - Max. 1x10W LED  
Dimm. Phase cut 30%-100%

F62 A01 02 Black

IP20  
Net weight: 1,00 kg  
Not included: Bulb


Note: White glass, Black ceramic

Table



E14 220-240V - Max. 1x10W LED  
Dimm. ON/OFF

F62 B01 02 Black

IP20   
Net weight: 1,00 kg  
Not included: Bulb


Note: White glass, Black ceramic

Catalogue




02 Black

Floor




LED 220-240V - 1x25W  
2700K or 3000K  
2248lm, CRI 80+  
Dimm. PUSH


IP40   
Net weight: 5,3 kg  
Included: LED

F72 C01 Y01 03	Red cord	3000K - White structure
F72 C01 Y21 31	Blue cord	3000K - Anthracite structure
F72 C01 Y25 04	Yellow /black cord	3000K - Corten structure
F72 C02 Y01 03	Red cord	2700K - White structure
F72 C02 Y21 31	Blue cord	2700K - Anthracite structure
F72 C02 Y25 04	Yellow /black cord	2700K - Corten structure

Catalogue



03 Red cord  
and white  
structure




31 Blue cord  
and anthracite  
structure



04 Yellow/black  
cord and corten  
structure

Table




LED USB supply 5V - 1x2,5W  
 3000K  
 225lm, CRI 80  
 Dimm. TOUCH


IP54  
 Net weight: 0,55 kg  
 Included: LED, Battery, Battery charger,  
 USB cable

F59 B01 01	White
F59 B01 03	Purple red
F59 B01 07	Dusty pink
F59 B01 16	Sand beige
F59 B01 21	Anthracite
F59 B01 43	Reseda green
F59 B01 73	Amalfi blue

Catalogue




Glass



Net weight: 0,40 kg  
Not included: Spots

F63 V01 02	Licorice	Slick internal glass
F63 V01 43	Petroleum	Slick internal glass
F63 V02 02	Licorice	Rigadin internal glass
F63 V02 76	Bronze	Rigadin internal glass
F63 V03 40	Plum	Baloton internal glass
F63 V03 43	Petroleum	Baloton internal glass
F63 V04 40	Plum	Aqua internal glass
F63 V04 76	Bronze	Aqua internal glass

Spots



E14 220-240V - Max. 1x10W LED  
Dimm. Phase cut 30%-100%

F63 L01 02	Black	Transparent external glass
------------	-------	----------------------------


IP20  
Net weight: 0,80 kg  
Included: 3m cable  
Not included: Bulb

LED 24Vdc - 1x6W  
2700K or 3000K  
-lm, CRI 90+  
Dimmable

F63 L02 02	Black	2700K, Transparent external glass
F63 L03 02	Black	3000K, Transparent external glass

IP20  
Net weight: 0,80 kg  
Included: LED, 3m cable

Canopy



IP20  
Net weight: 0,10 kg  
Not included: Spots

F63 M01 01	White
F63 M01 02	Black

Catalogue



02 Licorice Slick internal glass  
43 Petroleum Slick internal glass  
02 Licorice Rigadin internal glass  
76 Bronze Rigadin internal glass  
40 Plum Baloton internal glass  
43 Petroleum Baloton internal glass  
40 Plum Aqua internal glass  
76 Bronze Aqua internal glass

## Contact

### Italy

via Vicenza, 32  
31050, Veduggio, Treviso  
tel +39 0423 4848  
fax +39 0423 484395  
www.fabbian.com

### Sales

italia@fabbian.com  
export@fabbian.com

### Mkt & Com

marketing@fabbian.com

### Usa & Canada

Fabbian Usa Corp.  
307 W 38th St Ste 1103  
New York, NY 10018, Usa  
ph. +1 646 518 4160  
fax +1 646 970 3075  
www.fabbian.us

### Sales

usa@fabbian.com  
canada@fabbian.com

### Mkt & Com

marketing.usa@fabbian.com

### Graphic Design

Metodo studio

Questo catalogo non può essere copiato, scansionato o riprodotto con alcun mezzo. Tutti i diritti sono riservati. Immagini, descrizioni, quotazioni, dimensioni e dati tecnici sono da considerarsi puramente indicativi. Pur mantenendo le caratteristiche fondamentali del prodotto, il produttore si riserva il diritto di apportare modifiche in qualsiasi momento con l'unico scopo di miglioramento.

This catalogue cannot be copied, scanned or reproduced by any means. All rights reserved. Pictures, descriptions, quoting, dimensions and technical datas have to be considered as purely indicative. While maintaining the basic characteristic of the product, the manufacturer reserves the right to make modifications at any time with the sole aim of improvement.



[www.fabbian.com](http://www.fabbian.com)